UNIVERSITAS
SCIENTIAE
OTTAVIENSIS

SMITHSONIAN INSTITUTION
UNITED STATES NATIONAL MUSEUM
Bulletin 72

CATALOGUE OF NEARCTIC SPIDERS

BY

NATHAN BANKS
Custodian, Section of Arachnida, U. S. National Museum



WASHINGTON
GOVERNMENT PRINTING OFFICE
1910

BULLETIN OF THE UNITED STATES NATIONAL MUSEUM.

Issued April 30, 1910.

II

ADVERTISEMENT.

The scientific publications of the United States National Museum consist of two series, the *Proceedings* and the *Bulletins*.

The *Proceedings*, the first volume of which was issued in 1878, are intended primarily as a medium for the publication of original, and usually brief, papers based on the collections of the National Museum, presenting newly-acquired facts in zoology, geology, and anthropology, including descriptions of new forms of animals, and revisions of limited groups. One or two volumes are issued annually and distributed to libraries and scientific organizations. A limited number of copies of each paper, in pamphlet form, is distributed to specialists and others interested in the different subjects, as soon as printed. The date of publication is printed on each paper, and these dates are also recorded in the tables of contents of the volumes.

The *Bulletins*, the first of which was issued in 1875, consist of a series of separate publications comprising chiefly monographs of large zoological groups and other general systematic treatises (occasionally in several volumes), faunal works, reports of expeditions, and catalogues of type-specimens, special collections, etc. The majority of the volumes are octavos, but a quarto size has been adopted in a few instances in which large plates were regarded as indispensable.

Since 1902 a series of octavo volumes containing papers relating to the botanical collections of the Museum, and known as the *Contributions from the National Herbarium*, has been published as bulletins.

The present work forms No. 72 of the *Bulletin* series.

RICHARD RATHBUN,
Assistant Secretary, Smithsonian Institution,
In charge of the United States National Museum.

WASHINGTON, D. C., March 31, 1910.

CATALOGUE OF NEARCTIC SPIDERS.

By Nathan Banks,

Custodian of Arachnida, U. S. National Museum.

INTRODUCTION.

The publication of Doctor Marx's catalogue of our spiders some twenty years ago was followed by great activity in descriptive work, so that now, to-day, new spiders are not more common than new species in many orders of insects. Three large families, the Epeiridæ, the Lycosidæ, and the Attidæ, have been revised by specialists. The appearance of Simon's second edition of the Histoire Naturelle des Araigneés has enabled us to make some generic corrections; so that our genera are on a fair basis, except those in the Erigoninæ. Yet at present monographic works are scarcely advisable, since in most of the families there are many species known from only one sex, and there are large regions of our country in which no one has collected spiders.

This catalogue includes a little over 1,300 species; and there will be certainly 2,000 in our country when the West and South are explored as thoroughly as New England now is. The largest family is the Theridiidæ with 298 species; the Attidæ is next with 213; two other families, the Lycosidæ and Epeiridæ, have over 100 species in each. Sixteen families have less than 10 species apiece.

A few new names have been proposed where other names were preoccupied by foreign species.

The arrangement is very similar to that of the Marx catalogue, only a few changes have been made, such as the recognition of peculiar forms as representing families; none of these changes are new.

THERAPHOSIDÆ.

ATYPUS.

Latreille, Nouv. Dict. Hist. Nat., vol. 24, p. 133, 1804.

bicolor Lucas, Ann. Soc. Ent. France, 1836, p. 213.—Eastern States.

milberti Walckenaer, Ins. Apt., vol. 1, p. 249, 1837.—Eastern States.

niger Hentz, Journ. Bost. Soc. Nat. Hist., vol. 4, p. 224, 1842; Spid. U. S., p. 19, 1875.

BRACHYBOTHRIUM.

SIMON, Bull. Soc. Zool. France, vol. 9, p. 313, 1884.

Nidivalvata ATKINSON, Ent. Amer., vol. 2, p. 129, 1886.

accentuatum SIMON, Bull. Soc. Zool. France, 1884, p. 315.—N. C.

augustatum ATKINSON, Ent. Amer., vol. 2, p. 130, 1886.—N. C.

marxi ATKINSON, Ent. Amer., vol. 2, p. 115, 1886.—SIMON, Act. Soc. Linn. Bordeaux, vol. 44, p. 310, 1891.—N. C.

pacificum SIMON, Bull. Soc. Zool. France, 1884, p. 314.—West Coast.

robustum SIMON, Act. Soc. Linn. Bordeaux, vol. 44, p. 311, 1891.—N. C., Va.

HEXURA.

SIMON, Bull. Soc. Zool. France, vol. 9, p. 313, 1884.

picea SIMON, Bull. Soc. Zool. France, 1884, p. 316.—Wash.

PACHYLOMERUS.

AUSSERER, Verh. zool.-bot. Ges. Wien, vol. 21, p. 145, 1871.

Hebestatis SIMON, Ann. Soc. Ent. Belgique, 1903, p. 21.

audouini LUCAS, Mag. Zool., cl. 7, 1836; Ann. Soc. Ent. France, vol. 6, p. 377, 1837.—SIMON, Act. Soc. Linn. Bordeaux, vol. 44, p. 312, 1891.—Eastern States.

carolinensis HENTZ, Proc. Bost. Soc. Nat. Hist., vol. 4, p. 41, 1841; Spid. U. S., p. 17, 1875.

solstitialis HENTZ, Proc. Bost. Soc. Nat. Hist., vol. 4, p. 42, 1841; Spid. U. S., p. 16, 1875.

turris ATKINSON, Ent. Amer., vol. 2, p. 136, 1886.

carabivorus ATKINSON, Ent. Amer., vol. 2, p. 133, 1886.—SIMON, Act. Soc. Linn. Bordeaux, vol. 44, p. 313, 1891.—N. C.

emarginatus ATKINSON, Ent. Amer., vol. 2, p. 134, 1886.

modestus BANKS, Proc. Acad. Nat. Sci. Phila., 1901, p. 570.—Ariz.

pertyi LUCAS, Ann. Soc. Ent. France, 1845, p. 60 (*Actinopus*).—North America.

quadrispinosus ATKINSON, Ent. Amer., vol. 2, p. 136, 1886.—N. C.

threveneti SIMON, Act. Soc. Linn. Bordeaux, vol. 44, p. 313, 1891 (*Cyclocosmia*).—Cal.

CYCLOCOSMIA.

AUSSERER, Verh. zool.-bot. Ges. Wien, 1871, p. 144.

Chorizops AUSSERER, Verh. zool.-bot. Ges. Wien, 1871, p. 144.

truncata HENTZ, Proc. Bost. Soc. Nat. Hist., vol. 4, p. 41, 1841; Spid. U. S., p. 16, 1875.—Ala.

BOTHRIOCYRTUM.

SIMON, Act. Soc. Linn. Bordeaux, vol. 44, p. 314, 1891.

californicum CAMBRIDGE, Moggr. Trap-door Spid., vol. 2, p. 260, 1874.—SIMON, Act. Soc. Linn. Bordeaux, vol. 44, p. 315, 1891.—SMITH, Ann. Ent. Soc. Amer., vol. 1, p. 214, 1908.—Cal., Ariz., Tex.

CYRTAUCHENIUS.

THORELL, Eur. Spid., p. 165, 1870.

Amblyocarenum SIMON, Hist. Nat. Araign., (2), vol. 1, p. 106, 1892.

talpa SIMON, Ann. Soc. Ent. France, 1891, p. 302.—Cal.

MYRMECIOPHILA.

ATKINSON, Ent. Amer., vol. 2, p. 131, 1886.

atkinsoni SIMON, Act. Soc. Linn. Bordeaux, vol. 44, p. 316, 1891.—N. C.
fluviatilis HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 6, p. 287, 1850; Spid. U. S., p. 159, 1875.—Southern States.
foliata ATKINSON, Ent. Amer., vol. 2, p. 132, 1886.

ALIATYPUS.

SMITH, Ann. Ent. Soc. Amer., vol. 1, p. 231, 1908.

californica BANKS, Journ. N. Y. Ent. Soc., 1896, p. 88 (*Atypoides*).—SMITH, Ann. Ent. Soc. Amer., vol. 1, p. 232, 1908.—Cal.

ATYPOIDES.

CAMBRIDGE, Proc. Zool. Soc. Lond., 1883, p. 354.

riversi CAMBRIDGE, Proc. Zool. Soc. Lond., 1883, p. 354.—SMITH, Ann. Ent. Soc. Amer., vol. 1, p. 229, 1908.—RIVERS, Zoe, vol. 2 (no. 4), p. 318, 1894.—Cal.

APOSTICHUS.

SIMON, Act. Soc. Linn. Bordeaux, 1891, p. 309.

atomarius SIMON, Act. Soc. Linn. Bordeaux, vol. 44, p. 317, 1891.—SMITH, Ann. Ent. Soc. Amer., vol. 1, p. 220, 1908.—Cal.
clathratus SIMON, Act. Soc. Linn, Bordeaux, vol. 44, p. 318, 1891.—Cal.
standfordianus SMITH, Ann. Ent. Soc. Amer., vol. 1, p. 221, 1908.—Cal.

EUTYCHIDES.

SIMON, Ann. Soc. Ent. France, 1888, p. 214.

Actinoxia SIMON, Act. Soc. Linn. Bordeaux, 1891, p. 320.
versicolor SIMON, Act. Soc. Linn. Bordeaux, vol. 44, p. 318, 1891 (*Actinoxia*).—SMITH, Ann. Ent. Soc. Amer. vol. 1, p. 214, 1908.—Cal.

BRACHYTHELE.

AUSSERER, Verh. zool.-bot. Ges. Wien, 1871, p. 173.

longitarsis SIMON, Ann. Soc. Ent. France, 1891, p. 305; Act. Soc. Linn. Bordeaux, vol. 44, p. 319, 1891.—SMITH, Ann. Ent. Soc. Amer., vol. 1, p. 226, 1908.—Cal., Ariz.
threveneti SIMON, Ann. Soc. Ent. France, 1891, p. 305.—Cal.

EVAGRUS.

AUSSERER, Verh. zool.-bot. Ges. Wien, vol. 25, p. 160, 1875.

rubrigularis SIMON, Act. Soc. Linn. Bordeaux, vol. 44, p. 320, 1891.—Idaho.

EURYPELMA.

KOCH, Uebers. Arachn. Syst., vol. 5, p. 73, 1850.

Brachypelma SIMON, Act. Soc. Linn. Bordeaux, vol. 44, p. 338, 1890.
Aphonopelma POCOCK, Ann. Mag. Nat. Hist. (7), vol. 8, p. 551, 1901.
Dugesiella POCOCK, Ann. Mag. Nat. Hist. (7), vol. 8, p. 551, 1901.
Rhechostica SIMON, Hist. Nat. Araign. (2), vol. 1, p. 162, 1892.

californicum Ausserer, Verh. zool.-bot. Ges. Wien, 1871, p. 214.—Smith, Ann. Ent. Soc. Amer., vol. 1, p. 223, 1908.—Cal., Ariz., Tex.

steindachneri Ausserer, Verh. zool.-bot. Ges. Wien, 1875, p. 199.—Simon, Act. Soc. Linn. Bordeaux, vol. 44, p. 322, 1891.

rileyi Marx, Proc. Ent. Soc. Washington, vol. 1, p. 116, 1891.

helluo Simon, Act. Soc. Linn. Bordeaux, vol. 44, p. 19, 1891.—Ariz.

hentzi Girard, Marcy's Explor. Red River, p. 251, 1852.—Simon, Act. Soc. Linn. Bordeaux, vol. 44, p. 18, 1891.—Southern States.

mordax Ausserer, Verh. zool.-bot. Ges. Wien, 1871, p. 221.

leiogaster Ausserer, Verh. zool.-bot. Ges. Wien, 1871, p. 214.—Cal.

marxi Simon, Act. Soc. Linn. Bordeaux, vol. 44, p. 324, 1891.—Colo., N. Mex.

pseudoroseum Strand, Jahresh. Ver. Vaterl. Naturk. Württemberg, 1907, p. 41 (= *hentzi* ?).—Tex.

rusticum Simon, Act. Soc. Linn. Bordeaux, vol. 44, p. 323, 1891.—Ariz., N. Mex.

texense Simon, Act. Soc. Linn. Bordeaux, vol. 44, p. 320, 1891 (*Homœomma*).—Tex.

AVICULARIA.

Lamarck, Hist. Nat. Anim., vol. 5, p. 107, 1818.

californica Banks, Proc. Ent. Soc. Washington, vol. 7, p. 95, 1906.—Cal.

TAPINAUCHENIUS.

Ausserer, Verh. zool.-bot. Ges. Wien, vol. 21, p. 200, 1871.

cærulescens Simon, Act. Soc. Linn. Bordeaux, vol. 44, p. 325, 1891.—Okla.

texensis Simon, Act. Soc. Linn. Bordeaux, vol. 44, p. 326, 1891.—Tex.

ANTRODIÆTUS.

Ausserer, Verh. zool.-bot. Ges. Wien, 1871, p. 136.

unicolor Hentz, Journ. Bost. Soc. Nat. Hist., vol. 4, p. 56, 1841; Spid. U. S., p. 18, 1875.—Ausserer, Verh. zool.-bot. Ges. Wien, 1871, p. 136.—Ala.

UNPLACED.

gracilis Hentz, Journ. Bost. Soc. Nat. Hist., vol. 4, p. 56, 1841; Spid. U. S., p. 17, 1875 (*Mygale*).—Ausserer, Verh. zool.-bot. Ges. Wien, 1871, p. 142 (*Clostérochilus*).—Ala.

HYPOCHILIDÆ.

HYPOCHILUS.

Marx, Ent. Amer., vol. 4, p. 161, 1888.

thorelli Marx, Ent. Amer., vol. 4, p. 161, 1888.—N. C., Colo., Tenn.

FILISTATIDÆ.

FILISTATA.

Latreille, Consid. général, p. 121, 1810.

Filistatoides Cambridge, Biol. Centr.-Amer., Arachn. Aran., vol. 2, p. 47, 1899.

hibernalis Hentz, Journ. Bost. Soc. Nat. Hist., vol. 4, p. 227, 1843; Spid. U. S., p. 23, 1875.—Southern States.

capitata Hentz, Journ. Bost. Soc. Nat. Hist., vol. 4, p. 228, 1843; Spid. U. S., p. 24, 1875.

depressus Koch, Die Arachn., vol. 9, p. 103, 1842.

ŒCOBIIDÆ.

THALAMIA.

HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 6, p. 31, 1850.

floridana BANKS, Trans. Amer. Ent. Soc., vol. 23, p. 58, 1896.—Fla.
parietalis HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 6, p. 35, 1850; Spid. U. S., p. 141, 1875.—BANKS, Proc. Ent. Soc. Washington, vol. 2, p. 125, 1891.—EMERTON, Trans. Conn. Acad., vol. 14, p. 212, 1909.—Southern States.

PRODIDOMIDÆ.

PRODIDOMUS.

HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 466, 1847.

Miltia SIMON, Rev. Mag. Zool., 1869, p. 147.
rufus HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 467, 1847; Spid. U. S., p. 105, 1875.—BANKS, Proc. Ent. Soc. Washington, vol. 2, p. 259, 1892.—Southern States.

SCYTODIDÆ.

SCYTODES.

LATREILLE, Nouv. Dict. Hist. Nat., vol. 24, p. 134, 1804.

thoracica LATREILLE, Tabl. Méth. des Insectes, p. 134, 1804.—EMERTON, Trans. Conn. Acad., vol. 6, p. 31, 1882.—Eastern States.
cameratus HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 6, p. 35, 1850; Spid. U. S., p. 141, 1875.

PLECTRURYS.

SIMON, Ann. Soc. Ent. France, 1893, p. 300.

castanea SIMON, Ann. Soc. Ent. France, 1893, p. 301.—Cal.
tristis SIMON, Ann. Soc. Ent. France, 1893, p. 300.—Ariz.

LOXOSCELES.

LOWE, Zool. Journ., vol. 5, p. 321, 1831.

rufescens DUFOUR, Ann. Sci. Phys., vol. 4, p. 204, 1820.—WALCKENAER, Ins. Apt., vol. 1, p. 274, 1837.—Southern States.
unicolor KEYSERLING, Verh. zool.-bot. Ges. Wien, 1887, p. 474.—N. Mex.

DIGUETIA.

SIMON, Bull. Mus. Paris, 1895, p. 106.

Ervig CAMBRIDGE, Biol. Centr. Amer., Arachn. Aran., vol. 1, p. 151, 1895.
canites MCCOOK, Amer. Spid., vol. 2, p. 139, 1892 (*Segestria*).—Cal.

OONOPIDÆ.

GAMASOMORPHA.

KARSCH, Berliner Ent. Zeitschr., vol. 25, p. 40, 1881.

Cinetomorpha SIMON, Proc. Zool. Soc. Lond., 1891, p. 558.
floridana BANKS, Trans. Amer. Ent. Soc., vol. 23, p. 57, 1896.—Fla.

ORCHESTINA.

SIMON, Ann. Soc. Ent. France, 1892, p. 237.

saltitans BANKS, Ent. News, 1894, p. 300.—Atlantic States.

LEPTONETIDÆ.

USOFILA.

MARX, Proc. Ent. Soc. Washington, vol. 2, p. 35, 1891.

Psiloderces SIMON, Ann. Soc. Ent. France, 1892, p. 40.
gracilis MARX, Proc. Ent. Soc. Washington, vol. 2, p. 35, 1891.—Cal.

OCHYROCERA.

SIMON, Proc. Zool. Soc. Lond., 1891, p. 565.

pacifica BANKS, Ent. News, 1894, p. 299.—Wash.

LEPTONETA.

SIMON, Ann. Soc. Ent. France, 1872, p. 477.

californica BANKS, Proc. Cal. Acad. Sci. (3), vol. 3, Zool., p. 333, 1904.—Cal.

PHOLCIDÆ.

PHOLCUS.

WALCKENAER, Tabl. Aran., p. 80, 1805.

phalangioides FUESSLY, Verz. Schweiz. Insekten, p. 60, 1775.—EMERTON, Trans. Conn. Acad., vol. 6, p. 30, 1882.—United States.
atlanticus HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 6, p. 284, 1850; Spid. U. S., p. 157, 1875.
tipuloides KOCH, Die Arachn. Austr., vol. 1, p. 281, 1871.—MARX, Proc. Acad. Nat. Sci. Phila., 1889, p. 99.—Fla.

PSILOCHORUS.

SIMON, Hist. Nat. Araign. (2), vol. 1, p. 482, 1893.

pullulus HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 6, p. 282, 1850; Spid. U. S., p. 155, 1875.—Southern States.
cornutus KEYSERLING, Verh. zool.-bot. Ges. Wien, 1887, p. 208.

SPERMOPHORA.

HENTZ, Amer. Journ. Sci. Arts, vol. 41, p. 117, 1841.

Oophora HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 6, p. 285, 1850.
meridionalis HENTZ, Amer. Journ. Sci. Arts, vol. 41, p. 116, 1841; Journ. Bost. Soc. Nat. Hist., vol. 6, p. 286, 1850; Spid. U. S., p. 159, 1875.—EMERTON, Trans. Conn. Acad., vol. 6, p. 31, 1882.—Eastern States.

PHYSOCYCLUS.

SIMON, Hist. Nat. Araign. (2), vol. 1, p. 470, 1893.

Decetia CAMBRIDGE, Biol. Cent.-Amer., Arachn. Aran., vol. 1, p. 234, 1898.
dugesi SIMON, Ann. Soc. Ent. France, 1893, p. 320.—Southwestern States.
globosus TACZANOWSKI, Hor. Soc. Ent. Ross., vol. 10, p. 105, 1874.—Southwestern States.
gibbosus KEYSERLING, Verh. zool.-bot. Ges. Wien, 1877, p. 208.
incisa CAMBRIDGE, Biol. Centr. Amer., Arachn. Aran., vol. 1, p. 234, 1898 (*Decetia*).

MODISIMUS.

SIMON, Hist. Nat. Araign. (2), vol. 1, p. 485, 1893.

texanus BANKS, Proc. Ent. Soc. Washington, vol. 7, p. 94, 1906.—Tex.

PHOLCOPHORA.

BANKS, Trans. Amer. Ent. Soc., vol. 23, p. 57, 1896.

americana BANKS, Trans. Amer. Ent. Soc., vol. 23, p. 57, 1896.—Colo.

DYSDERIDÆ.

ARIADNE.

AUDOUIN, Sav. Descr. Égypte (2), vol. 22, p. 308, 1827.

Pylarus HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 4, p. 225, 1842.
bicolor HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 4, p. 225, 1842; Spid. U. S., p. 21, 1875.—EMERTON, Trans. Conn. Acad., vol. 8, p. 37, 1890.—Eastern States.
pumilis HENTZ, Journ. Bost. Soc. Nat. Hist., vol 4, p. 226, 1842; Spid. U. S., p. 22, 1875.

DYSDERA.

LATREILLE, Nouv. Dict. Hist. Nat., vol. 24, p. 134, 1804.

interrita HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 4, p. 224, 1842; Spid. U. S., p. 20, 1875.—EMERTON, Trans. Conn. Acad., vol. 8, p. 36, 1890.—Eastern States.

SEGESTRIA.

LATREILLE, Nouv. Dict. Hist. Nat., vol. 24, p. 134, 1804.

pacifica BANKS, Can. Ent., 1891, p. 209.—West Coast.

DRASSIDÆ.

ZELOTES.

GISTL, Naturgeschichte, p. 9, 1848.

Melanophora KOCH, Deutschl. Ins. Arachn., pl. 20, 1833 (preoc.).
Prosthesima KOCH, Abh. Nat. Ges. Nürnberg, vol. 6, p. 139, 1872.
aprilinus BANKS, Journ. N. Y. Ent. Soc., 1904, p. 110.—Md., Va.
arizonensis BANKS, Proc. U. S. Nat. Mus., vol. 23, p. 582, 1901.—Ariz.
atra HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 455, 1847; Spid. U. S., p. 91, 1875.—EMERTON, Trans. Conn. Acad., vol. 8, p. 8, 1890.—U. S.
funesta KEYSERLING, Verh. zool.-bot. Ges. Wien, 1887, p. 431.
melancholica THORELL, Bull. U. S. Geol. Surv. Terr., vol. 3 (No. 2), p. 493, 1877.

barberi BANKS, Proc. U. S. Nat. Mus., vol. 25, p. 212, 1902.—Ariz.
blanda BANKS, Proc. Acad. Nat. Sci. Phila., 1892, p. 18.—Northern States.
minima BANKS, Proc. Acad. Nat. Sci. Phila., 1892, p. 19.
decepta BANKS, Proc. Acad. Nat. Sci. Phila., 1900, p. 531.—Ala.
depressa EMERTON, Trans. Conn. Acad., vol. 8, p. 9, 1890.—Northeastern States.
femoralis BANKS, Proc. California Acad. Sci. (3), vol. 3, Zool., p. 336, 1904.—Cal.
frigida BANKS, Proc. Acad. Nat. Sci. Phila., 1892, p. 17.—N. Y.
maculata BANKS, Proc. California Acad. Sci. (3), vol. 3, Zool., p. 336, 1904.—Cal.
niger BANKS, Trans. Amer. Ent. Soc., vol. 23, p. 62, 1896.—Wash.
nova BANKS, Journ. N. Y. Ent. Soc., 1895, p. 78.—N. Y.
pacifica BANKS, Proc. California Acad. Sci. (3), vol. 3, Zool., p. 336, 1904.—Cal.
rufula BANKS, Proc. Acad. Nat. Sci. Phila., 1892, p. 17 (*Prosthesima*).—EMERTON, Trans. Conn. Acad., vol. 14, p. 217, 1909.—Northeastern States.
immaculata BANKS, Proc. Acad. Nat. Sci. Phila., 1892, p. 17.

HERPYLLUS.

HENTZ, Amer. Journ. Sci. Arts, vol. 21, p. 102, 1832.

angustus BANKS, Proc. California Acad. Sci. (3), vol. 3, Zool., p. 337, 1904.—Cal.
californicus BANKS, Journ. N. Y. Ent. Soc., 1904, p. 110.—Cal.
cockerelli BANKS, Proc. Acad. Nat. Sci. Phila., 1901, p. 571.—N. Mex.
ecclesiasticus HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 455, 1847.; Spid. U. S., p. 90, 1875.—EMERTON, Trans. Conn. Acad., vol. 8, p. 9, 1890.—U. S.
propinqua KEYSERLING, Verh. zool.-bot. Ges. Wien, 1887, p. 430.
bimaculata KEYSERLING, Verh. zool.-bot. Ges. Wien, 1887, p. 433.
floridanus BANKS, Trans. Amer. Ent. Soc., vol. 23, p. 61, 1896.—Fla.
insularis BANKS, Journ. N. Y. Ent. Soc., 1895, p. 78.—N. Y.
schwarzi BANKS, Proc. U. S. Nat. Mus., vol. 23, p. 582, 1901.—Ariz.
validus BANKS, Trans. Amer. Ent. Soc., vol. 23, p. 62, 1896.—Cal.

DRASSINELLA.

BANKS, Proc. California Acad. Sci. (3), vol. 3, Zool., p. 334, 1904.

lepidus BANKS, Proc. Ent. Soc. Washington, vol. 4, p. 190, 1899.—La.
modesta BANKS, Proc. California Acad. Sci. (3), vol. 3, Zool., p. 335, 1904.—Cal.

MEGAMYRMECION.

REUSS, Zool. Misc. Aran., 1834, p. 217.

Dyction WALCKENAER, Ins. Apt., vol. 1, p. 380, 1837.
californicum SIMON, Ann. Soc. Ent. France, 1893, p. 308.—Cal.

EILICA.

KEYSERLING, Die Spinn. Amer., vol. 3, Brasil. Spinn., p. 29, 1891.

bicolor BANKS, Trans. Amer. Ent. Soc., vol. 23, p. 60, 1896.—Fla.

PŒCILOCHROA.

WESTRING, Göteb. Handl. (n. s.), vol. 14, p. 42, 1874.

minuta BANKS, Can. Ent., 1898, p. 185.—Tex.
montana EMERTON, Trans. Conn. Acad., vol. 8, p. 11, 1890; vol. 14, p. 217, 1909.—Northern States.
pacifica BANKS, Journ. N. Y. Ent. Soc., 1896, p. 89.—Cal.

GNAPHOSA.

LATREILLE, Nouv. Dict. Hist. Nat., vol. 24, p. 134, 1804.

americana BANKS, Trans. Amer. Ent. Soc., vol. 23, p. 61, 1896.—N. Y.
brumalis THORELL, Proc. Bost. Soc. Nat. Hist., vol. 17, p. 497, 1875.—EMERTON, Trans. Conn. Acad., vol. 8, p. 11, 1890.—Northern States.
scudderi THORELL, Bull. U. S. Geol. Surv. Terr., vol. 3 (no. 2), p. 491, 1877.
humilis BANKS, Proc. Acad. Nat. Sci. Phila., 1892, p. 19.
californica BANKS, Proc. California Acad. Sci. (3), vol. 3, Zool., p. 335, 1904.—Cal.
distincta BANKS, Proc. California Acad. Sci. (3), vol. 1, Zool., p. 222, 1898.—Cal.
fontinalis KEYSERLING, Verh. zool.-bot. Ges. Wien, 1887, p. 428.—Ky.
gigantea KEYSERLING, Verh. zool.-bot. Ges. Wien, 1887, p. 424.—Northern States.
conspersa THORELL, Bull. U. S. Geol. Surv. Terr., vol. 3 (2), 1877, p. 489.—EMERTON, Trans. Conn. Acad., vol. 8, p. 12, 1890 (not of Cambridge, 1872).
hirsutipes BANKS, Proc. Acad. Nat. Sci. Phila., 1901, p. 573.—N. Mex.
parvula BANKS, Trans. Amer. Ent. Soc., vol. 23, p. 61, 1896.—EMERTON, Trans. Conn. Acad., vol. 14, p. 218, 1909.—Northeastern States.
sericata KOCH, Arachn., Drassiden, p. 31, 1866.—Southern States.
bicolor HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 456, 1847; Spid. U. S., p. 91, 1875 (preoc.).
utahana BANKS, Journ. N. Y. Ent. Soc., 1904, p. 110.—Utah.

CALLILEPIS.

WESTRING, Göteb. Handl. (n. s.), vol. 14, p. 43, 1874.

Pythonissa, KOCH, Uebers. Arachn. Syst., vol. 1, p. 16, 1837 (part).
Laronia SIMON, Ann. Soc. Ent. France, 1892, p. 457.
clara KEYSERLING, Verh. zool.-bot. Ges. Wien, 1887, p. 429.—Utah.
imbecilla KEYSERLING, Verh. zool.-bot. Ges. Wien, 1887, p. 427. EMERTON, Trans. Conn. Acad., vol. 8, p. 13, 1890.—Eastern States.
insularis BANKS, Can. Ent., 1900, p. 97.—Cal.
pluto BANKS, Trans. Amer. Ent. Soc., vol. 23, p. 60, 1896.—Wash.

CESONIA.

SIMON, Hist. Nat. Araign. (2), vol. 1, p. 375, 1893.

Helvidius CAMBRIDGE, Biol. Centr. Amer., Arachn. Aran., vol. 1, p. 220, 1896.
bilineata HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 456, 1847; Spid. U. S., p. 92, 1875.—EMERTON, Trans. Conn. Acad., vol. 8, p. 11, 1890.—U. S.

SERGIOLUS.

SIMON, Proc. Zool. Soc. Lond., 1891, p. 573.

bicolor BANKS, Can. Ent., 1900, p. 96.—La.
cyaniventris SIMON, Ann. Soc. Ent. France, 1893, p. 311.—BANKS, Proc. Acad. Nat. Sci. Phila., 1904, p. 122.—Ga., Fla.
variegata HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 456, 1847; Spid. U. S., p. 94, 1875; EMERTON, Trans. Conn. Acad., vol. 8, p. 10, 1890.—Eastern States.

TEMINIUS.

KEYSERLING, Verh. zool.-bot. Ges. Wien, 1887, p. 421.

affinis BANKS, Can. Ent., 1897, p. 193.—Tex.
continentalis KEYSERLING, Verh. zool.-bot. Ges. Wien, 1887, p. 423.—Utah.
nigriceps BANKS, Ann. N. Y. Acad. Sci., vol. 8, p. 421, 1895.—Colo.

DRASSUS.

WALCKENAER, Tabl. Aran., p. 45, 1805.

Scotophæus SIMON, Hist. Nat. Araign. (2), vol. 1, p. 371, 1893.
assimilis BANKS, Ann. N. Y. Acad. Sci., vol. 8, p. 420, 1895.—Colo.
bicornis EMERTON, Trans. Conn. Acad., vol. 14, p. 218, 1909.—N. H.
coloradensis EMERTON, Bull. U. S. Geol. Surv. Terr., vol. 3, pt. 2, 1877, p. 528; Trans. Conn. Acad., vol. 8, p. 413, 1894.—Colo.
hiemalis EMERTON, Trans. Conn. Acad., vol. 14, p. 218, 1909.—New England.
humilis BANKS, Proc. Acad. Nat. Sci. Phila., 1892, p. 20.—N. Y.
inornatus BANKS, Ann. N. Y. Acad. Sci., vol. 8, p. 420, 1895.—Colo.
neglectus KEYSERLING, Verh. zool.-bot. Ges. Wien, 1887, p. 434.—Northern States.
saccatus EMERTON, Trans. Conn. Acad., vol. 8, p. 14, 1890.
placidus BANKS, Trans. Amer. Ent. Soc., vol. 23, p. 63, 1896.—Iowa.
vastus BANKS, Trans. Amer. Ent. Soc., vol. 23, p. 62, 1896.—Wash.

DRASSODES.

WESTRING, Aran. Suec., p. 360, 1861.

californica BANKS, Proc. California Acad. Sci., (3), vol. 3, Zool., p. 338, 1904.—Cal.
robustus EMERTON, Trans. Conn. Acad., vol. 8, p. 15, 1890.—Northern States.

UNPLACED.

cruciger HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 458, 1847; Spid. U. S., p. 95, 1875.—N. C.
diversus BLACKWALL, Ann. Mag. Nat. Hist., vol. 8, p. 429, 1871 (*Drassus*).—Canada.
hunteræ BLACKWALL, Ann. Mag. Nat. Hist., vol. 8, p. 429, 1871 (*Drassus*).—Canada.
pygmæus HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 459, 1847; Spid. U. S., p. 96, 1875.—Ala.
ramulosus HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 459, 1847; Spid. U. S., p. 95, 1875.—Ala.
vespa HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 458, 1847; Spid. U. S., p. 95, 1875.—Ala.

CLUBIONIDÆ.

MICARIA.

WESTRING, Aran. Suec., p. 330, 1861.

Macaria KOCH, Uebers. Arachn. Syst., p. 17, 1837 (preoc.).
agilis BANKS, Ent. News, 1895, p. 204.—Mo.
albocincta BANKS, Proc. Acad. Nat. Sci. Phila., 1901, p. 573.—N. Mex.
coloradensis BANKS, Trans. Amer. Ent. Soc., vol. 23, p. 58, 1896.—Colo.
constricta EMERTON, Trans. Conn. Acad., vol. 8, p. 414, 1894.—New England.
formicoides BANKS, Proc. Acad. Nat. Sci. Phila., 1892, p. 14.—N. Y.
gentilis BANKS, Can. Ent., 1896, p. 62.—EMERTON, Trans. Conn. Acad., vol. 14, p. 215, 1909.—N. H.
laticeps EMERTON, Trans. Conn. Acad., vol. 14, p, 214, 1909.—Conn.
longipes EMERTON, Trans. Conn. Acad., vol. 8, p. 3, 1890.—Northeastern States.
montana EMERTON, Trans. Conn. Acad., vol. 8, p. 4, 1890.—New England.
palliditarsis BANKS, Trans. Amer. Ent. Soc., vol. 23, p. 59, 1896.—Cal.
perfecta BANKS, Trans. Amer. Ent. Soc., vol. 23, p. 59, 1896.—Colo.

punctata BANKS, Trans. Amer. Ent. Soc., vol. 23, p. 58, 1896.—Fla.
quinquenotata EMERTON, Trans. Conn. Acad. vol. 14, p. 215, 1909.—New England.

CASTIANEIRA.

KEYSERLING, Verh. zool.-bot. Ges. Wien, 1879, p. 335.

Thargalia KARSCH, Zeitschr. Ges. Naturw., vol. 53, p. 373, 1880.
Micariaulax BECKER, Ann. Soc. Ent. Belgique, 1880, p. 82.
Geotrecha EMERTON, Trans. Conn. Acad., vol. 8, p. 4, 1890.
Pedo CAMBRIDGE, Biol. Centr.-Amer., Arachn. Aran., vol. 1, p. 219, 1896.
agilis BANKS, Proc. Acad. Nat. Sci. Phila., 1892, p. 15.—N. Y.
amœna KOCH., Die Arachn., vol. 9, p. 21, 1842.—Eastern States.
ornata HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 456, 1847; Spid. U. S., p. 92, 1875.
marmorata HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 458, 1847; Spid. U. S., p. 94, 1875.
aurata HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 459, 1847; Spid. U. S., p. 96, 1875.—Eastern States.
bicalcarata SIMON, Ann. Soc. Ent. Belgique, 1896, p. 416.—Ariz., N. Mex.
canadensis BANKS, Can. Ent., 1897, p. 194.—Canada.
cingulata KOCH, Die Arachn., vol. 9, p. 22, 1842.—Eastern States.
bivittata KEYSERLING, Verh. zool.-bot. Ges. Wien., 1887, p. 442.—EMERTON, Trans. Conn. Acad., vol. 8, p. 5, 1890.
zonaria HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 460, 1847; Spid. U. S., p. 97, 1875.
crocata HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 457, 1847; Spid. U. S., p. 93, 1875.—Southern States.
descripta HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 456, 1847; Spid. U. S., p. 92, 1875.—Northeastern States.
crocata EMERTON, Trans. Conn. Acad., vol. 8, p. 7, 1890 (not Hentz).
fallax BANKS, Proc. Acad. Nat. Sci. Phila., 1892, p. 16.
floridana BANKS, Proc. Acad. Nat. Sci. Phila., 1904, p. 124.—Fla.
lineata EMERTON, Trans. Conn. Acad., vol. 14, p. 216, 1909.—Mass.
longipalpis HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 457, 1847; Spid. U. S., p 93, 1875.—Eastern States.
pinnata EMERTON, Trans. Conn. Acad., vol. 8, p. 6, 1890.
perplexa BANKS, Proc. Acad. Nat. Sci. Phila., 1892, p. 15.
luctuosa BANKS, Proc. U. S. Nat. Mus., vol. 23, p. 584, 1901.—Ariz.
media BANKS, Trans. Amer. Ent. Soc., vol. 23, p. 66, 1896.—Wash.
modesta BANKS, Proc. Acad. Nat. Sci. Phila., 1901, p. 575.—N. Mex.
pacifica BANKS, Trans. Amer. Ent. Soc., vol. 23, p. 66, 1896.—Wash.
tricolor KOCH, Die Arachn., vol. 9, p. 24, 1842.—Eastern States.
trilineata HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 460, 1847; Spid. U. S., p. 97, 1875.—Ala.
tristis KEYSERLING, Verh. zool.-bot. Ges. Wien, 1887, p. 436.—Md.
walsinghami CAMBRIDGE, Proc. Zool. Soc. Lond., 1874, p. 416.—Oreg.

MERIOLA.

BANKS, Journ. N. Y. Ent. Soc., 1895, p. 81.

decepta BANKS, Journ. N. Y. Ent. Soc., 1895, p. 81.—Eastern States.
inornata BANKS, Proc. Acad. Nat. Sci. Phila., 1901, p. 574.—N. Mex.

TRACHELAS.

Koch, Arachn., Drassiden, p. 2, 1866.

californica Banks, Proc. California Acad. Sci. (3), vol. 3, Zool., p. 339, 1904. -Cal.
tranquilla Hentz, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 450, 1847; Spid. U. S., p. 89, 1875.—United States.

ruber Keyserling, Verh. zool.-bot. Ges. Wien., 1887, p. 439.—Emerton, Trans. Conn. Acad., vol. 8, p. 20, 1890.

(?) *plumbea* Hentz, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 465, 1847 (*Agalena*).

ZORA.

Koch, Die Arachn., vol. 14, p. 102, 1848.

Catadysas Hentz, Journ. Bost. Soc. Nat. Hist., vol. 6, p. 287, 1850.
pumilus Hentz, Journ. Bost. Soc. Nat. Hist., vol. 6, p. 287, 1850; Spid. U. S., p. 160, 1875 (*Catadysas*).—Southern States.

PHRUROLITHUS.

Koch, Die Arachn., vol. 6, p. 110, 1839.

Micariosoma Simon, Arachn. France, vol. 4, p. 271, 1876.
affinis Banks, Trans. Amer. Ent. Soc., vol. 23, p. 65, 1896.—Colo.
alarius Hentz, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 461, 1847; Spid. U. S., p. 98, 1875.—Emerton, Trans. Conn. Acad., vol. 8, p. 25, 1890.—Eastern States.

palustris Banks, Proc. Acad. Nat. Sci. Phila., 1892, p. 23.
dubius Hentz, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 461, 1847; Spid. U. S., p. 98, 1875.—S. C.
formica Banks, Journ. N. Y. Ent. Soc., 1895, p. 81.—Northeastern States.
minutus Banks, Proc. Acad. Nat. Sci. Phila., 1892, p. 22.—N. Y.
parcus Hentz, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 461, 1847; Spid. U. S., p. 98, 1875.—Ala., Ga.
pugnatus Emerton, Trans. Conn. Acad., vol. 8, p. 24, 1890.—Northeastern States.
similis Banks, Journ. N. Y. Ent. Soc., 1895, p. 81.—N. Y.

APOSTENUS.

Westring, Enum. Aran., p. 46, 1851.

acutus Emerton, Trans. Conn. Acad., vol. 14, p. 220, 1909.—Conn., N. Y.
cinctipes Banks, Trans. Amer. Ent. Soc., vol. 23, p. 65, 1896.—Wash.

CHEMMIS.

Simon, Hist. Nat. Araign. (2), vol. 2, p. 215, 1898.

Menalippe Cambridge, Biol. Centr.-Amer., Arachn. Aran., vol. 1, p. 284, 1898
unicolor Banks, Proc. U. S. Nat. Mus., vol. 23, p. 583, 1901.—Ariz.

AGRŒCA.

Westring, Aran. Suec., p. 311, 1861.

minuta Banks, Journ. N. Y. Ent. Soc., 1895, p. 80.—N. Y.
ornata Banks, Proc. Acad. Nat. Sci. Phila., 1892, p. 23.—Northern States.

repens Emerton, Trans. Conn. Acad., vol. 8, p. 412, 1894.
pratensis Emerton, Trans. Conn. Acad., vol. 8, p. 26, 1890.—Eastern States.

HILKE.

KEYSERLING, Verh. zool.-bot. Ges. Wien, 1887, p. 444.

trivittata KEYSERLING, Verh. zool.-bot. Ges. Wien, 1887, p. 444.—Cal.

ANYPHÆNA.

SUNDEVALL, Svenska Vet. Akad. Handl., 1831, p. 125.

Aysha KEYSERLING, Bras. Spinn., p. 129, 1891.

agrestis HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 453, 1847; Spid. U. S., p. 88, 1875.—Southern States.

argentata BECKER, Ann. Soc. Ent. Belgique, vol. 22, p. 84, 1879.—Miss.

conspersa KEYSERLING, Verh. zool.-bot. Ges. Wien, 1887, p. 453.—Ky.

fallens HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 451, 1847; Spid. U. S., p. 86, 1875.—Southern States.

floridana BANKS, Trans. Amer. Ent. Soc., vol. 23, p. 63, 1896.—Fla.

fragilis BANKS, Can. Ent., 1897, p. 194.—Fla.

gracilis HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 451, 1847; Spid. U. S., p. 86, 1875.—Eastern States.

rubra EMERTON, Trans. Conn. Acad., vol. 8, p. 22, 1890; vol. 14, p. 220, 1909.

piscatoria HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 450, 1847; Spid. U. S., p. 84, 1875.—Southern States.

striata BECKER, Ann. Soc. Ent. Belgique, vol. 22, p. 84, 1879.—Miss.

sublurida HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 453, 1847; Spid. U. S., p. 88, 1875.—Southern States.

velox BECKER, Ann. Soc. Ent. Belgique, vol. 22, p. 83, 1879.—Southern States.

GAYENNA.

GERVAIS, Gay's Hist. Chile, Zool., vol. 3, p. 450, 1849.

californica BANKS, Proc. California Acad. Sci. (3), vol. 3, Zool., p. 338, 1904.—Cal.

celer HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 452, 1847; Spid. U. S., p. 87, 1875.—U. S.

incerta KEYSERLING, Verh. zool.-bot. Ges. Wien, 1887, p. 452; Trans. Conn. Acad., vol. 8, p. 22, 1890.

fraterna BANKS, Trans. Amer. Ent. Soc., vol. 23, p. 63, 1896.—N. Y.

maculata BANKS, Trans. Amer. Ent. Soc., vol. 23, p. 64, 1896.—D. C.

marginalis BANKS, Proc. Acad. Nat. Sci. Phila., 1901, p. 574.—N. Mex.

pacifica BANKS, Trans. Amer. Ent. Soc., vol. 23, p. 63, 1896.—West Coast.

parvula BANKS, Proc. Ent. Soc. Washington, vol. 4, p. 191, 1899.—La., Fla.

pectorosa KOCH, Arachn., Drassiden, p. 198, 1867.

calcarata EMERTON, Trans. Conn. Acad., vol. 8, p. 23, 1890.—Northeastern States.

saltabunda HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 453, 1847; Spid. U. S., p. 89, 1875—EMERTON, Trans. Conn. Acad., vol. 8, p. 23, 1890.—Eastern States.

CHIRACANTHIUM.

KOCH, Die Arachn., vol. 6, p. 9, 1839.

albens HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 454, 1847; Spid. U. S., p. 89, 1875.—Eastern States.

inclusa HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 451, 1847; Spid. U. S., p. 85, 1875.—U. S.

viride EMERTON, Trans. Conn. Acad., vol. 8, p. 20, 1890.

CLUBIONA.

LATREILLE, Nouv. Dict. Hist. Nat., vol. 24, p. 134, 1804.

Elaver CAMBRIDGE, Biol. Centr.-Amer., Arachn. Aran., vol. 1, p. 238, 1898

abboti KOCH, Arachn., Drassiden, p. 303, 1867.—Northeastern States.

rubra KEYSERLING, Verh. zool.-bot. Ges. Wien, 1887, p. 436.—EMERTON, Trans. Conn. Acad., vol. 8, p. 18, 1890.

canadensis EMERTON, Trans. Conn. Acad., vol. 8, p. 17, 1890.—Canada, N. H.

frigidula THORELL, Proc. Bost. Soc. Nat. Hist., vol. 17, p. 496, 1875.—Labrador.

immatura HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 453, 1847; Spid. U. S., p. 88, 1875.—Ala.

littoralis BANKS, Journ. N. Y. Ent. Soc., 1895, p. 79.—N. Y.

minuta EMERTON, Trans. Conn. Acad., vol. 8, p. 17, 1890.—Northeastern States.

mœsta BANKS, Trans. Amer. Ent. Soc., vol. 23, p. 64, 1896.—Colo., Ill.

obesa HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 450, 1847; Spid. U. S., p. 83, 1875.—BANKS, Proc. Acad. Nat. Sci. Phila., 1892, p. 20.—Eastern States.

crassipalpis KEYSERLING, Verh. zool.-bot. Ges. Wien, 1887, p. 438.—EMERTON, Trans. Conn. Acad., vol. 8, p. 16, 1890.

mixta EMERTON, Trans. Conn. Acad., vol. 8, p. 16, 1890.

pacifica BANKS, Trans. Amer. Ent. Soc., vol. 23, p. 65, 1896.—Wash., Cal.

pallens HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 449, 1847; Spid. U. S., p. 83, 1875.—Eastern States.

excepta KOCH, Arachn., Drassiden, p. 300, 1867.—EMERTON, Trans. Conn. Acad., vol. 8, p. 19, 1890.

præmatura EMERTON, Trans. Conn. Acad., vol. 14, p. 219, 1909.—N. H.

pusilla EMERTON, Trans. Conn. Acad., vol. 8, p. 17, 1890.—New England.

pygmæa BANKS, Proc. Acad. Nat. Sci. Phila., 1892, p. 21.—N. Y.

lenta BANKS, Proc. Acad. Nat. Sci. Phila., 1892, p. 21.

riparia KOCH, Arachn., Drassiden, p. 294, 1867.—Eastern States.

ornata EMERTON, Trans. Conn. Acad., vol. 8, p. 19, 1890 (preoc.); vol. 9, p. 414, 1894.

americana BANKS, Proc. Acad. Nat. Sci. Phila., 1892, p. 22.

spiralis EMERTON, Trans. Conn. Acad., vol. 14, p. 219, 1909.—Mass.

tibialis EMERTON, Trans. Conn. Acad., vol. 8, p. 16, 1890.—Eastern States.

triloba BANKS, 31st Ann. Rep. Geol. Indiana, 1906, p. 737, 1907.—Ind.

SYSPIRA.

SIMON, Bull. Soc. Zool. France, 1895, p. 135.

pallida BANKS, Journ. N. Y. Ent. Soc., 1904, p. 111.—Ariz.

LIOCRANOIDES.

KEYSERLING, Verh. zool.-bot. Ges. Wien, 1881, p. 290.

unicolor KEYSERLING, Verh. zool.-bot. Ges. Wien, 1881, p. 291.—Ky.

ZODARIIDÆ.

STORENA.

WALCKENAER, Tabl. Aran., p. 83, 1805.

Habronestes KOCH, Die Arachn. Austr., vol. 1, p. 299, 1872.

americana MARX, Proc. Ent. Soc. Washington, vol. 2, p. 31, 1891 (*Habronestes*).—Ga.

LUTICA.

MARX, Proc. Ent. Soc. Washington, vol. 2, p. 32, 1891.

maculata MARX, Proc. Ent. Soc. Washington, vol. 2, p. 33, 1891.—Cal.

HOMALONYCHUS.

MARX, Proc. Ent. Soc. Washington, vol. 2, p. 29, 1891.

selenopoides MARX, Proc. Ent. Soc. Washington, vol. 2, p. 29, 1891.—Western States.

AGELENIDÆ.

HAHNIA.

KOCH, Die Arachn., vol. 8, p. 23, 1841.

Antistea SIMON, Hist. Nat. Araign., (2), vol. 2, p. 275, 1898.
agilis KEYSERLING, Verh. zool.-bot. Ges. Wien, 1887, p. 465.—Eastern States.
bimaculata EMERTON, Trans. Conn. Acad., vol. 8, p. 32, 1890.
brunnea EMERTON, Trans. Conn. Acad., vol. 14, p. 223, 1909.—New England.
cinerea EMERTON, Trans. Conn. Acad., vol. 8, p. 33, 1890.—Eastern States.
magna KEYSERLING, Verh. zool.-bot. Ges. Wien, 1887, p. 464.—Western States.
radula EMERTON, Trans. Conn. Acad., vol. 8, p. 32, 1890.—N. H.
riparia KEYSERLING, Verh. zool.-bot. Ges. Wien, 1887, p. 463.—Utah.

CICURINA.

MENGE, Preuss. Spinn., p. 271, 1870.

arcuata KEYSERLING, Verh. zool.-bot. Ges. Wien, 1887, p. 460.—Eastern States.
complicata EMERTON, Trans. Conn. Acad., vol. 8, p. 31, 1890.
atomaria SIMON, Ann. Soc. Ent. Belgique, 1898, p. 8.—La.
brevis EMERTON, Trans. Conn. Acad., vol. 8, p. 30, 1890.—Eastern States.
creber BANKS, Proc. Acad. Nat. Sci. Phila., 1892, p. 26.
ludovicinana SIMON, Ann. Soc. Ent. Belgique, 1898, p. 9.—La.
nevadensis SIMON, Compt. Rend. Soc. Ent. Belgique, vol. 30, p. 59, 1886.—Nev.
pallida KEYSERLING, Verh. zool.-bot. Ges. Wien, 1887, p. 462.—EMERTON, Trans. Conn. Acad., vol. 14, p. 222, 1909.—Eastern States.
placida BANKS, Proc. Acad. Nat. Sci. Phila., 1892, p. 27.—N. Y.
robusta SIMON, Compt. Rend. Soc. Ent. Belgique, vol. 30, p. 60, 1886.—Colo.
simplex SIMON, Compt. Rend. Soc. Ent. Belgique, vol. 30, p. 59, 1886.—Wash.
tersa SIMON, Compt. Rend. Soc. Ent. Belgique, vol. 30, p. 58, 1886.—Wash.

CRYPHŒCA.

THORELL, Eur. Spid., p. 131, 1869.

montana EMERTON, Trans. Conn. Acad., vol. 14, p. 222, 1909.—Vt., N. H.
peckhami SIMON, Ann. Soc. Ent. Belgique, 1898, p. 9.—Wash.

CŒLOTES.

BLACKWALL, Trans. Linn. Soc. Lond., vol. 18, p. 618, 1841.

altilis BANKS, Proc. Acad. Nat. Sci. Phila., 1892, p. 25.—N. Y.
bimucronatus SIMON, Ann. Soc. Ent. Belgique, 1898, p. 6.—N. C.
calcaratus KEYSERLING, Verh. zool.-bot. Ges. Wien, 1887, p. 450.—Eastern States.
longitarsus EMERTON, Trans. Conn. Acad., vol. 8, p. 28, 1890 (male).

fidelis Banks, Proc. Acad. Nat. Sci. Phila., 1892, p. 24.—N. Y.
gnavus Banks, Proc. Acad. Nat. Sci. Phila., 1892, p. 26.—Northeastern States.
longitarsus Emerton, Trans. Conn. Acad., vol. 8, p. 28, 1890 (female).
hybridus Emerton, Trans. Conn. Acad., vol. 8, p. 29, 1890.—N. Y.
juvenilis Keyserling, Verh. zool.-bot. Ges. Wien, 1881, p. 288.—Ky.
lamellosus Keyserling, Verh. zool.-bot. Ges. Wien, 1887, p. 469.—Northern States.
lineatus Banks, Proc. Acad. Nat. Sci. Phila., 1892, p. 25.—N. Y.
montanus Emerton, Trans. Conn. Acad., vol. 8, p. 28, 1890.—Northeastern States.
nigriceps Banks, Journ. N. Y. Ent. Soc., 1895, p. 82.—N. Y.

CORAS.

Simon, Hist. Nat. Araign. (2), vol. 2, p. 258, 1898.

medicinalis Hentz, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 462, 1847; Spid. U. S., p. 99, 1875—Emerton, Trans. Conn. Acad., vol. 8, p. 27, 1890.—U. S.
urbanus Keyserling, Verh. zool.-bot. Ges. Wien, 1887, p. 467.

CYBÆUS.

Koch, Abh. Nat. Ges. Nürnberg, 1868, p. 46.

giganteus Banks, Proc. Acad. Nat. Sci. Phila., 1892, p. 23.—N. Y., N. C.
minor Banks, Proc. California Acad. Sci., (3), vol. 3, Zool., p. 341, 1904.—Cal.
minutus Banks, Proc. Ent. Soc. Washington, vol. 7, p. 95, 1906.—Wash.
morosus Simon, Compt. Rend. Soc. Ent. Belgique, vol. 30, p. 57, 1886.—Wash.
pusillus Simon, Compt. Rend. Soc. Ent. Belgique, vol. 30, p. 57, 1886.—Wash.
signifer Simon, Compt. Rend. Soc. Ent. Belgique, vol. 30, p. 56, 1886.—Wash.
reticulatus Simon, Compt. Rend. Soc. Ent. Belgique, vol. 30, p. 56, 1886.—West Coast.

AGELENA.

Walckenaer, Tabl. Aran., p. 51, 1805.

Agelenopsis Giebel, Zeitschr. Ges. Naturw., vol. 33, p. 250, 1869.
Melpomene Cambridge, Biol. Centr.-Amer., Arachn. Aran., vol. 1, p. 285, 1898.

californica Banks, Journ. N. Y. Ent. Soc., 1896, p. 89.—West Coast.
longistylus Banks, Proc. Acad. Nat. Sci. Phila., 1901, p. 576.—N. Mex.
nævia Walckenaer, Ins. Apt., vol. 2, p. 25, 1842.—Hentz, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 465, 1847; Spid. U. S., p. 102, 1875.—Emerton, Trans. Conn. Acad., vol. 8, p. 33, 1890.—U. S.
pennsylvanica Koch, Die Arachn., vol. 10, p. 111, 1843.
potteri Blackwall, Ann. Mag. Nat. Hist., vol. 17, p. 43, 1846.
albipilis Giebel, Zeitschr. Ges. Naturw., vol. 33, p. 250, 1869.
americana Keyserling, Verh. zool.-bot. Ges. Wien, 1878, p. 599.
hentzi Becker, Ann. Soc. Ent. Belgique, vol. 22, p. 81, 1879.
pacifica Banks, Journ. N. Y. Ent. Soc., 1896, p. 89.—West Coast.

TEGENARIA.

Latreille, Nouv. Dict. Hist. Nat., vol. 24, p. 134, 1804.

californica Banks, Journ. N. Y. Ent. Soc., 1896, p. 90.—West Coast.
cavicola Banks, Rep. Ind. Geol., 1896, p. 202.—Ind.
derhami Scopoli, Ent. Carnioli, p. 400, 1763.—Emerton, Trans. Conn. Acad., vol. 8, p. 29, 1890.—U. S.
emertoni Simon, Ann. Soc. Ent. Belgique, 1897, p. 17.—Wash.
nana Simon, Ann. Soc. Ent. Belgique, 1897, p. 17.—Wash.

CHORIZOMMA.

SIMON, Ann. Soc. Ent. France, 1872, p. 221.

californica SIMON, Bull. Soc. Zool. France, 1895, p. 136.—Cal.

CYBÆODES.

SIMON, Arachn. France, vol. 4, p. 205, 1878.

incerta BANKS, Can. Ent., 1898, p. 185.—Cal.

UNPLACED.

flavens HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 464, 1847; Spid. U. S., p. 101, 1875.—Ala.

persica HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 462, 1847; Spid. U. S., p. 101, 1875.—Ala.

DICTYNIDÆ.

DICTYNA.

SUNDEVALL, Conspect. Arachn., p. 16, 1833.

Ergatis BLACKWALL, Trans. Linn. Soc. Lond., vol. 18, p. 608, 1841.

Mallos CAMBRIDGE, Biol. Centr.-Amer., Arachn. Aran., vol. 1, p. 308, 1902.

annulipes BLACKWALL, Ann. Mag. Nat. Hist., vol. 17, p. 42, 1846.—Canada.

arundinaceoides KEYSERLING, Verh. zool.-bot. Ges. Wien, 1883, p. 665.—Western States.

calcarata BANKS, Proc. California Acad. Sci. (3), vol. 3, Zool., p. 342, 1904.—Cal.

civica LUCAS, Ann. Soc. Ent. France, 1849, p. 181 (*Theridion*).—DUMERIL, Ann. Soc. Ent. France, 1850, p. 5.—Northeastern States.

philosteichos MCCOOK, Proc. Acad. Nat. Sci. Phila., 1876, p. 201 (*Tegenaria*).

cruciata EMERTON, Trans. Conn. Acad., vol. 7, p. 448, 1888.—Northeastern States.

decorata BANKS, Proc. Acad. Nat. Sci. Phila., 1892, p. 28.—N. Y.

diligens BLACKWALL, Ann. Mag. Nat. Hist. (4), vol. 8, p. 429, 1871.—Canada.

floridana BANKS, Proc. Acad. Nat. Sci. Phila., 1904, p. 125.—Fla.

foliacea HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 6, p. 277, 1850; Spid. U. S., p. 149, 1875.—U. S.

roscidium HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 6, p. 277, 1850, Spid., U. S., p. 149, 1875.—U. S.

volupis KEYSERLING, Verh. zool.-bot. Ges. Wien, 1881, p. 285; 1883, p. 664.—EMERTON, Trans. Conn. Acad., vol. 7, p. 448, 1888.

dubia BANKS, Proc. Acad. Nat. Sci. Phila., 1892, p. 29.

(?) *hypophyllum* FITCH, 13th Rep. Ins. N. Y., p. 564, 1869.

frondea EMERTON, Trans. Conn. Acad., vol. 7, p. 449, 1888.—Northeastern States.

vittata KEYSERLING, Verh. zool.-bot. Ges. Wien, 1883, p. 663 (preoccupied).

keyserlingi, new name.—Alaska.

borealis KEYSERLING, Verh. zool.-bot. Ges. Wien, 1887, p. 473 (not of Cambridge, 1877).

longispina EMERTON, Trans. Conn. Acad., vol. 7, p. 446, 1888.—Northeastern States.

maxima BANKS, Proc. Acad. Nat. Sci. Phila., 1892, p. 28.—N. Y.

minuta EMERTON, Trans. Conn. Acad., vol. 7, p. 447, 1888.—Northeastern States.

pallida KEYSERLING, Verh. zool.-bot. Ges. Wien, 1887, p. 472.—Eastern States.

bostoniensis EMERTON, Trans. Conn. Acad., vol. 7, p. 447, 1888.

rubra EMERTON, Trans. Conn. Acad., vol. 7, p. 448, 1888.—Eastern States.

sublata HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 6, p. 276, 1850; Spid. U. S., p. 147, 1875.—U. S.

morologum HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 6, p. 277, 1850; Spid. U. S., p. 148, 1875.—U. S.

sedentaria KEYSERLING, Verh. zool.-bot. Ges. Wien, 1880, p. 573.

foliata KEYSERLING, Verh. zool.-bot. Ges. Wien, 1882, p. 216.

muraria EMERTON, Trans. Conn. Acad., vol. 7, p. 445, 1888.

texana BANKS, Proc. California Acad. Sci., (3) vol. 1, Zool., p. 233, 1898.—Tex.

volucripes KEYSERLING, Verh. zool.-bot. Ges. Wien, 1881, p. 286.—EMERTON, Trans. Conn. Acad., vol. 7, p. 446, 1888.—Eastern States.

DICTYNINA.

BANKS, Proc. California Acad. Sci., (3), Zool., vol. 3, p. 342, 1904.

pallida BANKS, Proc. California Acad. Sci., (3), vol. 3, Zool., p. 342, 1904.—Cal.

DICTYOLATHYS.

BANKS, Proc. Acad. Nat. Sci., Phila., 1900, p. 534.

californica BANKS, Proc. California Acad. Sci., (3), vol. 3, Zool., p. 343, 1904.—Cal.

maculata BANKS, Proc. Acad. Nat. Sci. Phila., 1900, p. 534.—Ala.

LATHYS.

SIMON, Bull. Soc. Zool. France, 1884, p. 321.

Lethia MENGE, Preuss. Spinn., p. 249, 1869 (preoc.).

pallida EMERTON, Trans. Conn. Acad., vol. 9, p. 410, 1894.—Canada.

trivittata BANKS, Proc. Acad. Nat. Sci. Phila., 1901, p. 577.—N. Mex.

NEOPHANES.

MARX, Proc. Ent. Soc. Washington, vol. 2, p. 33, 1890.

pallidus MARX, Proc. Ent. Soc. Washington, vol. 2, p. 34, 1890.—BANKS, Proc. Acad. Nat. Sci. Phila., 1892, p. 29.—EMERTON, Trans. Conn. Acad., vol. 14, p. 213, 1909 (*Scotolathys*).—Eastern States.

PRODALIA.

MARX, Proc. Ent. Soc. Washington, vol. 2, p. 34, 1890.

foxi MARX, Proc. Ent. Soc. Washington, vol. 2, p. 35, 1890.—BANKS, Proc. Acad. Nat. Sci. Phila., 1892, p. 28.—Eastern States.

TITANŒCA.

THORELL, Eur. Spid., p. 124, 1869.

americana EMERTON, Trans. Conn. Acad., vol. 7, p. 453, 1888.—Northern States.

brunnea EMERTON, Trans. Conn. Acad., vol. 7, p. 453, 1888.—Conn.

AMAUROBIUS.

KOCH, Uebers. Arachn. Syst., vol. 1, p. 15, 1837.

Ciniflo BLACKWALL, Trans. Linn. Soc. Lond., vol. 18, p. 607, 1841.

bennetti BLACKWALL, Ann. Mag. Nat. Hist., vol. 17, p. 41, 1846.—Eastern States.

sylvestris EMERTON, Trans. Conn. Acad., vol. 7, p. 451, 1888.

borealis EMERTON, Trans. Conn. Acad., vol. 14, p. 214, 1909.—Me., N. H.

ferox WALCKENAER, Ins. Apt., vol. 1, p. 606, 1837.—EMERTON, Trans. Conn. Acad., vol. 7, p. 451, 1888.—Eastern States.
nevadensis SIMON, Bull. Soc. Zool. France, vol. 9, p. 12, 1884.—West. Coast.
pictus SIMON, Bull. Soc. Zool. France, vol. 9, p. 13, 1884.—Wash.
severus SIMON, Bull. Soc. Zool. France, vol. 9, p. 13, 1884.—Wash.
tibialis EMERTON, Trans. Conn. Acad., vol. 7, p. 452, 1888.—N. H.

THERIDIIDÆ.

THERIDIINÆ.

THERIDIUM.

WALCKENÆR, Tabl. Aran., p. 72, 1805.

albidum BANKS, Journ. N. Y. Ent. Soc., 1895, p. 84.—N. Y.
amputatum KEYSERLING, Die Spinn. Amer., vol. 2, (1), p. 90, 1884.—Fla.
antonii KEYSERLING, Die Spinn. Amer., vol. 2, (1), p. 54, 1884.—Tex.
australis BANKS, Proc. Ent. Soc. Washington, vol. 4, p. 191, 1899.—La.
blandum HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 6, p. 278, 1850; Spid. U. S., p. 150, 1875.—Southern States.
glaucescens BECKER, Ann. Soc. Ent. Belgique, vol. 22, p. 81, 1879.
californicum BANKS, Proc. California Acad. Sci., (3), vol. 3, Zool., p. 344, 1904.—Cal.
cinctipes BANKS, Can. Ent., 1898, p. 186.—Tex.
cruciatum HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 6, p. 275, 1850; Spid. U. S., p. 147, 1875.—Ala.
differens EMERTON, Trans. Conn. Acad., vol. 6, p. 9, 1882.—KEYSERLING, Die Spinn. Amer., vol. 2, (1), p. 54, 1884.—U. S.
dorsatum BANKS, Can. Ent., 1897, p. 195.—Wash.
eigenmanni BANKS, Trans. Amer. Micr. Soc., vol. 23, p. 97, 1902.—Tex.
flavonotatum BECKER, Ann. Soc. Ent. Belgique, vol. 22, p. 79, 1879.—Miss., D. C.
floridensis BANKS, Proc. Acad. Nat. Sci. Phila., 1904, p. 125.—Fla.
lyra KEYSERLING, Die Spinn. Amer., vol. 2, (1), p. 50, 1884 (not Hentz).
fordum KEYSERLING, Die Spinn. Amer., vol. 2, (1), p. 23, 1884.—Tex., Cal.
frondeum HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 6, p. 277, 1850; Spid. U. S., p. 146, 1875.—EMERTON, Trans. Conn., Acad., vol. 6, p. 15, 1882.—KEYSERLING Die Spinn. Amer., vol. 2, (1), p. 69, 1884.—U. S.
brassicæ FITCH, 13th Rep. Ins. N. Y., p. 563, 1869.
globosum HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 6, p. 279, 1850; Spid. U. S., p. 151, 1875.—EMERTON, Trans. Conn. Acad., vol. 6, p. 14, 1882.—KEYSERLING, Die Spinn. Amer., vol. 2, (1), p. 91, 1884.—Eastern States.
inconstans CURTIS, Ent. News, 1897, p. 92.—Cal.
inornatum BANKS, Proc. Ent. Soc. Washington, vol. 4, p. 192, 1899.—La., Fla.
interruptum BANKS, Can. Ent., 1908, p. 205.—Fla.
kentuckyense KEYSERLING, Die Spinn. Amer., vol. 2, (1), p. 78, 1884.—EMERTON, Trans. Conn. Acad., vol. 14, p. 180, 1909.—Eastern States.
lyra HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 6, p. 279, 1850; Spid. U. S., p. 150, 1875.—Ala.
montanum EMERTON, Trans. Conn. Acad., vol. 6, p. 10, 1882.—N. H.
murarium EMERTON, Trans. Conn. Acad., vol. 6, p. 11, 1882.—KEYSERLING, Die Spinn. Amer., vol. 2, (1), p. 17, 1884.—Eastern States.
neomexicanum BANKS, Proc. Acad. Nat Sci. Phila., 1901, p. 577.—N. Mex.
nicoleti KEYSERLING, Die Spinn. Amer., vol. 2, (2), p. 293, 1886.—D. C.
litiputanum KEYSERLING, Die Spinn. Amer., vol. 2, (1), p. 88, 1884 (not Nicolet).
pascagoulensis BECKER, Ann. Soc. Ent. Belgique, vol. 22, p. 80, 1879.—Miss.

pictipes KEYSERLING, Die Spinn. Amer., vol. 2, (1), p. 64, 1884.—Fla.
pictulum BANKS, Can. Ent., 1908, p. 205.—Cal.
placens KEYSERLING, Die Spinn. Amer., vol. 2, (1), p. 71, 1884.—Wash.
porteri BANKS, Rep. Ind. State Geol., 1896, p. 203.—Ind., Tex.
punctosparsum EMERTON, Trans. Conn. Acad., vol. 6, p. 12, 1882.—KEYSERLING, Die Spinn. Amer., vol. 2, (1), p. 14, 1884.—Eastern States.
rupicola EMERTON, Trans. Conn. Acad., vol. 6, p. 14, 1882.—Northeastern States.
sexpunctatum EMERTON, Trans. Conn. Acad., vol. 6, p. 12, 1882.—Northern States.
marxi KEYSERLING, Die Spinn. Amer., vol. 2, (2), p. 231, 1886.
spirale EMERTON, Trans. Conn. Acad., vol. 6, p. 10, 1882.—KEYSERLING, Die Spinn. Amer., vol. 2, (1), p. 56, 1884.—U. S.
subterraneum BANKS, Can. Ent., 1898, p. 186.—D. C.
tepidariorum KOCH, Die Arachn., vol. 8, p. 75, 1841.—EMERTON Trans. Conn. Acad., vol. 6, p. 13, 1882.—KEYSERLING, Die Spinn. Amer., vol. 2, (1), p. 9, 1884.—U. S.
vulgare HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 6, p. 271, 1850; Spid. U. S., p. 142, 1875.
texanum, new name.—Tex.
elevatum BANKS, Can. Ent., 1897, p. 195 (not of Thorell, 1881).
unimaculatum EMERTON, Trans. Conn. Acad., vol. 6, p. 15, 1882.—KEYSERLING, Die Spinn. Amer., vol. 2, (1), p. 40, 1884.—Eastern States.
volatile KEYSERLING, Die Spinn. Amer., vol. 2, (1), p. 60, 1884.—Fla.
zelotypum EMERTON, Trans. Conn. Acad., vol. 6, p. 11, 1882.—KEYSERLING, Die Spinn. Amer., vol. 2, (1), p. 25, 1884.—EMERTON, Trans. Conn. Acad., vol. 14, p. 180, 1909.—Me., N. H.

ANELOSIMUS.

SIMON, Ann. Soc. Ent. France, 1891, p. 7.

studiosum HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 6, p. 274, 1850; Spid. U. S., p. 145, 1875.—KEYSERLING, Die Spinn. Amer., vol. 2, (1), p. 20, 1884.—Southern States.

CHRYSSO.

CAMBRIDGE, Proc. Zool. Soc. Lond., 1882, p. 429.

albomaculata CAMBRIDGE, Proc. Zool. Soc. Lond., 1882, p. 429.—KEYSERLING, Die Spinn. Amer., vol. 2, (1), p. 152, 1884.—Fla.

COLEOSOMA.

CAMBRIDGE, Proc. Zool. Soc. Lond., 1882, p. 426.

floridana BANKS, Can. Ent., 1900, p. 98.—Fla.
blanda KEYSERLING, Die Spinn. Amer., vol. 2, (1) p. 212, 1884 (not Cambridge).

THERIDULA.

EMERTON, Trans. Conn. Acad., vol. 6, p. 25, 1882.

quadripunctata KEYSERLING, Die Spinn. Amer., vol. 2 (2), p. 32, 1886.—Southern States.
sphærula HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 6, p. 279, 1850; Spid. U. S., p. 151, 1875.—EMERTON, Trans. Conn. Acad., vol. 6, p. 25, 1882.—KEYSERLING, Die Spinn. Amer., vol. 2 (2), p. 33, 1886.—U. S.
ventillans KEYSERLING, Die Spinn. Amer., vol. 2 (1), p. 84, 1884.

GAUCELMUS.

KEYSERLING, Die Spinn. Amer., vol. 2, (1), p. 99, 1884.

augustinus KEYSERLING, Die Spinn. Amer., vol. 2 (1), p. 99, 1884.—Fla.

LITHYPHANTES.

THORELL, Eur. Spid., p. 94, 1869.

corollatus LINNAEUS, Syst. Nat., 10th ed., p. 621, 1758.—THORELL, Bull. U. S. Geol. Surv. Terr., vol. 3, no. 2, p. 487, 1877.—EMERTON, Trans. Conn. Acad., vol. 6, p. 21, 1882.—KEYSERLING, Die Spinn. Amer., vol. 2 (1), p. 129, 1884.—Northern States.
fulvus KEYSERLING, Die Spinn. Amer., vol. 2 (1), p. 142, 1884.—Western States.
medialis BANKS, Proc. California Acad. Sci., (3) vol. 1, Zool., p. 240, 1898.—Ariz.
pulcher KEYSERLING, Die Spinn. Amer., vol. 2 (1), p. 137, 1884.—Wash.
septemmaculatus KEYSERLING, Die Spinn. Amer., vol. 2 (1), p. 141, 1884.—Fla.

ENOPLOGNATHA.

PAVESI, Ann. Mus. Civ. Genova, 1880, p. 326.

Drepanodus MENGE, Preuss. Spinn., p. 241, 1868 (preoc.).
marmoratus HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 6, p. 273, 1850; Spid. U. S., p. 144, 1875.—EMERTON, Trans. Conn. Acad., vol. 6, p. 20, 1882.—KEYSERLING, Die Spinn. Amer., vol. 2 (1), p. 136, 1884.—Northern States.
rugosa EMERTON, Trans. Conn. Acad., vol. 14, p. 182, 1909.—N. H.
tectus KEYSERLING, Die Spinn. Amer., vol. 2, (1), p. 138, 1884.—Wash., Cal.

TEUTANA.

SIMON, Arachn. France, vol. 5, p. 161, 1881.

triangulosa WALCKENAER, Faune Paris, vol. 2, p. 207, 1802.—EMERTON, Trans. Conn. Acad., vol. 6, p. 22, 1882.—KEYSERLING, Die Spinn. Amer., vol. 2 (1), p. 122, 1884.—U. S.
serpentinum HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 6, p. 273, 1850; Spid. U. S., p. 144, 1875.

STEATODA.

SUNDEVALL, Conspect. Arachn., p. 16, 1833.

borealis HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 6, p. 274, 1850; Spid. U. S., p. 145, 1875.—EMERTON, Trans. Conn. Acad., vol. 6, p. 19, 1882.—KEYSERLING, Die Spinn. Amer., vol. 2 (1), p. 119, 1884.—U. S.
distincta THORELL, Bull. U. S. Geol. Surv. Terr., vol. 3, no. 2, p. 485, 1877.—Colo.
fusca EMERTON, Trans. Conn. Acad., vol. 9, p. 407, 1894.—Canada.
grandis BANKS, Proc. Acad. Nat. Sci. Phila., 1901, p. 578.—Ariz., N. Mex.

CRUSTULINA.

MENGE, Preuss. Spinn., p. 168, 1868.

borealis BANKS, Can. Ent., 1900, p. 99.—Wash.
guttata REUSS, Mus. Senkenberg., vol. 1, p. 241, 1834.—EMERTON, Trans. Conn. Acad., vol. 6, p. 20, 1882.—Northern States.
pallipes BANKS, Proc. Ent. Soc. Washington, vol. 7, p. 96, 1906.—Wash.
sticta CAMBRIDGE, Ann. Mag. Nat. Hist., vol. 7, p. 432, 1861.—KEYSERLING, Die Spinn. Amer., vol. 2 (2), p. 37, 1886.—Northern States.

ASAGENA.

SUNDEVALL, Conspect. Arachn., p. 19, 1833.

americana EMERTON, Trans. Conn. Acad., vol. 6, p. 23, 1882.—KEYSERLING, Die Spinn. Amer., vol. 2 (2), p. 2, 1886.—Northern States.

PEDANOSTETHUS.

SIMON, Arachn. France, vol. 5, p. 195, 1884.

Ctenium MENGE, Preuss. Spinn., p. 292, 1866 (preoc.).
laticeps KEYSERLING, Die Spinn. Amer., vol. 2 (1), p. 96, 1884 (*Theridium*).—Wyo.
palustris BANKS, Proc. Acad. Nat. Sci. Phila., 1892, p. 47 (*Microneta*).—N. Y.
pumilus EMERTON, Trans. Conn. Acad., vol. 14, p. 183, 1909.—N. H.
riparius KEYSERLING, Die Spinn. Amer., vol. 2 (2), p. 265, 1886.—EMERTON, Trans. Conn. Acad., vol. 14, p. 182, 1909.—Northern States.
spiniferus EMERTON, Trans. Conn. Acad., vol. 14, p. 183, 1909.—Mass.

MICRODIPŒNA.

BANKS, Journ. N. Y. Ent. Soc., 1895, p. 84.

guttata BANKS, Journ. N. Y. Ent. Soc., 1895, p. 85.—N. Y.

MYSMENA.

SIMON, Hist. Nat. Araign. (2), vol. 1, p. 588, 1894.

bulbifera BANKS, Trans. Amer. Ent. Soc., vol. 23, p. 66, 1896.—Eastern States.
quadimaculata BANKS, Trans. Amer. Ent. Soc., vol. 23, p. 66, 1896.—Fla.

THEONOE.

SIMON, Arachn. France, vol. 5, p. 130, 1881.

stridula CROSBY, Can. Ent., 1906, p. 308.—Mo.

EURYOPIS.

MENGE, Preuss. Spinn., p. 174, 1868.

argentea EMERTON, Trans. Conn. Acad., vol. 6, p. 27, 1882.—KEYSERLING, Die Spinn. Amer., vol. 2 (2), p. 50, 1886.—Northeastern States.
californica BANKS, Proc. California Acad. Sci. (3), vol. 3, Zool., p. 345, 1904.—Cal.
formosa BANKS, Can. Ent., 1908, p. 207.—Idaho.
funebris HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 6, p. 276, 1850; Spid. U. S., p. 148, 1875.—EMERTON, Trans. Conn. Acad., vol. 6, p. 27, 1882.—KEYSERLING, Die Spinn. Amer., vol. 2 (2), p. 49, 1886.—U. S.
5-maculata BANKS, Can. Ent., 1900, p. 97.—Va.
scriptipes BANKS, Can. Ent., 1908, p. 206.—Colo., N. Mex.
texana BANKS, Can. Ent., 1908, p. 207.—Tex.

DIPŒNA.

THORELL, Eur. Spid., p. 91, 1869.

Pachydactylus MENGE, Preuss. Spinn., p. 176, 1868 (preoc.).
Lasæola SIMON, Arachn. France, vol. 5, p. 136, 1881.
buccalis KEYSERLING, Die Spinn. Amer., vol. 2 (2), p. 42, 1886.—Eastern States.
crassiventris KEYSERLING, Die Spinn. Amer., vol. 2 (2), p. 41, 1886.—Southern States.

lascivula KEYSERLING, Die Spinn. Amer., vol. 2, (2), p. 39, 1886 (*Crustulina*).—Ga.
nigra EMERTON, Trans. Conn. Acad., vol. 6, p. 21, 1882.—Northeastern States.
pictipes BANKS, Proc. California Acad. Sci. (3), vol. 3, Zool., p. 345, 1904.—Cal.
tibialis BANKS, Proc. Ent. Soc. Washington, vol. 7, p. 96, 1906.—Wash.

ULESANIS.

KOCH, Die Arachn. Austral., p. 242, 1872.

Oroodes SIMON, Mém. Soc. Roy. Sci. Liege, 1873, p. 128.
Stegosoma CAMBRIDGE, Proc. Zool. Soc. Lond., 1873, p. 127.
americana EMERTON, Trans. Conn. Acad., vol. 6, p. 28, 1882.—KEYSERLING, Die Spinn. Amer., vol. 2, (2), p. 17, 1886.—Eastern States.

BELLINDA.

KEYSERLING, Die Spinn. Amer., vol. 2, (1), p. 216, 1884.

cancellata KEYSERLING, Die Spinn. Amer., vol. 2, (1), p. 216, 1884 (not Hentz).—Fla.

ARGYRODES.

SIMON, Hist. Nat. Araign., p. 253, 1864.

cancellatus HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 6, p. 278, 1850; Spid. U. S., p. 149, 1875.—EMERTON, Trans. Conn. Acad., vol. 6, p. 26, 1882.—KEYSERLING, Die Spinn. Amer., vol. 2, (2), p. 243, 1886.—EMERTON, Trans. Conn. Acad., vol. 14, p. 184, 1909.—Eastern States.
larvatus KEYSERLING, Die Spinn. Amer., vol. 2, (1), p. 197, 1884.
decorus BANKS, Can. Ent., 1908, p. 208.—Cal.
floridana BANKS, Can. Ent., 1900, p. 98.—Fla.
frontatus BANKS, Can. Ent., 1908, p. 208.—Miss.
globosus KEYSERLING, Die Spinn. Amer., vol. 2, (1), p. 204, 1884.—Fla.
intentum HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 6, p. 278, 1850; Spid. U. S., p. 150, 1875.—Ala.
jucundus CAMBRIDGE, Proc. Zool. Soc. Lond., 1880, p. 326.—KEYSERLING, Die Spinn. Amer., vol. 2 (1), p. 190, 1884.—Cal.
montanus KEYSERLING, Die Spinn. Amer., vol. 2, (1), p. 193, 1884.—D. C., Va.
nephilæ TACZANOWSKI, Hor. Soc. Ent. Ross., vol. 9, p. 51, 1872.—KEYSERLING, Die Spinn. Amer., vol. 2, (1), p. 184, 1884.—Southern States.
pluto BANKS, Proc. Ent. Soc. Washington, vol. 7, p. 95, 1906.—Va.
rostratus BANKS, Can. Ent., 1908, p. 207.—Fla.
trigonum HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 6, p. 280, 1850; Spid. U. S., p. 152, 1875.—EMERTON, Trans. Conn. Acad., vol. 6, p. 23, 1882.—U. S.
argyrodes KEYSERLING, Die Spinn. Amer., vol. 2, (1), p. 181, 1884.
trituberculatus BECKER, Ann. Soc. Ent. Belgique, vol. 22, p. 79, 1879.—KEYSERLING, Die Spinn. Amer., vol. 2, (1), p. 203, 1884.—Miss.

ARIAMNES.

THORELL, Eur. Spid., p. 37, 1869.

fictilium HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 6, p. 282, 1850; Spid. U. S., p. 155, 1875.—EMERTON, Trans. Conn. Acad., vol. 6, p. 24, 1882.—KEYSERLING, Die Spinn. Amer., vol. 2, (1), p. 170, 1884.—Eastern States.

SPINTHARUS.

HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 6, p. 283, 1850.

flavidus HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 6, p. 284, 1850; Spid. U. S., p. 157 1875.—EMERTON, Trans. Conn. Acad., vol. 6, p. 28, 1882.—KEYSERLING, Die Spinn. Amer., vol. 2, (1), p. 176, 1884.—Eastern States.

EPESINUS.

LATREILLE, Gen. Crust. Ins., vol. 4, p. 371, 1809.

truncatus LATREILLE, Gen. Crust. Ins., vol. 4, p. 371, 1809.—KEYSERLING, Die Spinn. Amer., vol. 2, (1), p. 209, 1884.—Eastern States.

LATHRODECTES.

WALCKENAER, Tabl. Aran., p. 81, 1805.

geometricus KOCH, Die Arachn., vol. 8, p. 117, 1841.—KEYSERLING, Die Spinn Amer., vol. 2 (1), p. 148, 1884.—Fla.

mactans FABRICIUS, Ent. Syst., vol. 2, p. 410, 1793.—KEYSERLING, Die Spinn Amer., vol. 2, (1), p. 145, 1884.—RILEY and HOWARD, Insect Life, vol. 1, p. 204 1888.—EMERTON, Trans. Conn. Acad., vol. 14, p. 181, 1909.—Southern States.

verecundum HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 6, p. 280, 1850; Spid U. S., p. 153, 1875.

lineatum HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 6, p. 281, 1850; Spid. U. S. p. 154, 1875.

lineamentum MCCOOK, Agric. Ant, Texas, p. 203, 1879.

HISTAGONIA.

SIMON, Hist. Nat. Araign., (2), vol. 1, p. 585, 1894.

Pholcomma EMERTON, Trans. Conn. Acad., vol. 6, p. 29, 1882 (not Thorell)

marxi CROSBY, Can. Ent., 1906, p. 309.—D. C.

rostrata EMERTON, Trans. Conn. Acad., vol. 6, p. 30, 1882.—Northeastern States.

ANCYLORRHANIS.

SIMON, Hist. Nat. Araign., (2), vol. 1, p. 592, 1894.

hirsuta EMERTON, Trans. Conn. Acad., vol. 6, p. 29, 1882.—Northeastern States.

CERATINOPS.

BANKS, Amer. Nat., vol. 39, p. 309, 1905.

annulipes BANKS, Proc. Acad. Nat. Sci. Phila., 1892, p. 33.—Northeastern States.

IDIONELLA.

BANKS, Journ. N. Y. Ent. Soc., 1893, p. 130.

formosa BANKS, Proc. Acad. Nat. Sci. Phila, 1892, p. 33 (*Ceratinella*).—EMERTON Trans. Conn. Acad., vol. 14, p. 185, 1909.—Northeastern States.

UNPLACED.

morologum HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 6, p. 277, 1850; Spid. U. S., p 148, 1875 (*Theridion*).—Ala.

oscitabundum HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 6, p. 275, 1850; Spid. U. S. p. 147, 1875 (*Theridion*).—Ala.

pertenue HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 6, p. 283, 1850; Spid. U. S., p 155, 1875 (*Theridion*).—Ala.

ERIGONIINÆ.

CERATINELLA.

EMERTON, Trans. Conn. Acad., vol. 6. p. 32, 1882.

Ceraticelus SIMON, Arachn. France, vol. 5, p. 595, 1884.

lbus FOX, Proc. Ent. Soc. Washington, vol. 2, p. 44, 1891.—CROSBY Proc. Acad. Nat. Sci. Phila., 1905, p. 318.—Northeastern States.

lticeps Fox, Proc. Ent. Soc. Washington, vol. 2, p. 45, 1891.—CROSBY Proc. Acad. Nat. Sci. Phila., 1905, p. 318.—Northeastern States.

triceps CAMBRIDGE, Proc. Zool. Soc. Lond., 1874, p. 436.—EMERTON, Trans. Conn. Acad., vol. 6, p. 34, 1882.—CROSBY, Proc. Acad. Nat. Sci. Phila., 1905, p. 319.—Northeastern States.

runnea EMERTON, Trans. Conn. Acad., vol. 6, p. 36, 1882.—CROSBY, Proc. Acad. Nat. Sci. Phila., 1905, p. 318.—Northeastern States.

ulbosa EMERTON, Trans. Conn. Acad., vol. 6, p. 33, 1882.—CROSBY, Proc. Acad. Nat. Sci. Phila., 1905, p. 319.—Northern States.

mertoni CAMBRIDGE, Proc. Zool. Soc. Lond., 1874, p. 435.—EMERTON, Trans. Conn. Acad., vol. 6, p. 32, 1882.—KEYSERLING, Die Spinn. Amer., vol. 2, (2), p. 178, 1886.—CROSBY, Proc. Acad. Nat. Sci. Phila., 1905, p. 319.—Eastern States.

issiceps CAMBRIDGE, Proc. Zool. Soc. Lond., 1874, p. 438.—EMERTON, Trans. Conn. Acad., vol. 6, p. 33, 1882.—KEYSERLING, Die Spinn. Amer., vol. 2 (2), p. 155, 1886.—CROSBY, Proc. Acad. Nat. Sci. Phila., 1905, p. 319.—Eastern States.

nnominabilis CROSBY, Proc. Acad. Nat. Sci. Phila., 1905, p. 302, Alaska.

æta CAMBRIDGE, Proc. Zool. Soc. Lond., 1874, p. 433.—EMERTON, Trans. Conn. Acad., vol. 6, p. 35, 1882.—KEYSERLING, Die Spinn. Amer., vol. 2 (2), p. 176, 1886.—Northeastern States.

ætabilis CAMBRIDGE, Proc. Zool. Soc. Lond., 1874, p. 435.—EMERTON, Trans. Conn. Acad., vol. 6, p. 35, 1882.—CROSBY, Proc. Acad. Nat. Sci. Phila., 1905, p. 320.—Northeastern States.

aticeps EMERTON, Trans. Conn. Acad., vol. 9, p. 408, 1894.—CROSBY, Proc. Acad. Nat. Sci. Phila., 1905, p. 322.—Northern States.

nelanocnemis FOX, Proc. Ent. Soc. Washington, vol. 2, p. 45, 1891.—CROSBY, Proc. Acad. Nat. Sci. Phila., 1905, p. 321.—Northeastern States.

nicropalpis EMERTON, Trans. Conn. Acad., vol. 6, p. 36, 1882.—New England.

ninuta EMERTON, Trans. Conn. Acad., vol. 6, p. 36, 1882.—CROSBY, Proc. Acad. Nat. Sci. Phila., 1905, p. 321.—Northeastern States.

ccidentalis BANKS, Proc. Acad. Nat. Sci. Phila., 1901, p. 579.—N. Mex.

arvulus FOX, Proc. Ent. Soc. Washington, vol. 2. p. 45, 1891.—N. H.

lacida BANKS, Proc. Acad. Nat. Sci. Phila., 1892, p. 32.—N.Y.

ygmæa EMERTON, Trans. Conn. Acad., vol. 6, p. 34, 1882.—New England.

ugosa CROSBY, Proc. Acad. Nat. Sci. Phila., 1905, p. 322 (*Ceraticelus*).—N. Y.

imilis BANKS, Proc. Acad. Nat. Sci. Phila., 1892, p. 31.—Eastern States.

ibialis FOX, Proc. Ent. Soc. Washington, vol. 2, p. 45, 1891.—CROSBY, Proc. Acad. Nat. Sci. Phila., 1905, p. 322.—Northeastern States.

LOPHOCARENUM.

MENGE, Preuss. Spinn., p. 198, 1868.

nœsta BANKS, Proc. Acad. Nat. Sci. Phila., 1892, p. 32 (*Ceratinella*).—N. Y.

EXECHOPHYSIS.

SIMON, Arachn. France, vol. 5, p. 690, 1884.

igriceps BANKS, Proc. Ent. Soc. Washington, vol. 7, p. 97, 1906.—N. Y.

alustris BANKS, Proc. Ent. Soc. Washington, vol. 7, p. 97, 1906.—EMERTON, Trans. Conn. Acad., vol. 14, p. 188, 1909 (*Histagonia*).—Northeastern States.

lumalis CROSBY, Proc. Acad. Nat. Sci. Phila., 1905, p. 323.—N. Y.

PANAMOMOPS.

SIMON, Arachn. France, vol. 5, p. 792, 1884.

quadricristatum EMERTON, Trans. Conn. Acad., vol. 6, p. 48, 1882 (*Lophocarenum*) Trans. Conn. Acad., vol. 14, p. 189, 1909.—N. H.

HYPSELISTES.

SIMON, Hist. Nat. Araign. (2), vol. 1, p. 671, 1894.

florens CAMBRIDGE, Proc. Zool. Soc. Lond., 1875, p. 403.—EMERTON, Trans. Conn Acad., vol. 6, p. 46, 1882.—KEYSERLING, Die Spinn. Amer., vol. 2 (2), p. 158 1886.—Eastern States.

CARACLADUS.

SIMON, Arachn. France, vol. 5, p. 589, 1884.

gigas BANKS, Can. Ent., 1896, p. 65 (*Erigonoplus*).—EMERTON, Trans. Conn Acad., vol. 14, p. 187, 1909 (*Grammonota*).—N.Y.

CASEOLA.

EMERTON, Trans. Conn. Acad., vol. 14, p. 186, 1909.

alticeps EMERTON, Trans. Conn. Acad., vol. 14, p. 187, 1909.—Mass.
herbicola EMERTON, Trans. Conn. Acad., vol. 14, p. 186, 1909.—Mass.

DIPLOCEPHALUS.

BERTKAU, Verh. Ver. Rheinl., vol. 40, p. 226, 1883.

Lophocarenum, of Emerton.

abruptum EMERTON, Trans. Conn. Acad., vol. 14, p. 189, 1909.—Mass.
castaneum EMERTON, Trans. Conn. Acad., vol. 6, p. 45, 1882.—Northeastern States
castigatorius CROSBY, Proc. Acad. Nat. Sci. Phila., 1905, p. 325.—Cal.
crenatoideum BANKS, Proc. Acad. Nat. Sci. Phila., 1892, p. 37.—N. Y.
crenatum EMERTON, Trans. Conn. Acad., vol. 6, p. 51, 1882.—Northeastern States.
cristata BLACKWALL, Lond. and Edinb. Philos. Mag. (3), vol. 3, p. 107, 1833.—CAMBRIDGE, Proc. Zool. Soc. Lond., 1874, p. 438.—EMERTON, Trans. Conn. Acad. vol. 6, p. 44, 1882.—Eastern States.
cuneatum EMERTON, Trans. Conn. Acad., vol. 14, p. 188, 1909.—N. H.
depressum EMERTON, Trans. Conn. Acad., vol. 6, p. 50, 1882.—CROSBY, Proc. Acad. Nat. Sci. Phila., 1905, p. 326.—Northeastern States.
elongata EMERTON, Trans. Conn. Acad., vol. 6, p. 44, 1882.—New England.
erigonoides EMERTON, Trans. Conn. Acad., vol. 6, p. 50, 1882.—CROSBY, Proc. Acad Nat. Sci. Phila., 1905, p. 326.—Northeastern States.
exiguum BANKS, Proc. Acad. Nat. Sci. Phila., 1892, p. 36.—N. Y.
fasciatum BANKS, Proc. California Acad. Sci. (3), vol. 3, Zool., p. 347, 1904.—Cal.
formosum BANKS, Proc. Acad. Nat. Sci. Phila, 1892, p. 37.—CROSBY, Proc. Acad Nat. Sci. Phila., 1905, p. 326.—N. Y.
frontalis BANKS, Journ. N. Y. Ent. Soc., 1904, p. 111.—N. Y.
latum EMERTON, Trans. Conn. Acad., vol. 6, p. 50, 1882.—Mass.
lobiceps BANKS, Can. Ent., 1897, p. 196.—Ohio, Ill.
longior BANKS, Proc. Acad. Nat. Sci. Phila., 1892, p. 38.—N. Y.
longitarsis EMERTON, Trans. Conn. Acad., vol. 6, p. 48, 1882.—N. H.
longitubus EMERTON, Trans. Conn. Acad., vol. 6, p. 49, 1882.—CROSBY, Proc. Acad Nat. Sci. Phila., 1905, p. 327.—Northern States.
minutum EMERTON, Trans. Conn. Acad., vol. 14, p. 191, 1909.—N. H.

montanum EMERTON, Trans. Conn. Acad., vol. 6, p. 45, 1882.—N. H.
montiferum EMERTON, Trans. Conn. Acad., vol. 6, p. 47, 1882.—CROSBY, Proc. Acad. Nat. Sci. Phila., 1905, p. 335.—Northeastern States.
pallidum EMERTON, Trans. Conn. Acad., vol. 6, p. 48, 1882.—New England.
pallens MARX, Proc. U. S. Nat. Mus., vol. 12, p. 535, 1890.
parvum BANKS, Proc. Acad. Nat. Sci. Phila., 1892, p. 36.—N. Y.
percisa KEYSERLING, Die Spinn. Amer., vol. 2 (2), p. 153, 1886.—Md.
rostratum EMERTON, Trans. Conn. Acad., vol. 6, p. 49, 1882.—CROSBY, Proc. Acad. Nat. Sci. Phila., 1905, p. 334.—Northeastern States.
rugosum EMERTON, Trans. Conn. Acad., vol. 14, p. 191, 1909.—Mass., N. H.
scopuliferum EMERTON, Trans. Conn. Acad., vol. 6, p. 49, 1882.—Mass., N. Y.
simplex EMERTON, Trans. Conn. Acad., vol. 6, p. 50, 1882.—Mass.
spiniferum CAMBRIDGE, Proc. Zool. Soc. Lond., 1874, p. 432.—EMERTON, Trans. Conn. Acad., vol. 6, p. 47, 1882.—Northeastern States.
unimaculatum BANKS, Proc. Acad. Nat. Sci. Phila., 1892, p. 35.—N. Y.
vernilis EMERTON, Trans. Conn. Acad., vol. 6, p. 51, 1882.—R. I.

DISMODICUS.

SIMON, Arachn. France, vol. 5, p. 563, 1884.

alpinus BANKS, Can. Ent., 1896, p. 63.—EMERTON, Trans. Conn. Acad., vol. 14, p. 190, 1909 (*Lophocarenum*).—N. H.
decemoculatum EMERTON, Trans. Conn. Acad., vol. 6, p. 46, 1882.—N. H.

HYPOMMA.

DAHL, Schrift. Nat. Ver. Schleswig., 1886, p. 87.

bilobatus BANKS, Can. Ent., 1896, p. 63 (*Dicyphus*).—Northern States.
trilobatus BANKS, Can. Ent., 1896, p. 64 (*Dicyphus*).—EMERTON, Trans. Conn. Acad., vol. 14, p. 191, 1909 (*Lophocarenum*).—Northern States.

ACARTAUCHENIUS.

SIMON, Arachn. France, vol. 5, p. 740, 1884.

columbiensis CROSBY, Proc. Acad. Nat. Sci. Phila., 1905, p. 329.—D. C.
texana BANKS, Proc. Ent. Soc. Washington, vol. 4, p. 192, 1899.—Southern States.

MASO.

SIMON, Arachn. France, vol. 5, p. 861, 1884.

frontatus BANKS, Proc. Acad. Nat. Sci. Phila., 1892, p. 33.—CROSBY, Proc. Acad. Nat. Sci. Phila., 1905, p. 341.—N. Y.
polita BANKS, Trans. Amer. Ent. Soc., vol. 23, p. 67, 1896.—D. C.

SATILATLAS.

KEYSERLING, Die Spinn. Amer., vol. 2 (2), p. 127, 1886.

marxi KEYSERLING, Die Spinn. Amer., vol. 2 (2), p. 127, 1886.—Alaska.

DELORRHIPIS.

SIMON, Arachn. France, vol. 5, p. 696, 1884.

monoceros KEYSERLING, Die Spinn. Amer., vol. 2 (2), p. 222, 1886 (*Erigone*).—Wash.
unicornis BANKS, Proc. Acad. Nat. Sci. Phila., 1892, p. 38 (*Tmeticus*).—N. Y.

CORNICULARIA.

MENGE, Preuss. Spinn., p. 226, 1869.

Prosopotheca SIMON, Arachn. France, vol. 5, p. 829, 1884.
Spiropalpus EMERTON, Trans. Conn. Acad., vol. 6, p. 39, 1882.

auranticeps EMERTON, Trans. Conn. Acad., vol. 6, p. 43, 1882.—Northeastern States.
brevicornis EMERTON, Trans. Conn. Acad., vol. 6, p. 42, 1882.—Conn.
clavicornis EMERTON, Trans. Conn. Acad., vol. 6, p. 43, 1882.—N. H.
communis EMERTON, Trans. Conn. Acad., vol. 6, p. 41, 1882.—Northern States.
arvensis BANKS, Proc. Acad. Nat. Sci. Phila., 1892, p. 37.
directa CAMBRIDGE, Proc. Zool. Soc. Lond., 1874, p. 439.—EMERTON, Trans. Conn. Acad., vol. 6, p. 40, 1882.—CROSBY, Proc. Acad. Nat. Sci. Phila., 1905, p. 330.—Eastern States.
provida CAMBRIDGE, Proc. Zool. Soc. Lond., 1875, p. 398.
humiliceps KEYSERLING, Die Spinn. Amer., vol. 2 (2), p. 148, 1886.—D. C.
indirecta CAMBRIDGE, Proc. Zool. Soc. Lond., 1874, p. 440.—EMERTON, Trans. Conn. Acad., vol. 6, p. 41, 1882.—KEYSERLING, Die Spinn. Amer., vol. 2 (2), p. 146, 1886.—Eastern States.
miniatum BANKS, Proc. Acad. Nat. Sci. Phila., 1892, p. 36.—CROSBY, Proc. Acad. Nat. Sci. Phila., 1905, p. 331.—N. Y.
minuta EMERTON, Trans. Conn. Acad., vol. 6, p. 42, 1882.—New England.
paullula MARX, Proc. U. S. Nat. Mus., vol. 12, p. 535, 1890.
pallida EMERTON, Trans. Conn. Acad., vol. 6, p. 42, 1882.—CROSBY, Proc. Acad. Nat. Sci. Phila., 1905, p. 332.—Conn.
placida BANKS, Proc. Acad. Nat. Sci. Phila., 1892, p. 35.—N. Y.
recurvata BANKS, Proc. Washington Acad. Sci., vol. 2, p. 479, 1900.—Alaska.
spiralis EMERTON, Trans. Conn. Acad., vol. 6, p. 39, 1882.—CROSBY, Proc. Acad. Nat. Sci. Phila., 1905, p. 332.—Northeastern States.
tibialis EMERTON, Trans. Conn. Acad., vol. 6, p. 41, 1882.—Mass.
transversa CROSBY, Proc. Acad. Nat. Sci. Phila., 1905, p. 333.—N. Y.
tricornis EMERTON, Trans. Conn. Acad., vol. 6, p. 43, 1882.—N. H.
varipes BANKS, Proc. Washington Acad. Sci., vol. 2, p. 479, 1900.—Alaska.

GONATIUM.

MENGE, Preuss. Spinn., p. 180, 1867.

marxi KEYSERLING, Die Spinn. Amer., vol. 2 (2), p. 152, 1886.—Wis.
rubens BLACKWALL, Lond. Edinb. Philos. Mag. (3), vol. 3, p. 189, 1833.—EMERTON, Trans. Conn. Acad., vol. 6, p. 60, 1882.—Eastern States.
formosa BANKS, Proc. Acad. Nat. Sci. Phila., 1892, p. 34 (*Cornicularia*).
venustum BANKS, Proc. Acad. Nat. Sci. Phila., 1892, p. 36 (*Lophocarenum*).

NEMATOGMUS.

SIMON, Arachn. France, vol. 5, p. 614, 1884.

drassoides EMERTON, Trans. Conn. Acad., vol. 6, p. 72, 1882. (*Bolyphantes*).—Conn.
pacificus BANKS, Trans. Amer. Ent. Soc., vol. 23, p. 69, 1896. (*Bolyphantes*).—Wash.

TISO.

SIMON, Arachn. France, vol. 5, p. 506, 1884.

spirotubus BANKS, Ann. N. Y. Acad. Sci., vol. 8, p. 424, 1895.—Colo.

GRAMMONOTA.

EMERTON, Trans. Conn. Acad., vol. 6, p. 38, 1882.

inornata EMERTON, Trans. Conn. Acad., vol. 6, p. 39, 1882.—Northeastern States.
maculata BANKS, Trans. Amer. Ent. Soc., vol. 23, p. 68, 1896.—Eastern States.
ornata CAMBRIDGE, Proc. Zool. Soc. Lond., 1875, p. 395.—EMERTON, Trans. Conn. Acad., vol. 6, p. 39, 1882.—Eastern States.
pallipes BANKS, Journ. N. Y. Ent. Soc., 1895, p. 86.—N. Y.
pictilis CAMBRIDGE, Proc. Zool. Soc. Lond., 1875, p. 396.—EMERTON, Trans. Conn. Acad., vol. 6, p. 38, 1882.—KEYSERLING, Die Spinn. Amer., vol. 2 (2), p. 194, 1886.—Eastern States.
trivittata BANKS, Journ. N. Y. Ent. Soc., 1895, p. 86.—N. Y., Mass.
venusta BANKS, Proc. Acad. Nat. Sci. Phila., 1892, p. 34.—N. Y.

NOTIONELLA.

BANKS, Amer. Nat., 1905, p. 312.

anglicanum HENTZ, Proc. Bost. Soc. Nat. Hist., vol. 6, p. 275, 1850; Spid. U. S., p. 146, 1875.—Southern States.
purpurascens KEYSERLING, Die Spinn. Amer., vol. 2, (2), p. 187, 1886.
interpres CAMBRIDGE, Proc. Zool. Soc. Lond., 1874, p. 430.—EMERTON, Trans. Conn. Acad., vol. 6, p. 37, 1882.—KEYSERLING, Die Spinn. Amer., vol. 2, (2), p. 144, 1886.—Eastern States.

CERATINOPSIS.

EMERTON, Trans. Conn. Acad., vol. 6, p. 36, 1882.

alternatus EMERTON, Trans. Conn. Acad., vol. 14, p. 185, 1909.—New England.
auriculatus EMERTON, Trans. Conn. Acad., vol. 14, p. 185, 1909.—N. H.
bicolor BANKS, Trans. Amer. Ent. Soc., vol. 23, p. 67, 1896.—N. Y.
laticeps EMERTON, Trans. Conn. Acad., vol. 6, p. 37, 1882.—Conn.
nigriceps EMERTON, Trans. Conn. Acad., vol. 6, p. 37, 1882.—Eastern States.
nigripalpis EMERTON, Trans. Conn. Acad., vol. 6, p. 38, 1882.—Northeastern States.
similis BANKS, Trans. Amer. Ent. Soc., vol. 23, p. 67, 1896.—Eastern States.
unicolor CROSBY, Proc. Acad. Nat. Sci. Phila., 1905, p. 341.—D. C.
xanthippe KEYSERLING, Die Spinn. Amer., vol. 2 (2), p. 192, 1886.—Southern States.

GONGLYDIUM.

MENGE, Preuss. Spinn., p. 183, 1867.

Tmeticus, of Emerton.
alascensis BANKS, Proc. Washington Acad. Sci., vol. 2, p. 479, 1900.—Alaska.
banksi STRAND, Fauna Arctica, vol. 4, lief. 3, p. 445, 1906 (*Œdothorax*).—Alaska.
bidentatus EMERTON, Trans. Conn. Acad., vol. 6, p. 56, 1882.—N. H.
bostonensis EMERTON, Trans. Conn. Acad., vol. 6, p. 56, 1882.—Mass.
brevipalpus BANKS, Proc. Acad. Nat. Sci. Phila., 1901, p. 580.—N. Mex.
brunneus EMERTON, Trans. Conn. Acad., vol. 6, p. 58, 1882 (*Tmeticus*); vol. 14, p. 194, 1909.—Northern States.
fusca MARX, Proc. U. S. Nat. Mus., vol. 12, p. 534, 1890.
concavus EMERTON, Trans. Conn. Acad., vol. 6, p. 57, 1882.—Northeastern States.
contortus EMERTON, Trans. Conn. Acad., vol. 6, p. 54, 1882.—Mass.
corticarius EMERTON, Trans. Conn. Acad., vol. 14, p. 194, 1909.—New England.

debilis Banks, Proc. Acad. Nat. Sci. Phila., 1892, p. 40 (*Tmeticus*).—Emerton, Trans. Conn. Acad., vol. 14, p. 193, 1909.—N. Y.

distinctus Banks, Proc. Acad. Nat. Sci. Phila., 1892, p. 40.—Crosby, Proc. Acad. Nat. Sci. Phila., 1905, p. 327.—N. Y.

falsifica Keyserling, Die Spinn. Amer., vol. 2 (2), p. 199, 1886.—Alaska.

flaveolus Banks, Proc. Acad. Nat. Sci. Phila., 1892, p. 39 (*Tmeticus*).—Emerton, Trans. Conn. Acad., vol. 14, p. 193, 1909.—Northeastern States.

gnavus Banks, Proc. Acad. Nat. Sci. Phila., 1892, p. 41.—N. Y. (*trilobatus?*).

humilis Banks, Proc. Acad. Nat. Sci. Phila., 1892, p. 39.—N. Y.

kincaidi Banks, Proc. Ent. Soc. Washington, vol. 7, p. 96, 1906.—Wash.

limatus Crosby, Proc. Acad. Nat. Sci. Phila., 1905, p. 335.—N. Y.

longisetosus Emerton, Trans. Conn. Acad., vol. 6, p. 54, 1882 (*Tmeticus*); vol. 14, p. 192, 1909.—New England.

maculatus Banks, Proc. Acad. Nat. Sci. Phila., 1892, p. 41.—Crosby, Proc. Acad. Nat. Sci. Phila., 1905, p. 335.—N. Y.

maximus Emerton, Trans. Conn. Acad., vol. 6, p. 55, 1882.—N. H.

microtarsis Emerton, Trans. Conn. Acad., vol. 6, p. 57, 1882.—N. H.

minutum Banks, Proc. Acad. Nat. Sci. Phila., 1892, p. 41.—Crosby, Proc. Acad. Nat. Sci. Phila., 1905, p. 338.—N. Y.

montanus Emerton, Trans. Conn. Acad., vol. 6, p. 55, 1882.—N. H.

collina Marx, Proc. U. S. Nat. Mus., vol. 12, p. 533, 1890.

obscurus Banks, Proc. Acad. Nat. Sci. Phila., 1892, p. 38.—N. Y.

oxypæderotipus Crosby, Proc. Acad. Nat. Sci. Phila., 1905, p. 336.—N. Y.

pallidus Emerton, Trans. Conn. Acad., vol. 6, p. 55, 1882.—Crosby, Proc. Acad. Nat. Sci. Phila., 1905, p. 339.—Northeastern States.

pallescens Marx, Proc. U. S. Nat. Mus., vol. 12, p. 535, 1890.

palustris Banks, Proc. Acad. Nat. Sci. Phila., 1892, p. 40.—N. Y.

parvus Banks, Proc. Ent. Soc. Washington, vol. 4, p. 192, 1899.—La.

perplexa Keyserling, Die Spinn. Amer., vol. 2 (2), p. 190, 1886.—Northwestern States.

pectinatus Emerton, Trans. Conn. Acad., vol. 9, p. 409, 1894.

pertinens Cambridge, Proc. Zool. Soc. Lond., 1875, p. 399.—Emerton, Trans. Conn. Acad., vol. 6, p. 45, 1882.—New England.

plumosus Emerton, Trans. Conn. Acad., vol. 6, p. 53, 1882.—Northern States.

probatus Cambridge, Proc. Zool. Soc. Lond., 1874, p. 431.—Emerton, Trans. Conn. Acad., vol. 6, p. 52, 1882.—Keyserling, Die Spinn. Amer., vol. 2, (2), p. 166, 1886.—Eastern States.

rostratula Keyserling, Die Spinn. Amer., vol. 2, (2), p. 186, 1886.—Md.

rusticus Banks, Proc. Acad. Nat. Sci. Phila., 1892, p. 39.—N. Y.

terrestris Emerton, Trans. Conn. Acad., vol. 6, p. 57, 1882.—Mass.

tibialis Emerton, Trans. Conn. Acad., vol. 6, p. 56, 1882.—Mass.

monticola Marx, Proc. U. S. Nat. Mus., vol. 12, p. 535, 1890.

tridentatus Emerton, Trans. Conn. Acad., vol. 6, p. 53, 1882.—Crosby, Proc. Acad. Nat. Sci. Phila., 1905, p. 340.—Northeastern States.

trilobatus Emerton, Trans. Conn. Acad., vol. 6, p. 53, 1882.—Crosby, Proc. Acad. Nat. Sci. Phila., 1905, p. 337.—Eastern States.

mœstus Banks, Proc. Acad. Nat. Sci. Phila., 1892, p. 40 (*Tmeticus*).

truncatus Emerton, Trans. Conn. Acad., vol. 6, p. 57, 1882.—N. H.

CLITOLYNA.

Simon, Hist. Nat. Araign., (2), vol. 1, p. 673, 1894.

electa Crosby, Proc. Acad. Nat. Sci. Phila., 1905, p. 342.—La.

ERIGONE.

AUDOUIN, Sav. Descr. Égypte, (2) vol. 22, p. 319, 1827.

albescens BANKS, Can. Ent., 1898, p. 187.—D. C.
autumnalis EMERTON, Trans. Conn. Acad., vol. 6, p. 58, 1882.—KEYSERLING, Die Spinn. Amer., vol. 2, (2), p. 171, 1886.—Eastern States.
brevidentatus EMERTON, Trans. Conn. Acad., vol. 14, p. 194, 1909.—Mass., N. H.
californica BANKS, Proc. California Acad. Sci., (3), vol. 3, Zool., p. 347, 1904.—Cal.
coloradensis KEYSERLING, Die Spinn. Amer., vol. 2, (2), p. 168, 1886.—Western States.
dentigera CAMBRIDGE, Proc. Zool. Soc. Lond., 1874, p. 429; 1875, p. 394.—EMERTON, Trans. Conn. Acad., vol. 6, p. 59, 1882.—New England.
famelica KEYSERLING, Die Spinn. Amer., vol. 2, (2), p. 186, 1886.—Alaska.
longipalpis SUNDEVALL, Acta Holmiæ, 1829, p. 25.—EMERTON, Trans. Conn. Acad., vol. 6, p. 59, 1882.—Northern States.
persimilis CAMBRIDGE, Proc. Zool. Soc. Lond., 1875, p. 394.—CROSBY, Proc. Acad. Nat. Sci. Phila., 1905, p. 339.—Mass.
plicita CROSBY, Proc. Acad. Nat. Sci. Phila., 1905, p. 339.—Cal. (=*californica?*).
simillima KEYSERLING, Die Spinn. Amer., vol. 2, (2), p. 170, 1886.—Alaska.
tristis BANKS, Proc. Acad. Nat. Sci. Phila., 1892, p. 35.—CROSBY, Proc. Acad. Nat. Sci. Phila., 1905, p. 340.—N. Y.
usurpabilis KEYSERLING, Die Spinn. Amer., vol. 2, (2), p. 193, 1886.—Alaska.

MISCELLANEOUS ERIGONE.

atra BLACKWALL, Lond. Edinb. Philos. Trans., (3), vol. 3, p. 195, 1833.—CAMBRIDGE, Proc. Zool. Soc. Lond., 1874, p. 429.—New England.
cacuminum THORELL, Bull. U. S. Geol. Surv. Terr., vol. 3, no. 2, p. 483, 1877.—Colo.
calcarata KEYSERLING, Die Spinn. Amer., vol. 2, (2), p. 181, 1886.—Wis.
fabra KEYSERLING, Die Spinn. Amer., vol. 2, (2), p. 167, 1886.—Southern States.
famularis KEYSERLING, Die Spinn. Amer., vol. 2, (2), p. 198, 1886.—Alaska.
famulatoria KEYSERLING, Die Spinn. Amer., vol. 2, (2), p. 182, 1886.—Wis.
infernalis KEYSERLING, Die Spinn. Amer., vol. 2, (2), p. 180, 1886.—Ky.
minutissima KEYSERLING, Die Spinn. Amer., vol. 2, (2), p. 219, 1886.—Tex.
polaris KEYSERLING, Die Spinn. Amer., vol. 2, (2), p. 148, 1886.—Alaska.
relexata KEYSERLING, Die Spinn. Amer., vol. 2, (2), p. 154, 1886.—Md.
shumaginensis KEYSERLING, Die Spinn. Amer., vol. 2, (2), p. 182, 1886.—Alaska.
solitaris KEYSERLING, Die Spinn. Amer., vol. 2, (2), p. 179, 1886.—Ky.
strabo THORELL, Bull. U. S. Geol. Surv. Terr., vol. 3, no 2, p. 483, 1877.—Colo.
ululabilis KEYSERLING, Die Spinn. Amer., vol. 2, (2), p. 184, 1886.—Alaska.
umbraticola KEYSERLING, Die Spinn. Amer., vol. 2, (2), p. 195, 1886.—Alaska.
umbratilis KEYSERLING, Die Spinn. Amer., vol. 2, (2), p. 201, 1886.—N. C.
urusta KEYSERLING, Die Spinn. Amer., vol. 2, (2), p. 193, 1886.—Alaska.
vacerosa KEYSERLING, Die Spinn. Amer., vol. 2, (2), p. 200, 1886.—Alaska.

LINYPHIIDÆ.

PHANETTA.

KEYSERLING, Die Spinn. Amer., vol. 2 (2), p. 124, 1886.

subterranea EMERTON, Amer. Nat., vol. 9, p. 279, 1875.—KEYSERLING, Die Spinn. Amer., vol. 2, (2), p. 125, 1886.—PACKARD, Cave Fauna, p. 57, 1887.—Ky.

WILLIBALDIA.

KEYSERLING, Die Spinn. Amer., vol. 2, (2), p. 122, 1886.

cavernicola KEYSERLING, Die Spinn. Amer., vol. 2, (2), p. 123, 1886.—Ky.
incerta EMERTON, Amer. Nat., vol. 9, p. 280, 1875.—PACKARD, Cave Fauna, p. 57, 1887.—Va.

ANTHROBIA.

TELLKAMPF, Arch. Nat., 1884, p. 318.

mammouthia TELLKAMPF, Arch. Nat., 1884, p. 318.—EMERTON, Amer. Nat., vol. 9, p. 280, 1875.—KEYSERLING, Die Spinn. Amer., vol. 2, (2), p. 122, 1886.—PACKARD, Cave Fauna, p. 58, 1887.—Ky.

NESTICUS.

THORELL, Eur. Spid., p. 88, 1869.

carteri EMERTON, Amer. Nat., vol. 9, p. 279, 1875.—Ky.
cavicola BANKS, Can. Ent., 1898, p. 187.—Ariz.
pallidus EMERTON, Amer. Nat., vol. 9, p. 279, 1875.—Va.

LINYPHIELLA.

BANKS, Amer. Nat., vol. 39, p. 311, 1905.

coccinea HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 6, p. 30, 1850; Spid. U. S., p. 135, 1875.—KEYSERLING, Die Spinn. Amer., vol. 2, (2), p. 100, 1886.—Southern States.

NERIENE.

BLACKWALL, Spid. Great Britain, vol. 2, p. 248, 1864.

Frontina SIMON, Arachn. France, vol. 5, p. 206, 1884 (preoc.).

adstricta KEYSERLING, Die Spinn. Amer., vol. 2, (2), p. 116, 1886.—Utah.
clathrata SUNDVALL, Svenska Vet. Akad. Handl., 1829, p. 218.—EMERTON, Trans. Conn. Acad., vol. 6, p. 62, 1882.—KEYSERLING, Die Spinn. Amer., vol. 2, (2), p. 98, 1886.—Northern States.
maculata EMERTON, Trans. Conn. Acad., vol. 14, p. 195, 1909.—Eastern States.
conferta BANKS, Proc. Acad. Nat. Sci. Phila., 1892, p. 42 (not Hentz).
variabilis BANKS, Proc. Acad. Nat. Sci. Phila., 1892, p. 42.—N. Y.

FRONTINELLA.

CAMBRIDGE, Biol. Centr.-Amer., Arachn. Aran., vol. 2, p. 420, 1902.

communis HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 6, p. 28, 1850; Spid. U. S., p. 132 1875.—EMERTON, Trans. Conn. Acad., vol. 6, p. 62, 1882.—KEYSERLING, Die Spinn. Amer., vol. 2, (2), p. 78, 1886.—U. S.

LABULLA.

SIMON, Arachn. France, vol. 5, p. 261, 1884.

altioculata KEYSERLING, Die Spinn. Amer., vol. 2, (2), p. 94, 1886.—West Coast.

LINYPHIA.

LATREILLE, Nouv. Dict. Hist. Nat., vol. 24, p. 134, 1804.

Helophora MENGE, Preuss. Spinn., p. 126, 1866.

arctica KEYSERLING, Die Spinn. Amer., vol. 2, (2), p. 85, 1886.—Alaska.

bicolor BANKS, Proc. Ent. Soc. Washington, vol. 7, p. 97, 1906.—Wash.

brevipes KEYSERLING, Die Spinn. Amer., vol. 2 (2), p. 87, 1886.—Wash.

conferta HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 6, p. 30, 1850; Spid. U. S., p. 135, 1875.—Ala.

diana KEYSERLING, Die Spinn. Amer., vol. 2 (2), p. 68, 1886.—Wash., Cal.

emertonii THORELL, Proc. Bost. Soc. Nat. Hist., vol. 17, p. 494, 1875.—SÖRENSEN, Vid. Medd. Naturh. For., 1898, p. 194.—Labrador.

fructuosa KEYSERLING, Die Spinn. Amer., vol. 2 (2), p. 72, 1886.—Utah.

galbea KEYSERLING, Die Spinn. Amer., vol. 2 (2) p. 178, 1886.—Ga.

grandæva KEYSERLING, Die Spinn. Amer., vol. 2 (2), p. 92, 1886.—Pa.

insignis BLACKWALL, Trans. Linn. Soc. Lond., vol. 18, p. 662, 1841.—EMERTON, Trans. Conn. Acad., vol. 6, p. 67, 1882.—KEYSERLING, Die Spinn. Amer., vol. 2 (2), p. 80, 1886.—Northeastern States.

litigiosa KEYSERLING, Die Spinn. Amer., vol. 2 (2), p. 62, 1886.—West Coast.

mandibulata EMERTON, Trans. Conn. Acad., vol. 6, p. 64, 1882.—Northern States.

marginata KOCH, Herr. Schæff., Deutschl. Ins., heft. 187, p. 21, 1834.—EMERTON, Trans. Conn. Acad. vol. 6, p. 61, 1882.—KEYSERLING, Die Spinn. Amer., vol. 2 (2), p. 58, 1886.—U. S.

marmorata HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 6, p. 29, 1850; Spid. U. S., p. 133, 1875.

scripta HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 6, p. 29, 1850; Spid. U. S., p. 134, 1875.

nearctica, new name.—Northern States.

humilis EMERTON, Trans. Conn. Acad., vol. 8, p. 409, 1894 (not of Koch, 1879).

neophita HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 6, p. 31, 1850; Spid. U. S., p. 136, 1875.—N. C.

orophila THORELL, Bull. U. S. Geol. Surv. Terr., vol. 3, no. 2, p. 480, 1877.—Colo.

phrygiana KOCH, Die Arachn., vol. 3, p. 83, 1836.—EMERTON, Trans. Conn. Acad., vol. 6, p. 69, 1882.—KEYSERLING, Die Spinn. Amer., vol. 2 (2), p. 60, 1886.—U. S.

costata HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 6, p. 31, 1850; Spid. U. S., p. 136, 1875.

pusilla SUNDVALL, Svenska Vet. Akad. Handl., 1829, p. 214.—KEYSERLING, Die Spinn. Amer., vol. 2 (2), p. 55, 1886.—Northern States.

reducta KEYSERLING, Die Spinn. Amer., vol. 2 (2), p. 73, 1886.—Wash.

rubrofasciata KEYSERLING, Die Spinn. Amer., vol. 2 (2), p. 66, 1886.—West Coast.

sitkænsis KEYSERLING, Die Spinn. Amer., vol. 2 (2), p. 86, 1886.—Alaska.

weyeri EMERTON, Amer. Nat., vol. 9, p. 279, 1875.—PACKARD, Cave Fauna, p. 57, 1887.—Ky., Va., Ind.

BOLYPHANTES.

KOCH, Uebers. Arachn. Syst., vol. 1, p. 9, 1837.

Stemonyphantes MENGE, Preuss. Spinn., p. 138, 1866.

bucculenta CLERCK, Svenska Spindlar, p. 63, 1757.—EMERTON, Trans. Conn. Acad., vol. 6, p. 64, 1882.—Eastern States.

lineata KEYSERLING, Die Spinn. Amer., vol. 2 (2), p. 64, 1886.

TAPINOPA.

WESTRING, Förteckning, etc., p. 38, 1851.

bilineata BANKS, Journ. N. Y. Ent. Soc., 1893, p. 128.—EMERTON, Trans. Conn. Acad., vol. 14, p. 196, 1909.—Eastern States.

DRAPETISCA.

MENGE, Preuss. Spinn., p. 140, 1866.

socialis SUNDVALL, Svenska Vet. Akad. Handl., 1832, p. 260.—EMERTON, Trans. Conn. Acad., vol. 6, p. 67, 1882.—Northeastern States.

alteranda CHAMBERLIN, Can. Ent., 1909, p. 368.

LEPTHYPHANTES.

MENGE, Preuss. Spinn., p. 131, 1866.

alascensis BANKS, Proc. Washington Acad. Sci., vol. 2, p. 481, 1900.—Alaska.
arcuata KEYSERLING, Die Spinn. Amer., vol. 2 (2), p. 74, 1886.—Wash.
minuta BLACKWALL, Lond. Edinb. Philos. Mag. (3), vol. 3, p. 191, 1833.—EMERTON, Trans. Conn. Acad., vol. 6, p. 68, 1882.—Northeastern States.
nebulosa SUNDVALL, Svenska Vet. Akad. Handl., 1829, p. 218.—EMERTON, Trans. Conn. Acad., vol. 6, p. 69, 1882.—KEYSERLING, Die Spinn. Amer., vol. 2, (2), p. 75, 1886.—U. S.

autumnalis HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 6, p. 30, 1850; Spid. U. S., p. 135, 1875.

BATHYPHANTES.

MENGE, Preuss. Spinn., p. 111, 1866.

Diplostyla EMERTON, Trans. Conn. Acad., vol. 6, p. 65, 1882.
alboventris BANKS, Proc. Acad. Nat. Sci. Phila., 1892, p. 43.—N. Y.
alpina EMERTON, Trans. Conn. Acad., vol. 6, p. 70, 1882.—N. H.
angulata EMERTON, Trans. Conn. Acad., vol. 6, p. 71, 1882.—Conn.
argenteomaculata BANKS, Proc. Acad. Nat. Sci. Phila., 1892, p. 45.—N. Y.
bihamata EMERTON, Trans. Conn. Acad., vol. 6, p. 72, 1882.—N. H.
calcaratus EMERTON, Trans. Conn. Acad., vol. 14, p. 197, 1909.—Me., N. H.
canadensis EMERTON, Trans. Conn. Acad., vol. 6, p. 66, 1882.—Northern States.
complicata EMERTON, Trans. Conn. Acad., vol. 6, p. 72, 1882.—N. H.
concolor REUSS, Mus. Senkenberg, vol. 1, p. 261, 1834.—EMERTON, Trans. Conn. Acad., vol. 6, p. 66, 1882.—KEYSERLING, Die Spinn. Amer., vol. 2 (2), p. 81, 1886.—Eastern States.
decorata BANKS, Proc. Acad. Nat. Sci. Phila., 1892, p. 44.—N. Y.
floridana BANKS, Trans. Amer. Ent. Soc., vol. 23, p. 68, 1896.—Fla.
formica EMERTON, Trans. Conn. Acad., vol. 6, p. 71, 1882.—Eastern States.
inornata BANKS, Proc. Acad. Nat. Sci. Phila., 1892, p. 46.—N. Y.
luxuosus BANKS, Proc. Acad. Nat. Sci. Phila., 1892, p. 39 (*Tmeticus*).—N. Y.
maculata BANKS, Proc. Acad. Nat. Sci. Phila., 1900, p. 533.—Ala.
micaria EMERTON, Trans. Conn. Acad., vol. 6, p. 71, 1882.—Eastern States.
nigrina WESTRING, Götheborgs Vet. Vitt. Samh. Handl., Ny. Tidsfr., vol. 2, p. 38, 1851.—EMERTON, Trans. Conn. Acad., vol. 6, p. 65, 1882.—Northern States.
pacifica BANKS, Proc. Ent. Soc. Washington, vol. 7, p. 98, 1906.—Wash.
pallescens, new name.—N. Y.

pallida BANKS, Proc. Acad. Nat. Sci. Phila., 1892, p. 45 (not of page 43).
pallida BANKS, Proc. Acad. Nat. Sci. Phila., 1892, p. 43.—N. Y.
pallidula BANKS, Proc. California Acad. Sci. (3), vol. 3, Zool., p. 346, 1904.—Cal.

parva Banks, Trans. Amer. Ent. Soc., vol. 23, p. 68, 1896.—D. C.
sabulosa Keyserling, Die Spinn. Amer., vol. 2 (2), p. 70, 1886.—Utah.
subalpina Emerton, Trans. Conn. Acad., vol. 6, p. 70, 1882.—Northeastern States.
tristis Banks, Proc. Acad. Nat. Sci. Phila., 1892, p. 46.—N. Y.
unimaculata Banks, Proc. Acad. Nat. Sci. Phila., 1892, p. 45.—N. Y.
zebra Emerton, Trans. Conn. Acad. Sci., vol. 6, p. 69, 1882.—Eastern States.
zonaria Keyserling, Die Spinn. Amer., vol. 2 (2), p. 196, 1886.—Southern States.
zygia Keyserling, Die Spinn. Amer., vol. 2 (2), p. 197, 1886.—Southern States.

TMETICUS.

Menge, Preuss. Spinn., p. 184, 1868.

armatus Banks, Proc. Ent. Soc. Washington, vol. 7, p. 98, 1906.—Canada.

MICRONETA.

Menge, Preuss. Spinn., p. 227, 1868.

complicata Banks, Proc. Acad. Nat. Sci. Phila., 1892, p. 47.—N. Y.
cornupalpis Cambridge, Proc. Zool. Soc. Lond., 1875, p. 401.—Emerton, Trans. Conn. Acad., vol. 6, p. 74, 1882.—Northeastern States.
crassimana Emerton, Trans. Conn. Acad., vol. 6, p. 75, 1882.—N. H.
denticulata Emerton, Trans. Conn. Acad., vol. 14, p. 197, 1909.—New England.
distincta Banks, Proc. Acad. Nat. Sci. Phila., 1892, p. 48.—N. Y.
flaveola Banks, Proc. Acad. Nat. Sci. Phila., 1892, p. 47.—Northeastern States.
frontata Banks, Proc. Acad. Nat. Sci. Phila., 1892, p. 48.—N. Y.
furcata Emerton, Trans. Conn. Acad., vol. 6, p. 76, 1882.—N. H.
gigantea Banks, Proc. Acad. Nat. Sci. Phila., 1892, p. 48.—N. Y.
latens Banks, Proc. Acad. Nat. Sci. Phila., 1892, p. 46.—N. Y.
latidens Emerton, Trans. Conn. Acad., vol. 6, p. 76, 1882; vol. 14, p. 197, 1909.—Conn.
longibulba Emerton, Trans. Conn. Acad., vol. 6, p. 76, 1882.—Mass.
luteola Banks, Proc. Acad. Nat. Sci. Phila., 1892, p. 47.—N. Y.
minutissima Banks, Proc. Acad. Nat. Sci. Phila., 1892, p. 48.—N. Y.
multesima Cambridge, Proc. Zool. Soc. Lond., 1875, p. 402 (*Erigone*).—New England.
discolor Emerton, Trans. Conn. Acad., vol. 6, p. 75, 1882.
olivacea Emerton, Trans. Conn. Acad., vol. 6, p. 77, 1882.—N. H.
persoluta Cambridge, Proc. Zool. Soc. Lond., 1875, p. 400.—Emerton, Trans. Conn. Acad., vol. 6, p. 74, 1882; vol. 14, p. 197, 1909.—Northeastern States.
quinquedentata Emerton, Trans. Conn. Acad., vol. 6, p. 75, 1882.—Eastern States.
serrata Emerton, Trans. Conn. Acad., vol. 14, p. 198, 1909.—Mass.
soltaui Banks, Proc. Acad. Nat. Sci. Phila., 1901, p. 581.—N. Mex.
viaria Blackwall, Trans. Linn. Soc. Lond., vol. 18, p. 645, 1841.—Cambridge, Proc. Zool. Soc. Lond., 1875, p. 403.—Emerton, Trans. Conn. Acad., vol. 6, p. 73, 1882.—Northeastern States.

MIMETIDÆ.

ERO.

Koch, Uebers. Arachn. Syst., vol. 1, p. 8, 1837.

furcata Villiers, Car. Linn. Ent., vol. 4, p. 129, 1789.—Keyserling, Die Spinn. Amer., vol. 2 (2), p. 13, 1886.—Eastern States.
leoninum Hentz, Journ. Bost. Soc. Nat. Hist., vol. 6, p. 276, 1850; Spid. U. S., p. 148, 1875.
thoracica Emerton, Trans. Conn. Acad., vol. 6, p. 18, 1882.

MIMETUS.

HENTZ, Amer. Journ. Sci. Arts, vol. 21, p. 104, 1832.

Ctenophora BLACKWALL, Ann. Mag. Nat. Hist., vol. 5, p. 401, 1870.

interfector HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 6, p. 32, 1850; Spid. U. S., p. 138, 1875.—EMERTON, Trans. Conn. Acad., vol. 6, p. 16, 1882.—KEYSERLING, Die Spinn. Amer., vol. 2 (2), p. 7, 1886.—U. S.

tuberosus HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 6, p. 34, 1850; Journ. Bost. Soc. Nat. Hist., vol. 6, p. 139, 1875.

epeiroides EMERTON, Trans. Conn. Acad., vol. 6, p. 17, 1882.

syllepsicus HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 6, p. 34, 1850; Spid. U. S., p. 140, 1875.—N. C.

TETRAGNATHIDÆ.

PACHYGNATHA.

SUNDEVALL, Gen. Aran. Suec., p. 16, 1823.

Manduculus BLACKWALL, Lond. Edinb. Philos. Mag., 1834, p. 110.

autumnalis KEYSERLING, Verh. zool.-bot. Ges. Wien, 1883, p. 660.—EMERTON, Trans. Conn. Acad., vol. 6, p. 337, 1884.—MCCOOK, Amer. Spid., vol. 3, p. 268, 1894.—Eastern States.

dorothea MCCOOK, Amer. Spid., vol. 3, p. 270, 1894.

brevis KEYSERLING, Verh. zool.-bot. Ges. Wien, 1883, p. 658.—EMERTON, Trans. Conn. Acad., vol. 6, p. 366, 1884.—MCCOOK, Amer. Spid., vol. 3, p. 267, 1894.—Northern States.

tristriata KEYSERLING, Verh. zool.-bot. Ges. Wien, 1882, p. 209 (not Koch).

furcillata KEYSERLING, Verh. zool.-bot. Ges. Wien, 1883, p. 662.

curtisi MCCOOK, Amer. Spid., vol. 3, p. 271, 1894.—Cal.

tristriata KOCH, Die Arachn., vol. 12, p. 145, 1845.—KEYSERLING, Verh. zool.-bot. Ges. Wien, 1883, p. 656.—MCCOOK, Amer. Spid., vol. 3, p. 270, 1894.—EMERTON, Trans. Conn. Acad., vol. 14, p. 202, 1909.—Northeastern States.

xanthostoma KOCH, Die Arachn., vol. 12, p. 148, 1845.—KEYSERLING, Verh. zool.-bot. Ges. Wien, 1883, p. 659.—MCCOOK, Amer. Spid., vol. 3, p. 269, 1894.—Eastern States.

GLENOGNATHA.

SIMON, Bull. Soc. Ent. France, 1887, p. CXCIII.

emertoni SIMON, Bull. Soc. Ent. France, 1887, p. CXCIV.—Ariz.

EUCTA.

SIMON, Arachn. France, vol. 5, p. 5, 1881.

caudata EMERTON, Trans. Conn. Acad., vol. 6, p. 335, 1884.—BANKS, Journ. N. Y., Ent. Soc., 1893, p. 132.—Eastern States.

lacerta MCCOOK, Amer. Spid., vol. 3, p. 266, 1894.

EUGNATHA.

AUDOUIN, Sav. Descr. Égypte, (2), vol. 22, p. 323, 1827.

pallidula, new name.—Eastern States.

pallida BANKS, Proc. Acad. Nat. Sci. Phila., 1892, p. 51; Journ. N. Y. Ent. Soc., 1893, p. 132.—MCCOOK, Amer. Spid., vol. 3, p. 265, 1894 (not Cambridge, 1889).

straminea EMERTON, Trans. Conn. Acad., vol. 6, p. 335, 1884.—BANKS, Journ. N. Y. Ent. Soc., 1893, p. 132.—Northern States.

vermiformis EMERTON, Trans. Conn. Acad., vol. 6, p. 333, 1884.—BANKS, Journ. N. Y. Ent. Soc., 1893, p. 132.—McCOOK, Amer. Spid., vol. 3, p. 264, 1894.—Eastern States.

TETRAGNATHA.

LATREILLE, Nouv. Dict. Hist. Nat., vol. 24, p. 135, 1804.

banksi McCOOK, Amer. Spid., vol. 3, p. 262, 1894.—Fla.

extensa LINNÆUS, Syst. Nat., 10th ed. p. 621, 1758.—EMERTON, Trans. Conn. Acad., vol. 6, p. 333, 1884.—BANKS, Journ. N. Y. Ent. Soc., 1893, p. 131.—McCOOK, Amer. Spid., vol. 3, p. 259, 1894.—Northern States.

grallator HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 6, p. 26, 1850; Spid. U. S., p. 131, 1875.—KEYSERLING, Verh. zool.-bot. Ges. Wien, 1865, p. 850.—EMERTON, Trans. Conn. Acad., vol. 6, p. 334, 1884.—BANKS, Journ. N. Y. Ent. Soc., 1893, p. 131.—U. S.

elongata THORELL, Bull. U. S. Geol. Surv. Terr., vol. 3, no. 2, p. 477, 1877.—McCOOK, Amer. Spid., vol. 3, p. 260, 1894.

laboriosa HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 6, p. 27, 1850; Spid. U. S., p. 131, 1875.—KEYSERLING, Verh. zool.-bot. Ges. Wien, 1865, p. 841.—EMERTON, Trans. Conn. Acad., vol. 6, p. 334, 1884.—BANKS, Journ. N. Y. Ent. Soc., 1893, p. 131.—McCOOK, Amer. Spid., vol. 3, p. 262, 1894.—U. S.

fluviatilis KEYSERLING, Verh. zool.-bot. Ges. Wien, 1865, p. 852.

illinoiensis KEYSERLING, Verh. zool.-bot. Ges. Wien, 1879, p. 318.

(?) *armigera* BLACKWALL, Ann. Mag. Nat. Hist., vol. 17, p. 81, 1846.

seydi STRAND, Jahrb. Nassau Ver. Naturk. vol. 61, p. 230, 1908.

EPEIRIDÆ.

THERIDIOSOMA.

CAMBRIDGE, Ann. Mag. Nat. Hist. (5), vol. 4, p. 194, 1879.

Microepeira EMERTON, Trans. Conn. Acad., vol. 6, p. 320, 1884.

argentatum KEYSERLING, Die Spinn. Amer., vol. 1, (1), p. 218, 1884.—Ga.

radiosa McCOOK, Proc. Acad. Nat. Sci. Phila., 1881, p. 163.—EMERTON, Trans. Conn. Acad., vol. 6, p. 320, 1884.—KEYSERLING, Die Spinn. Amer., vol. 4, p. 312, 1893.—McCOOK, Amer. Spid., vol. 3, p. 257, 1894.—Eastern States.

gemmosum KEYSERLING, Die Spinn. Amer., vol. 1, (1), p. 218, 1884 (not Koch).

NEPHILA.

LEACH, Zool. Misc., vol. 2, p. 133, 1815.

clavipes LINNÆUS, Syst. Nat., 12th ed., vol. 1 (2), p. 1034, 1761.—Southern States.

wistariana McCOOK, Amer. Spid., vol. 3, p. 252, 1894.

plumipes KOCH, Die Arachn., vol. 6, p. 139, 1839.—WALCKENAER, Ins. Apt., vol. 2, p. 99, 1842.—Southern States.

wilderi McCOOK, Amer. Spid., vol. 3, p. 251, 1894.

concolor McCOOK, Amer. Spid., vol. 3, p. 256, 1894.

LEUCAUGE.

WHITE, Ann. Mag. Nat. Hist., vol. 7, p. 473, 1841.

Argyroepeira EMERTON, Trans. Conn. Acad., vol. 6, p. 331, 1884.

Opas CAMBRIDGE, Biol. Centr.-Amer., Arachn. Aran., vol. 1, p. 184, 1896.

argyra WALCKENAER, Ins. Apt., vol. 2, p. 219, 1842.—KEYSERLING, Verh. zool.-bot. Ges. Wien, 1880, p. 563; Die Spinn. Amer., vol. 4, p. 343, 1893.—McCOOK, Amer. Spid., vol. 3, p. 243, 1894.—Southern States.

ornata TACZANOWSKI, Hor. Soc. Ent. Ross., vol. 10, p. 66, 1873.

hortorum HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 477, 1847; Spid. U. S., p. 118, 1875.—EMERTON, Trans. Conn. Acad., vol. 6, p. 332, 1884.—KEYSERLING, Die Spinn. Amer., vol. 4, p. 333, 1893.—U. S.

5-lineata KEYSERLING, Sitzungsber. Isis, Dresden, 1863, p. 145 (*Tetragnatha*).

venusta MCCOOK, Amer. Spid., vol. 3, p. 242, 1894.

aurulenta SIMON, Proc. Zool. Soc. Lond., 1897, p. 871.

META.

KOCH, Uebers. Arachn. Syst., vol. 1, p. 6, 1837.

menardi LATREILLE, Hist. Nat. Crust. Ins., vol. 7, p. 266, 1804.—EMERTON, Trans. Conn. Acad., vol. 6, p. 328, 1884.—KEYSERLING, Die Spinn. Amer., vol. 4, p. 313, 1893.—MCCOOK, Amer. Spid., vol. 3, p. 246, 1894.—Eastern States.

AZILIA.

KEYSERLING, Verh. zool.-bot. Ges. Wien, 1881, p. 270.

vagepicta SIMON, Ann. Soc. Ent. France, 1895, p. 153.—Ga.

DOLICHOGNATHA.

CAMBRIDGE, Journ. Linn. Soc. Lond., Zool., vol. 10, p. 388, 1869.

tuberculata KEYSERLING, Die Spinn. Amer., vol. 4, p. 265, 1893.—MCCOOK, Amer. Spid., vol. 3, p. 236, 1894 (*Cyrtophora*).—CAMBRIDGE, Biol. Centr.-Amer., Arachn. Aran., vol. 2, p. 447, 1903.—Fla.

tigrina SIMON, Ann. Soc. Ent. France, 1893, p. 330.

diversa CAMBRIDGE, Biol. Centr.-Amer., Arachn. Aran., vol. 1, p. 147, 1895.

LARINIA.

SIMON, Arachn. France, vol. 1, p. 115, 1874.

Drexelia MCCOOK, Proc. Acad. Nat. Sci. Phila., 1892, p. 127.

borealis BANKS, Ent. News, 1894, p. 8.—MCCOOK, Amer. Spid., vol. 3, p. 247, 1894.—Northern States.

directa HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 478, 1847; Spid. U. S., p. 119, 1875.—BANKS, Ent. News, 1894, p. 8.—MCCOOK, Amer. Spid., vol. 3, p. 249, 1894.—Southern States.

rubella HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 478, 1847; Spid. U. S., p. 120, 1875.

tetragnathoides CAMBRIDGE, Biol. Centr.-Amer., Arachn. Aran., vol. 1, p. 16, 1889.

deludens MARX, KEYSERLING, Die Spinn. Amer., vol. 4, p. 261, 1893.

famulatoria KEYSERLING, Verh. zool.-bot. Ges. Wien, 1882, p. 201.—Colo.

HENTZIA.

MCCOOK, Amer. Spid., vol. 3, p. 244, 1894.

basilica MCCOOK, Proc. Acad. Nat. Sci. Phila., 1878, p. 124; Amer. Spid., vol. 3, p. 244, 1894.—Southern States.

CYCLOSA.

MENGE, Preuss. Spinn., p. 73, 1866.

ifurca McCOOK, Proc. Acad. Nat. Sci. Phila., 1887, p. 342; Amer. Spid., vol. 3, p. 227, 1894.—Fla.

fissicauda CAMBRIDGE, Biol. Centr.-Amer., Arachn. Aran., vol. 1, p. 49, 1889.—KEYSERLING, Die Spinn. Amer., vol. 4, p. 274, 1893.

aroli HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 6, p. 24, 1850; Spid. U. S., p. 138, 1875.—KEYSERLING, Sitzungsber. Isis, Dresden, 1863, p. 137; Die Spinn. Amer., vol. 4, p. 272, 1893.—McCOOK, Amer. Spid., vol. 3, p. 277, 1894.—Southern States.

audata HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 6, p. 23, 1850; Spid. U. S., p. 126, 1875.—KEYSERLING, Die Spinn. Amer., vol. 4, p. 279, 1893.—U. S.

index CAMBRIDGE, Biol. Centr.-Amer., Arachn. Aran., vol. 1, p. 51, 1889.

turbinata McCOOK, Amer. Spid., vol. 3, p. 224, 1894.

onica PALLAS, Spicil. Zool., vol. 1, p. 48, 1772.—EMERTON, Trans. Conn. Acad., vol. 6, p. 321, 1884.—KEYSERLING, Die Spinn. Amer., vol. 4, p. 276, 1893.—McCOOK, Amer. Spid., vol. 3, p. 225, 1894.—Northern States.

canadensis BLACKWALL, Ann. Mag. Nat. Hist., vol. 17, p. 81, 1846.

alckenæri CAMBRIDGE, Biol. Centr.-Amer., Arachn. Aran., vol. 1, p. 47, 1889.—KEYSERLING, Die Spinn. Amer., vol. 4, p. 98, 1893.—McCOOK, Amer. Spid., vol. 3, p. 226, 1894.—Fla.

cervicula McCOOK, Amer. Spid., vol. 3, 1894, pl. 17, fig. 1.

bifurcata KEYSERLING, Sitzungsber. Isis, Dresden, 1863, p. 142 (not WALCKENÆR).

MANGORA.

CAMBRIDGE, Biol. Centr.-Amer., Arachn. Aran., vol. 1, p. 13, 1889.

Abbotia McCOOK, Amer. Spid., vol. 3, p. 239, 1894.

bberosa HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 457, 1847; Spid. U. S., p. 119, 1875.—EMERTON, Trans. Conn. Acad., vol. 6, p. 317, 1884.—KEYSERLING, Die Spinn. Amer., vol. 4, p. 241, 1893.—McCOOK, Amer. Spid., vol. 3, p. 240, 1894.—U. S.

aculata KEYSERLING, Verh. zool.-bot. Ges. Wien, 1865, p. 827; Die Spinn. Amer., vol. 4, p. 242, 1893.—McCOOK, Amer. Spid., vol. 3, p. 241, 1894.—Eastern States.

acida HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 475, 1847; Spid. U. S., p. 115, 1875.—EMERTON, Trans. Conn. Acad., vol 6, p. 316, 1884.—McCOOK, Amer. Spid., vol. 3, p. 153, 1894.—U. S.

spiculata HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 475, 1847; Spid. U. S., p. 116, 1875.

prætrepida KEYSERLING, Verh. zool.-bot. Ges. Wien, 1880, p. 549; Die Spinn. Amer., vol. 4, p. 232, 1893.

ZILLA.

KOCH, Deutschl. Ins. Arachn., p. 125, 1834.

rica KOCH, Die Arachn., vol 12, p. 103, 1845.—McCOOK, Amer. Spid., vol 3, p. 238, 1894.—EMERTON, Trans. Conn. Acad., vol. 14, p. 201, 1909.—Northern States.

lifornica BANKS, Journ. N. Y. Ent. Soc., 1896, p. 90.—Cal., Wash.

ontana KOCH, Die Arachn., vol 6, p. 146, 1839.—EMERTON, Trans. Conn. Acad., vol. 6, p. 323, 1884.—McCOOK, Amer. Spid., vol. 3, p. 239, 1894.—Northeastern States.

-notata CLERCK, Svenska Spindlar, p. 46, 1757.—EMERTON, Trans. Conn. Acad., vol. 6, p. 324, 1884.—McCOOK, Amer. Spid., vol. 3, p. 237, 1894.—Eastern States.

SINGA.

KOCH, Die Arachn., vol 3, p. 42, 1836.

floridana BANKS, Trans. Amer. Ent. Soc., vol. 23, p. 69, 1896.—Fla.

hentzi BANKS, 31st Ann. Rep. Geol. Indiana, 1906, p. 740, 1907.—Ind.

maura HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 474, 1847; Spid. U. S., p. 114, 1875.—KEYSERLING, Die Spinn. Amer., vol. 4, p. 283, 1893.—McCOOK, Amer. Spid., vol. 3, p. 234, 1894.—Southeastern States.

modesta BANKS, Trans. Amer. Ent. Soc., vol. 23, p. 70, 1896.—Fla.

mollybyrnæ McCOOK, Amer. Spid., vol. 3, p. 229, 1894.—Fla.

nigriceps KEYSERLING, Verh. zool.-bot. Ges. Wien, 1883, p. 655; Die Spinn. Amer., vol. 4, p. 290, 1893.—McCOOK, Amer. Spid., vol. 3, p. 232, 1894.—Southern States.

pratensis EMERTON, Trans. Conn. Acad., vol. 6, p. 322, 1884.—U. S.

rubella KEYSERLING, Die Spinn. Amer., vol. 4, p. 284, 1893.

keyserlingi McCOOK, Amer. Spid., vol. 3, p. 230, 1894.

listeri McCOOK, Amer. Spid., vol. 3, p. 231, 1894.

praticola SIMON, Hist. Nat. Araign., (2), vol. 1, p. 807, 1896.

schefferi, new name.—Kans.

singæformis SCHEFFER, Industrialist, vol. 30, p. 10 (sep.), 1904; Ent. News, 1904, p. 258 (not Van Hasselt, 1882).

truncata BANKS, Journ. N. Y. Ent. Soc., 1901, p. 188.—Eastern States.

maculata EMERTON, Trans. Conn. Acad., vol. 6, p. 323, 1884 (not Thorell, 1875).—KEYSERLING, Die Spinn. Amer., vol. 4, p. 285, 1893.—McCOOK, Amer. Spid., vol. 3, p. 235, 1894.

variabilis EMERTON, Trans. Conn. Acad., vol. 6, p. 322, 1884.—McCOOK, Amer. Spid., vol. 3, p. 233, 1894.—Eastern States.

METEPEIRA.

CAMBRIDGE, Biol. Centr.-Amer., Arachn. Aran., vol. 2, p. 457, 1903.

labyrinthea HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 471, 1847; Spid. U. S., p. 111, 1875.—EMERTON, Trans. Conn. Acad., vol. 6, p. 314, 1884.—KEYSERLING, Die Spinn. Amer., vol. 4, p. 215, 1893.—McCOOK, Amer. Spid., vol. 3, p. 171, 1894.—U. S.

crucifera KEYSERLING, Sitzungsber. Isis, Dresden, 1863, p. 132.

METAZYGIA.

CAMBRIDGE, Biol. Centr.-Amer., Arachn. Aran., vol. 2, p. 501, 1904.

wittfeldæ McCOOK, Amer. Spid., vol. 3, p. 168, 1894.—Fla., La.

ACACESIA.

SIMON, Hist. Nat. Araign., (2), vol. 1, p. 795, 1895.

foliata HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 475, 1847; Spid. U. S., p. 116, 1875.—EMERTON, Trans. Conn. Acad., vol. 6, p. 318, 1884.—McCOOK, Amer. Spid., vol. 3, p. 154, 1894.—U. S.

folifera MARX, Proc. U. S. Nat. Mus., vol. 12, p. 545, 1890.

EPEIRA.

WALCKENAER, Tabl. Aran., p. 53, 1805.

Araneus SIMON (not of Linnæus).
Mahadeva MARX, Proc. U. S. Nat. Mus., vol. 12, p. 541, 1889.
Wixia CAMBRIDGE, Proc. Zool. Soc. Lond., 1882, p. 437.
Verrucosa McCOOK, Proc. Acad. Nat. Sci. Phila., 1888, p. 78.

aculeata EMERTON, Bull. U. S. Geol. Surv. Terr., vol. 3, No. 2, p. 528, 1877; Trans. Conn. Acad., vol. 9, p. 405, 1894.—Colo.
carbonarioides KEYSERLING, Die Spinn. Amer., vol. 4, p. 206, 1892.—McCOOK, Amer. Spid., vol. 3, p. 158, 1894.

alba HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 6, p. 20, 1850; Spid. U. S., p. 122, 1875.—KEYSERLING, Verh. zool.-bot. Ges. Wien, 1884, p. 531; Die Spinn. Amer., vol. 4, p. 64, 1892.—McCOOK, Amer. Spid., vol. 3, p. 202, 1894.—Southern States.

alboventris EMERTON, Trans. Conn. Acad., vol. 6, p. 314, 1884.—New England.

angulata CLERCK, Svenska Spindlar, p. 22, 1757.—EMERTON, Trans. Conn. Acad., vol. 6, p. 299, 1884.—McCOOK, Amer. Spid., vol. 3, p. 186, 1894.—U. S.
bicentenaria McCOOK, Proc. Acad. Nat. Sci. Phila., 1888, p. 195.

arizonensis BANKS, Can. Ent., 1900, p. 100.—Ariz.

bispinosa KEYSERLING, Verh. zool.-bot. Ges. Wien, 1884, p. 531; Die Spinn. Amer., vol. 4, p. 124, 1893.—McCOOK, Amer. Spid., vol. 3, p. 180, 1894.—Cal.
bonsallæ McCOOK, Amer. Spid., vol. 3, p. 179, 1894.
pacificæ McCOOK, Amer. Spid., vol. 30, p. 180, 1894.
excelsa BANKS, Journ. N. Y. Ent. Soc., 1896, p. 90.

californiensis KEYSERLING, Verh. zool.-bot. Ges. Wien, 1884, p. 525.—Cal., Wash.
bucardia McCOOK, Amer. Spid., vol. 3, p. 183, 1894.

carbonaria KOCH, Zeitschr. Ferdinandsmus, 1869, p. 168.—EMERTON, Trans. Conn. Acad., vol. 6, p. 315, 1884.—KEYSERLING; Die Spinn. Amer., vol. 4, p. 204, 1893.—McCOOK, Amer. Spid., vol. 3, p. 157, 1894.—Northern States.
packardii THORELL, Proc. Bost. Soc. Nat. Hist., vol. 17, p. 490, 1875.

cauta WALCKENAER, Ins. Apt., vol. 2, p. 35, 1842.—N. Y.
(Equal *domiciliorum* young?)

cavatica KEYSERLING, Verh. zool.-bot. Ges. Wien, 1881, p. 269; Die Spinn. Amer., vol. 4, p. 118, 1892.—McCOOK, Amer. Spid., vol. 3, p. 185, 1894.—Eastern States.
cinerea EMERTON, Trans. Conn. Acad., vol. 6, p. 302, 1884.

circulata WALCKENAER, Ins. Apt., vol. 2, p. 79, 1842.—Fla.
balaustina McCOOK, Proc. Acad. Nat. Sci. Phila., 1880, p. 198; Amer. Spid., vol. 3, p. 155, 1894.
purpurascens CAMBRIDGE, Biol. Centr.-Amer., Arachn. Aran., vol. 1, p. 33, 1889.

conchlea McCOOK, Proc. Acad. Nat. Sci. Phila., 1888, p. 199.—Southern States.
clavispina CAMBRIDGE, Biol. Centr.-Amer., Arachn. Aran., vol. 1, p. 37, 1889.

corticaria EMERTON, Trans. Conn. Acad., vol. 6, p. 300, 1884.—McCOOK, Amer. Spid., vol. 3, p. 176, 1894.—EMERTON, Trans. Conn. Acad., vol. 14, p. 199, 1909.—Northeastern States.
incestifica KEYSERLING, Die Spinn. Amer., vol. 4, p. 132, 1893.

detrimentosa CAMBRIDGE, Biol. Centr.-Amer., Arachn. Aran., vol. 1, p. 26, 1889.—Southern States.
tranquilla KEYSERLING, Die Spinn. Amer., vol. 4, p. 224, 1893.—McCOOK, Amer. Spid. vol. 3, p. 162, 1894.
nigrohumeralis CAMBRIDGE, Biol. Centr.-Amer., Arachn. Aran., vol. 1, p. 111, 1893.

diadema Clerck, Svenska Spindlar, p. 25, 1757.—McCook, Amer. Spid., vol. 3, p. 188, 1894.—Northern States.

displicata Hentz, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 476, 1847; Spid. U. S., p. 117, 1875.—Emerton, Trans. Conn. Acad., vol. 6, p. 313, 1884.—Keyserling, Die Spinn. Amer., vol. 4, p. 219, 1893.—U. S.

alba Keyserling, Verh. zool.-bot. Ges. Wien, 1884, p. 531.

leucogaster Marx, Proc. U. S. Nat. Mus., vol. 12, p. 546, 1890.

cucurbitina McCook, Amer. Spid., vol. 3, p. 149, 1894.

decipiens Fitch, Trans. N. Y. State Agric. Soc., vol. 15, p. 451, 1856.

sexpunctata Keyserling, Verh. zool.-bot. Ges. Wien, 1884, p. 530.

domiciliorum Hentz, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 469, 1847; Spid. U. S., p. 108, 1875.—Emerton, Trans. Conn. Acad., vol. 6, p. 312, 1884.—U. S.

hentzi Keyserling, Sitzungsber. Isis, Dresden, 1863, p. 97.

benjamina McCook, Amer. Spid., vol. 3, p. 147, 1894.

emertoni Banks, Journ. N. Y. Ent. Soc., 1904, p. 111.—Atlantic States.

floridensis Banks, Proc. Acad. Nat. Sci. Phila., 1904, p. 129.—Fla.

foliata Koch, Die Arachn., vol. 11, p. 119, 1845.—Keyserling, Sitzungsber. Isis, Dresden, 1863, p. 92.—Eastern States.

affinis Blackwall, Ann. Mag. Nat. Hist., vol. 17, p. 77, 1846.

strix Hentz, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 473, 1847; Spid. U. S., p. 112, 1875.—Emerton, Trans. Conn. Acad., vol. 6, p. 305, 1884.

dubia Keyserling, Sitzungsber. Isis, Dresden, 1863, p. 123.

apoclisa Giebel, Zeitschr. Ges. Naturw., vol. 33, p. 249, 1869 (not Walckenaer).

cornuta McCook, Amer. Spid., vol. 3, p. 140, 1894 (not Clerck).

fuscovittata Keyserling, Sitzungsber. Isis, Dresden, 1863, p. 129; Die Spinn. Amer., vol. 4, p. 251, 1893.—Fla.

thorelli McCook, Amer. Spid., vol. 3, p. 228, 1894.

gemma McCook, Proc. Acad. Nat. Sci. Phila., 1888, p. 193.—Keyserling, Die Spinn. Amer., vol. 4, p. 115, 1892.—McCook, Amer. Spid., vol. 3, p. 182, 1894.—Western States.

gigas Leach, Zool. Misc., vol. 2, p. 132, 1815.—U. S.

graduata Walckenaer, Ins. Apt., vol. 2, p. 48, 1842.

jaspidata Walckenaer, Ins. Apt., vol. 2, p. 59, 1842.

insularis Hentz, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 470, 1847; Spid. U. S., p. 109, 1875.—Emerton, Trans. Conn. Acad., vol. 6, p. 309, 1884.—Keyserling, Sitzungsber. Isis, Dresden, 1863, p. 91.

obesa Hentz, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 471, 1847; Spid. U. S., p. 110, 1875.

annulipes Giebel, Zeitschr. Ges. Naturw., vol. 33, p. 250, 1869.

conspicellata McCook, Amer. Spid., vol. 3, p. 143, 1894.

globosa Keyserling, Verh. zool.-bot. Ges. Wien, 1865, p. 820; Die Spinn. Amer., vol. 4, p. 159, 1892.—U. S.

triaranea McCook, Proc. Acad. Nat. Sci. Phila., 1876, p. 201.—Emerton, Trans. Conn. Acad., vol. 6, p. 315, 1884.

pegnia McCook, Amer. Spid., vol. 3, p. 170, 1894.

solersioides Cambridge, Biol. Centr.-Amer., Arachn. Aran., vol. 1, p. 25, 1889.

infumata Hentz, Journ. Bost. Soc. Nat. Hist., vol. 6, p. 19, 1850; Spid. U. S., p. 122, 1875.—Emerton, Trans. Conn. Acad., vol. 6, p. 319, 1884.—Southern States.

ectypa Keyserling, Sitzungsber. Isis, Dresden, 1863, p. 135; Die Spinn. Amer., vol. 4, p. 46, 1892.—McCook, Amer. Spid., vol. 3, p. 205, 1894.

ithaca McCook, Amer. Spid., vol. 3, p. 152, 1894.—N. Y.

juniperi Emerton, Trans. Conn. Acad., vol. 6, p. 313, 1884.—McCook, Amer. Spid., vol. 3, p. 167, 1894.—Emerton, Trans. Conn. Acad., vol. 14, p. 200, 1909.—Southern States.

linteata McCook, Amer. Spid., vol. 3, p. 176, 1894.—N. C.

marmorea Clerck, Svenska Spindlar, p. 29, 1757.—Emerton, Trans. Conn. Acad., vol. 6, p. 307, 1884.—Northern States.

mormon Keyserling, Die Spinn. Amer., vol. 4, p. 182, 1892.—McCook, Amer. Spid., vol. 3, p. 164, 1894.—Utah.

nephiloides Cambridge, Biol. Centr.-Amer., Arachn. Aran., vol. 1, p. 32, 1889.—Keyserling, Die Spinn. Amer., vol. 4, p. 222, 1893.—McCook, Amer. Spid., vol. 3, p. 190, 1894.—Ariz.

nigrofoliata Keyserling, Verh. zool.-bot. Ges. Wien, 1883, p. 653.—Utah, Colo.

forata Keyserling, Die Spinn. Amer., vol. 4, p. 295, 1893.—McCook, Amer. Spid., vol. 3, p. 165, 1894.

nivea Hentz, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 474, 1847; Spid. U. S., p. 114, 1875.—Southern States.

nordmanni Thorell, Syn. Eur. Spid., p. 4, 1870.—Emerton, Trans. Conn. Acad., vol. 6, p. 301, 1884.—McCook, Amer. Spid., vol. 3, p. 184, 1894.—Emerton, Trans. Conn. Acad., vol. 9, p. 403, 1894; vol. 14, p. 199, 1909.—Northern States.

oaxacensis Keyserling, Sitzungsber. Isis, Dresden, 1863, p. 121; Die Spinn. Amer., vol. 4, p. 238, 1893.—Southern States.

theisi McCook, Amer. Spid., vol. 3, p. 166, 1894 (not of Walckenaer).

ocellata Clerck, Svenska Spindlar, p. 36, 1757.—Northern States.

patagiata Clerck, Svenska Spindlar, p. 38, 1757.—Emerton, Trans. Conn. Acad., vol. 6, p. 305, 1884.—McCook, Amer. Spid., vol. 3, p. 139, 1894.

formosa Keyserling, Verh. zool.-bot. Ges. Wien, 1865, p. 828.

hilaris Cambridge, Proc. Roy. Phys. Soc. Edinburgh, 1881, p. 112.

dumetorum Hahn, Die Arachn., vol. 2, p. 31, 1834.

peckhami McCook, Amer. Spid., vol. 3, p. 189, 1894.—Wis.

pentagona Hentz, Journ. Bost. Soc. Nat. Hist., vol. 6, p. 18, 1850; Spid. U. S., p. 120, 1875.—Ala.

pratensis Hentz, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 475, 1847; Spid. U. S., p. 115, 1875.—Emerton, Trans. Conn. Acad., vol. 6, p. 310, 1884.—Keyserling, Die Spinn. Amer., vol. 4, p. 184, 1892.—McCook, Amer. Spid., vol. 3, p. 142, 1894.—Eastern States.

prompta Hentz, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 472, 1847; Spid. U. S., p. 112, 1875.—U. S.

hebes Hentz, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 473, 1847; Spid. U. S., p. 113, 1875.

bombycinaria Hentz, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 476, 1847; Spid. U. S., p. 117, 1875.—Keyserling, Die Spinn. Amer., vol. 4, p. 145, 1892.

parvula Keyserling, Sitzungsber. Isis, Dresden, 1863, p. 131.—Emerton, Trans. Conn. Acad., vol. 6, p. 317, 1884.

anastera McCook, Amer. Spid., vol. 3, p. 172, 1894.

ravilla Koch, Die Arachn., vol. 11, p. 73, 1845.—McCook, Amer. Spid., vol. 3, p. 161, 1894.—Tex., Ariz.

reptilis Keyserling, Die Spinn. Amer., vol. 4, p. 244, 1893.—McCook, Amer. Spid., vol. 3, p. 165, 1894.—Fla.

rubens Hentz, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 477, 1847; Spid. U. S., p. 118, 1875.—Ala.

sanguinalis Hentz, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 476, 1847; Spid. U. S., p. 116, 1875.—Southern States.

scutulata Hentz, Journ. Bost. Soc. Nat. Hist., vol. 6, p. 19, 1850; Spid. U. S., p. 121, 1875.—Keyserling, Die Spinn. Amer., vol. 4, p. 129, 1892.—Eastern States.

punctillata Keyserling, Verh. zool.-bot. Ges. Wien, 1879, p. 304.

miniata McCook, Amer. Spid., vol. 3, p. 177, 1894.

mayo McCook, Amer. Spid., vol. 3, p. 179, 1894.

septima HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 470, 1847; Spid. U. S., p. 104, 1875.—Ala.

sericata CLERCK, Svenska Spindlar, p. 40, 1757.—U. S

sclopetaria CLERCK, Svenska Spindlar, p. 43, 1757.—EMERTON, Trans. Conn. Acad., vol. 6, p. 303, 1884.—McCOOK, Amer. Spid., vol. 3, p. 137, 1894.

virgata HAHN, Die Arachn., vol. 2, p. 26, 1834.

silvatica EMERTON, Trans. Conn. Acad., vol. 6, p. 300, 1884.—KEYSERLING, Die Spinn. Amer., vol. 4, p. 117, 1892.—McCOOK, Amer. Spid., vol. 3, p. 188, 1894 (var. of *angulata*?).—Northern States.

solitaria EMERTON, Trans. Conn. Acad., vol. 6, p. 299, 1884.—Northern States.

nigra EMERTON, Trans. Conn. Acad., vol. 9, p. 402, 1894.

spinigera CAMBRIDGE, Biol. Centr.-Amer., Arachn. Aran., vol. 1, p. 43, 1889.—KEYSERLING, Die Spinn. Amer., vol. 4, p. 131, 1892.—McCOOK, Amer. Spid., vol. 3, p. 191, 1894.—Southern States.

thaddeus HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 473, 1847; Spid. U. S., p. 113, 1875.—EMERTON, Trans. Conn. Acad., vol. 6, p. 309, 1884.—McCOOK, Amer. Spid., vol. 3, p. 169, 1894.—EMERTON, Trans. Conn. Acad., vol. 14, p. 200, 1909.—U. S.

baltimoriensis KEYSERLING, Verh. zool.-bot. Ges. Wien, 1879, p. 305.

trifolium HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 471, 1847; Spid. U. S., p. 110, 1875.—EMERTON, Trans. Conn. Acad., vol. 6, p. 306, 1884.—McCOOK, Amer. Spid., vol. 3, p. 145, 1894.—U. S.

aureola HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 471, 1847; Spid. U. S., p. 111, 1875.

candicans McCOOK, Amer. Spid., vol. 3, p. 146, 1894 (variety).

(?) *approximata* BLACKWALL, Ann. Mag. Nat. Hist., vol. 17, p. 80, 1846.

trivittata KEYSERLING, Sitzungsber. Isis, Dresden, 1863, p. 95.—EMERTON, Trans. Conn. Acad., vol. 6, p. 311, 1884.—KEYSERLING, Die Spinn. Amer, vol. 4, p. 172, 1892.—U. S.

arabesca McCOOK, Amer. Spid., vol. 3, p. 148, 1894.

unistriata McCOOK, Amer. Spid., vol. 3, p. 201, 1894 (equal *bivariolata* ?).—Ariz.

verrucosa HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 6, p. 19, 1850; Spid. U. S., p. 121, 1875.—KEYSERLING, Die Spinn. Amer., vol. 4, p. 72, 1892.—Southern States.

arenata McCOOK, Amer. Spid., vol. 3, p. 200, 1894.

reticulata Cambridge, Biol. Centr.-Amer., Arachn. Aran., vol. 1, p. 54, 1889.

vertebrata McCOOK, Proc. Acad. Nat. Sci. Phila., 1888, p. 196; Amer. Spid., vol. 3, p. 151, 1894.—Western States.

vulgaris HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 469, 1847; Spid. U. S., p. 108, 1875.—Southern States.

volucripes KEYSERLING, Verh. zool.-bot. Ges. Wien, 1884, p. 528; Die Spinn. Amer., vol. 4, p. 119, 1892.—McCOOK, Amer. Spid., vol. 3, p. 162, 1894.

WAGNERIANA.

CAMBRIDGE, Biol. Centr.-Amer., Arachn. Aran., vol. 2, p. 497, 1904.

Wagneria McCOOK, Amer. Spid., vol. 3, p. 203, 1894 (preoc.).

tauricornis CAMBRIDGE, Biol. Centr.-Amer., Arachn. Aran., vol. 1, p. 44, 1889.—KEYSERLING, Die Spinn. Amer., vol. 4, p. 90, 1892.—McCOOK, Amer. Spid, vol. 3, p. 204, 1894.—Fla.

guatemalensis Cambridge, Biol. Centr.-Amer., Arachn. Aran., vol. 1, p. 40, 1889 (in part).

undecimtuberculata KEYSERLING, Verh. zool.-bot. Ges. Wien, 1865, p. 805 (*Epeira*); Die Spinn. Amer., vol. 4, p. 92, 1892.—CAMBRIDGE, Biol. Centr.-Amer., Arachn. Aran., vol. 2, p. 498, 1904.—Fla.

CAREPALXIS.

KOCH, Die Arachn. Austr., vol. 1, p. 123, 1871.

Scoloderus SIMON, Hist. Nat. Araign. (2), vol. 1, p. 829, 1895.

tuberculifera CAMBRIDGE, Biol. Centr.-Amer., Arachn. Aran., vol. 1, p. 48, 1889.—KEYSERLING, Die Spinn. Amer., vol. 4, p. 50, 1892.—McCOOK, Amer. Spid., vol. 3, p. 207, 1894.—Fla.

ORDGARIUS.

KEYSERLING, Die Arachn. Austr., vol. 2, p. 114, 1886.

Glyptocranium SIMON, Hist. Nat. Araign. (2), vol. 1, p. 885, 1895.

bisaccatus EMERTON, Trans. Conn. Acad., vol. 6, p. 325, 1884.—KEYSERLING, Die Spinn. Amer., vol. 4, p. 42, 1892.—McCOOK, Amer. Spid., vol. 3, p. 198, 1894.—U. S.

multilineata ATKINSON, Journ. Elisha Mitchell Sci. Soc., vol. 5, p. 29, 1885.

cornigerus HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 6, p. 20, 1850; Spid. U. S., p. 123, 1875.—KEYSERLING, Verh. zool.-bot. Ges. Wien, 1879, p. 300; Die Spinn. Amer., vol. 4, p. 40, 1892.—McCOOK, Amer. Spid., vol. 3, p. 197, 1894.—U. S.

bicurvata BECKER, Ann. Soc. Ent. Belgique, 1879, p. 77 (*Cyrtarachne*).

PLECTANA.

WALCKENAER, Ins. Apt., vol. 2, p. 150, 1842.

Marxia McCOOK, Amer. Spid., vol. 3, p. 192, 1894.

grisea McCOOK, Amer. Spid., vol. 3, p. 195, 1894.—Ariz.

mœsta KEYSERLING, Die Spinn. Amer., vol. 4, p. 108, 1892.—McCOOK, Amer. Spid., vol. 3, p. 196, 1894.—Southern States.

stellata HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 6, p. 22, 1850; Spid. U. S., p. 125, 1875.—EMERTON, Trans. Conn. Acad., vol. 6, p. 319, 1884.—KEYSERLING, Die Spinn. Amer., vol. 4, p. 83, 1892.—McCOOK, Amer. Spid., vol. 3, p. 193, 1894.—U. S.

nobilis McCOOK, Amer. Spid., vol. 3, p. 194, 1894.

mexicana CAMBRIDGE, Biol. Centr.-Amer., Arachn. Aran., vol. 1, pl. 14, fig. 13, 1893.

dugesi CAMBRIDGE, Biol. Centr.-Amer., Arachn. Aran., vol. 1, p. 113, 1893.

venusta BANKS, Trans. Amer. Ent. Soc., vol. 23, p. 69, 1896.—Fla.

GEA.

KOCH, Die Arachn., vol. 10, p. 101, 1843.

heptagon HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 6, p. 20, 1850; Spid. U. S., p. 122, 1875.—KEYSERLING, Die Spinn. Amer., vol. 4, p. 76, 1892.—McCOOK, Amer. Spid., vol. 3, p. 208, 1894.—Southern States.

ARGIOPE.

AUDOUIN, Sav. Descr. Égypte, (2), vol. 22, p. 328, 1827.

argentata FABRICIUS, Ent. Syst., vol. 2, p. 414, 1775.—McCOOK, Amer. Spid., vol. 3, p. 220, 1894.—Fla., Cal.

argenteola McCOOK, Amer. Spid., vol. 1, p. 108, 1889.

aurantia Lucas, Ann. Soc. Ent. France, 1833, p. 86.—U. S.
vestita Koch, Die Arachn, vol. 5, p. 35, 1839.
riparia Hentz, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 468, 1847; Spid. U. S., p. 106, 1875.—Emerton, Trans. Conn. Acad., vol. 6, p. 329, 1884.
sutrix Hentz, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 478, 1847; Spid. U. S., p. 120, 1875.
multiconcha Treat, Amer. Nat., 1887, p. 1122.
personata Cambridge, Biol. Centr.-Amer., Arachn. Aran., vol. 1, p. 10, 1890.
godmani Cambridge, Biol. Centr.-Amer., Arachn. Aran., vol. 1, p. 236, 1898.
cophinaria McCook, Amer. Spid., vol. 3, p. 217, 1894.

avara Thorell, Öfv. Kongl. Vet. Akad. Förh., 1859, p. 299.—McCook, Amer. Spid., vol. 3, p. 222, 1894.—Cal.

marxi McCook, Amer. Spid., vol. 3, p. 223, 1894.—Ariz.

trifasciata Forskål, Descr. Animal., p. 86, 1775.—U. S.
fasciata Hentz, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 468, 1847; Spid. U. S., p. 107, 1875.
transversa Emerton, Trans. Conn. Acad., vol. 6, p. 330, 1884.
argyraspis McCook, Amer. Spid., vol. 3, p. 219, 1894.

CERCIDIA.

Thorell, Eur. Spid., p. 49, 1869.

funebris Keyserling, Die Spinn. Amer., vol. 4, p. 37, 1892.—McCook, Amer. Spid., vol. 3, p. 216, 1894.—Fla.

prominens Westring, Aran. Suec., p. 63, 1851.—Simon, Arachn. France, vol. 1, p. 134, 1874.—Banks, Ent. News, 1894, p. 9.—N. H.

ACROSOMA.

Perty, Del. Anim. Art. Bras., vol. 3, p. 193, 1833.

Micrathena Sundevall, Conspect. Arachn., p. 14, 1833.
Keyserlingia Cambridge, Biol. Centr.-Amer., Arachn. Aran., vol. 1, p. 58, 1890.

gracilis Walckenaer, Hist. Nat. Araign., vol. 3, no. 5, 1806.—McCook, Amer. Spid., vol. 3, p. 212, 1894.—U. S.
matronale Koch, Die Arachn., vol. 11, p. 68, 1845.
rugosa Hentz, Journ. Bost. Soc. Nat. Hist., vol. 6, p. 21, 1850; Spid. U. S., p. 124, 1875.—Emerton, Trans. Conn. Acad., vol. 6, p. 326, 1884.

maculata Banks, Can. Ent., 1900, p. 100.—Ariz.

mitrata Hentz, Journ. Bost. Soc. Nat. Hist., vol. 6, p. 22, 1850; Spid. U. S., p. 125, 1875.—Emerton, Trans. Conn. Acad., vol. 6, p. 327, 1884.—Eastern States.
reduvianum McCook, Amer. Spid., vol. 3, p. 213, 1894.

spinea Hentz, Journ. Bost. Soc. Nat. Hist., vol. 6. p. 21, 1850; Spid. U. S., p. 123, 1875.—Emerton, Trans. Conn. Acad., vol. 6, p. 326, 1884.—U. S.
bovinum Thorell, Öfv. Kongl. Vet. Akad. Förh., 1859, p. 301.
sagittatum McCook, Amer. Spid., vol. 3, p. 214, 1894.

GASTERACANTHA.

Latreille, Cours d'Entom., p. 530, 1831.

Isacantha Simon, Hist. Nat. Araign., p. 284, 1864.

cancriformis Linnæus, Syst. Nat., 12th ed., p. 1037, 1767.—Southern States.
cancer Hentz, Journ. Bost. Soc. Nat. Hist., vol. 6, p. 23, 1850; Spid. U. S., p. 126, 1875.
maura McCook, Amer. Spid., vol. 3, p. 210, 1894.

pallida Koch, Die Arachn., vol. 11, p. 60, 1845.—McCook, Amer. Spid., vol. 3, p. 209, 1894.—Southwestern States.

preciosa McCook, Amer. Spid., vol. 3, p. 211, 1894.

velitaris Koch, Die Arachn., vol. 4, p. 33, 1838.—Southern States.

rufospinosa Marx, Ent. Amer., vol. 2, p. 25, 1886.

cancriformis McCook, Amer. Spid., vol. 3, p. 211, 1894.

ULOBORIDÆ.

HYPTIOTES.

Walckenaer, Mém. nouv. class. Aran., p. 438, 1833.

Mithras Koch, Uebers. Arachn. Syst., vol. 1, p. 6, 1837.

Cyllopoda Hentz, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 465, 1847.

cavatus Hentz, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 466, 1847; Spid. U. S., p. 104, 1875.—Emerton, Trans. Conn. Acad., vol. 7, p. 457, 1888.—McCook, Amer. Spid., vol. 3, p. 276, 1894.—U. S.

americanus Wilder, Pop. Sci. Mo., Sept., 1875, p. 2.

ULOBORUS.

Latreille, Gen. Crust. Ins., vol. 1, p. 109, 1806.

Phillyra, Hentz, Journ. Bost. Soc. Nat. Hist., vol. 6, p. 25, 1850.

Orithyia Blackwall, Ann. Mag. Nat. Hist. (3), vol. 2, p. 331, 1858.

Zosis Simon, Hist. Nat. Araign., p. 244, 1864.

californicus Banks, Proc. California Acad. Sci. (3), vol. 3, Zool., p. 351, 1904.—Cal.

geniculatus Olivier, Encycl. Meth., vol. 2, p. 214, 1789.—McCook, Amer. Spid., vol. 3, p. 273, 1894.—Marx, Proc. Acad. Nat. Sci. Phila., 1889, p. 99.—Southern States.

zosis Walckenaer, Ins. Apt., vol. 2, p. 231, 1842.

mammeatus Hentz, Journ. Bost. Soc. Nat. Hist., vol. 6, p. 25, 1850; Spid. U. S., p. 129, 1875.—Southern States.

villosus Keyserling, Verh. zool.-bot. Ges. Wien, 1881, p. 278.

plumipes Lucas, Expl. Algerie, Artic., vol. 1, p. 252, 1845.—Emerton, Trans. Conn. Acad., vol. 7, p. 454, 1888.—McCook, Amer. Spid., vol. 3, p. 274, 1894.—U. S.

riparia Hentz, Journ. Bost. Soc. Nat. Hist., vol. 6, p. 26, 1850; Spid. U. S., p. 130, 1875.

DINOPIS.

MacLeay, Ann. Mag. Nat. Hist., vol. 2, p. 8, 1838.

spinosus Marx, Proc. Acad. Nat. Sci. Phila., 1889, p. 341.—Fla.

THOMISIDÆ.

XYSTICUS.

Koch, Deutschl. Ins. Arachn., p. 129, 1835.

auctificus Keyserling, Die Spinn. Amer., vol. 1, p. 25, 1880.—Western States.

benefactor Keyserling, Die Spinn. Amer., vol. 1, p. 22, 1880.—Western States.

bicuspis Keyserling, Verh. zool.-bot. Ges. Wien, 1887, p. 478.—Mont., Colo.

borealis Keyserling, Verh. zool.-bot. Ges. Wien, 1883, p. 668.—Alaska.

brunneus Banks, Proc. Acad. Nat. Sci. Phila., 1892, p. 53.—Northeastern States.

crudelis Banks, Proc. Acad. Nat. Sci Phila., 1892, p. 53.

limbatus Emerton, Trans. Conn. Acad., vol. 8, p. 360, 1892 (part).

californicus KEYSERLING, Die Spinn. Amer., vol. 1, p. 37, 1880.—West Coast.
cinereus EMERTON, Trans. Conn. Acad., vol. 8, p. 366, 1892.—New England.
cunctator THORELL, Bull. U. S. Geol. Surv. Terr., vol. 3, no. 2, p. 495, 1877.—Western States.
quinquepunctatus KEYSERLING, Die Spinn. Amer., vol. 1, p. 28, 1880.
lenis KEYSERLING, Die Spinn. Amer., vol. 1, p. 27, 1880.
pallidus COCKERELL, Ent. Mo. Mag., 1890, p. 191.
nigrescens COCKERELL, Ent. Mo. Mag., 1890, p. 191.
discursans KEYSERLING, Die Spinn. Amer., vol. 1, p. 20, 1880.—Western States.
bimaculatus EMERTON, Trans. Conn. Acad., vol. 9, p. 416, 1894 (not of Koch, 1874).
distinctus BANKS, Proc. Acad. Nat. Sci. Phila., 1892, p. 52.—N. Y.
elegans KEYSERLING, Die Spinn. Amer., vol. 1, p. 31, 1880.—Eastern States.
emertoni KEYSERLING, Die Spinn. Amer., vol. 1, p. 39, 1880.
limbatus EMERTON, Trans. Conn. Acad., vol. 8, p. 360 (part, not Keyserling).
ferox HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 445, 1847; Spid. U. S., p. 77, 1875.—U. S.
stomachosus KEYSERLING, Die Spinn. Amer., vol. 1, p. 7, 1880.—EMERTON, Trans. Conn. Acad., vol. 8, p. 362, 1892.
flavovittatus KEYSERLING, Die Spinn. Amer., vol. 1, p. 33, 1880.—U. S.(?)
floridanus BANKS, Trans. Amer. Ent. Soc., vol. 23, p. 70, 1896.—Fla.
formosus BANKS, Proc. Acad. Nat. Sci. Phila., 1892, p. 56.—EMERTON, Trans. Conn. Acad., vol. 8, p. 365, 1892.—Northern States.
fraternus BANKS, Journ. N. Y. Ent. Soc., 1895, p. 90.—N. Y.
funestus KEYSERLING, Die Spinn. Amer., vol. 1, p. 10, 1880.—U. S. (?).
gramineus EMERTON, Trans. Conn. Acad., vol. 8, p. 364, 1892.—Northeastern States.
gulosus KEYSERLING, Die Spinn. Amer., vol. 1, p. 43, 1880.—EMERTON, Trans. Conn. Acad., vol. 8, p. 361, 1892.—U. S.
lentus BANKS, Proc. Acad. Nat. Sci. Phila., 1892, p. 55.
hamatinus, new name.—Ky.
hamatus KEYSERLING, Verh. zool.-bot. Ges. Wien, 1885, p. 521 (not Thorell, 1875).
labradoriensis KEYSERLING, Verh. zool.-bot. Ges. Wien, 1887, p. 479.—Labrador.
limbatus KEYSERLING, Die Spinn. Amer., vol. 1, p. 35, 1880.—Eastern States.
locuples KEYSERLING, Die Spinn. Amer., vol. 1, p. 24, 1880.—Western States.
luctans KOCH, Die Arachn., vol. 12, p. 63, 1845.—U. S.
quadrilineatus KEYSERLING, Die Spinn. Amer., vol. 1, p. 42, 1880.—EMERTON, Trans. Conn. Acad., vol. 8, p. 365, 1892.
maculatus KEYSERLING, Die Spinn. Amer., vol. 1, p. 45, 1880.—Ga.
mœstus, new name.—Can.
ferrugineus EMERTON, Trans. Conn. Acad., vol. 9, p. 415, 1894 (not Menge, 1876).
montanensis KEYSERLING, Verh. zool.-bot. Ges. Wien, 1887, p. 479.—Western States.
pulverulentus EMERTON, Trans. Conn. Acad., vol. 9, p. 417, 1894.
nervosus BANKS, Proc. Acad. Nat. Sci. Phila., 1892, p. 55.—EMERTON, Trans. Conn. Acad., vol. 8, p. 362, 1892.—U. S.
nigromaculatus KEYSERLING, Verh. zool.-bot. Ges. Wien, 1884, p. 670.—Colo.
piger HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 446, 1847; Spid. U. S., p. 79, 1875.—N. C.
punctatus KEYSERLING, Die Spinn. Amer., vol. 1, p. 30, 1880.—N. C.
texanus BANKS, Journ. N. Y. Ent. Soc., 1904, p. 112.—Tex.
transversus BANKS, Proc. Acad. Nat. Sci. Phila., 1892, p. 54.—N. Y., D. C.
triangulosus EMERTON, Trans. Conn. Acad., vol. 9, p. 416, 1894.—Canada.

triguttatus KEYSERLING, Die Spinn. Amer., vol. 1, p. 12, 1880.—EMERTON, Trans. Conn. Acad., vol. 8, p. 363, 1892.—U. S.

feroculus KEYSERLING, Verh. zool.-bot. Ges. Wien, 1881, p. 305.

variabilis KEYSERLING, Die Spinn. Amer., vol. 1, p. 40, 1880.—Ga.

vernilis KEYSERLING, Verh. zool.-bot. Ges. Wien, 1881, p. 304.—Western States.

OZYPTILA.

SIMON, Hist. Nat. Araign., p. 439, 1864.

americana BANKS, Psyche, vol. 7, p. 242, 1895.—Northern States.

conspurcata THORELL, Bull. U. S. Geol. Surv. Terr., vol. 3, no. 2, p. 496, 1877.—BANKS, Psyche, vol. 7, p. 242, 1895.—EMERTON, Trans. Conn. Acad., vol. 9, p. 417, 1894.—U. S.

georgiana KEYSERLING, Die Spinn. Amer., vol. 1, p. 52, 1880.

floridana BANKS, Psyche, vol. 7, p. 243, 1895.—Fla.

modesta SCHEFFER, Industrialist, vol. 30, p. 3 (sep.), 1904; Ent. News, 1904, p. 257 (*Xysticus*).—Kans.

monroensis KEYSERLING, Verh. zool.-bot. Ges. Wien, 1883, p. 671.—BANKS, Psyche, vol. 7, p. 242, 1895.—Eastern States.

nevadensis KEYSERLING, Die Spinn. Amer., vol. 1, p. 50, 1880.—BANKS, Psyche, vol. 7, p. 243, 1895.—Western States.

pacifica BANKS, Psyche, vol. 7, p. 243, 1895.—Wash.

CORIARACHNE.

THORELL, Eur. Spid., p. 186, 1869.

brunneipes BANKS, Journ. N. Y. Ent. Soc., 1893, p. 133.—West Coast.

floridana BANKS, Trans. Amer. Ent. Soc., vol. 23, p. 71, 1896.—Fla.

versicolor KEYSERLING, Die Spinn. Amer., vol. 1, p. 53, 1880.—EMERTON, Trans. Conn. Acad., vol. 8, p. 367, 1892.—U. S.

SYNEMA.

SIMON, Hist. Nat. Araign., p. 433, 1864.

bicolor KEYSERLING, Verh. zool.-bot. Ges. Wien, 1883, p. 667.—Northern States.

inornatus EMERTON, Trans. Conn. Acad., vol. 8, p. 366, 1892 (*Xysticus*) (not of Koch, 1876).

obscura KEYSERLING, Die Spinn. Amer., vol. 1, p. 64, 1880.—Northern States.

parvula HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 447, 1847; Spid. U. S., p. 80, 1875.—KEYSERLING, Die Spinn. Amer., vol. 1, p. 57, 1880.—U. S.

nigromaculata KEYSERLING, Die Spinn. Amer., vol. 1, p. 61, 1880.

RUNCINIA.

SIMON, Arachn. France, vol. 2, p. 254, 1875.

Misumenoides CAMBRIDGE, Biol. Centr.-Amer., Arachn. Aran., vol. 2, p. 136, 1900.

aleatoria HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 444, 1847; Spid. U. S., p. 77, 1875.—EMERTON, Trans. Conn. Acad., vol. 8, p. 369, 1892.—U. S.

brendelii KEYSERLING, Die Spinn. Amer., vol. 1, p. 127, 1880.

californica BANKS, Can. Ent., 1900, p. 99.—Cal.

MISUMENA.

LATREILLE, Nouv. Dict. Hist. Nat., vol. 24, p. 135, 1804.

Misumenops CAMBRIDGE, Biol. Centr.-Amer., Arachn. Aran., vol. 2, p. 141, 1900.

alabamensis KEYSERLING, Verh. zool.-bot. Ges. Wien, 1883, p. 666.—Ala.

americana KEYSERLING, Die Spinn. Amer., vol. 1, p. 85, 1880.—U. S.

californica BANKS, Journ. N. Y. Ent. Soc., 1896, p. 91.—Cal.

celer HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 446, 1847; Spid. U. S., p. 78, 1875.—U. S.

spinosa KEYSERLING, Die Spinn. Amer., vol. 1, p. 81, 1880.

georgiana KEYSERLING, Die Spinn. Amer., vol. 1, p. 86, 1880.

damnosa KEYSERLING, Die Spinn. Amer., vol. 1, p. 114, 1880.—Ariz.

pallida CAMBRIDGE, Biol. Centr.-Amer., Arachn. Aran., vol. 1, p. 86, 1891.

particeps CAMBRIDGE, Biol. Centr.-Amer., Arachn. Aran., vol. 1, p. 103, 1892.

diegoi KEYSERLING, Verh. zool.-bot. Ges. Wien, 1887, p. 481.—Cal.

fidelis BANKS, Proc. California Acad. Sci., (3), vol. 1, Zool., p. 261, 1898.—Ariz.

importuna KEYSERLING, Verh. zool.-bot. Ges. Wien, 1881, p. 307.—Cal.

vatia CLERCK, Svenska Spindlar, p. 128, 1757.—KEYSERLING, Die Spinn. Amer., vol. 1, p. 101, 1880.—EMERTON, Trans. Conn. Acad., vol. 8, p. 368, 1892.—U. S.

fartus HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 445, 1847; Spid. U. S., p. 78, 1875.

MISUMESSUS.

BANKS, Journ. N. Y. Ent. Soc., 1904. p. 112.

asperatus HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 447, 1847; Spid. U. S., p. 79, 1875.—EMERTON, Trans. Conn. Acad., vol. 8, p. 370, 1892.—U. S.

rosea KEYSERLING, Die Spinn. Amer., vol. 1, p. 82, 1880.

foliata BANKS, Proc. Acad. Nat. Sci. Phila., 1892, p. 57.

placida BANKS, Proc. Acad. Nat. Sci. Phila., 1892, p. 58.

bellulus BANKS, Trans. Amer. Ent. Soc., vol. 23, p. 71, 1896.—Fla.

lepidus THORELL, Bull. U. S. Geol. Surv. Terr., vol. 3, no. 2, p. 498, 1877.—Colo.

munieri COOLIDGE, Ent. News, 1909, p. 243.—Cal.

oblongus KEYSERLING, Die Spinn. Amer., vol. 1, p. 79, 1880.—EMERTON, Trans. Conn. Acad., vol. 8, p. 371, 1892.—Southern States.

pallidulus BANKS, Journ. N. Y. Ent. Soc., 1904, p. 112.—Cal.

pictilis BANKS, Journ. N. Y. Ent. Soc., 1896, p. 91.—Cal.

viridans BANKS, Trans. Amer. Ent. Soc., vol. 23, p. 71, 1896.—Fla.

TMARUS.

SIMON, Arachn. France, vol. 2, p. 259, 1875.

caudatus HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 447, 1847; Spid. U. S., p. 80, 1875.—KEYSERLING, Die Spinn. Amer., vol. 1, p. 157, 1880.—EMERTON, Trans. Conn. Acad., vol. 8, p. 376, 1892.—U. S.

rubromaculatus KEYSERLING, Die Spinn. Amer., vol. 1, p. 158, 1880.

floridensis KEYSERLING, Verh. zool.-bot. Ges. Wien, 1883, p. 673.—Fla.

griseus KEYSERLING, Verh. zool.-bot. Ges. Wien, 1883, p. 672.—Fla.

magniceps KEYSERLING, Die Spinn. Amer., vol. 1, p. 158, 1880.—Cal.

minutus BANKS, Journ. N. Y. Ent. Soc., 1904, p. 112.—Va.

EBO.

KEYSERLING, Verh. zool.-bot. Ges. Wien, 1883, p. 678.

latithorax KEYSERLING, Verh. zool.-bot. Ges. Wien, 1883, p. 678.—EMERTON, Trans. Conn. Acad., vol. 8, p. 377, 1892.—Southern States.
mexicana BANKS, Proc. California Acad. Sci., (3), vol. 1, Zool., p. 265, 1898.—Ariz.
oblongus SIMON, Ann. Soc. Ent. Belgique, vol. 39, p. 442, 1895.—Ga.

THANATUS.

KOCH, Uebers. Arachn. Syst., vol. 1, p. 28, 1837.

coloradensis KEYSERLING, Die Spinn. Amer., vol. 1, p. 206, 1880.—BANKS, Proc. Acad. Nat. Sci. Phila. 1901, p. 585.—Western States.
lycosoides EMERTON, Trans. Conn. Acad., vol. 8, p. 379, 1892.—U. S.
rubicundus KEYSERLING, Die Spinn. Amer., vol. 1, p. 204, 1880 (not of Koch, 1875).

TIBELLUS.

SIMON, Arachn. France, vol. 2, p. 307, 1875.

duttoni HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 448, 1847; Spid. U. S., p. 81, 1875.—KEYSERLING, Die Spinn. Amer., vol. 1, p. 194, 1880.—EMERTON, Trans. Conn. Acad., vol. 8, p. 378, 1892.—U. S.
oblongus WALCKENAER, Faune Paris., vol. 2, p. 228, 1802.—KEYSERLING, Die Spinn. Amer., vol. 1, p. 196, 1880.—Northern States.

APOLLOPHANES.

CAMBRIDGE, Biol. Centr.-Amer., Arachn. Aran., vol. 1, p. 252, 1898.

texana BANKS, Journ. N. Y. Ent. Soc., 1904, p. 113.—Tex.

PHILODROMOIDES.

SCHEFFER, Can. Ent., 1904, p. 305.

prataricæ SCHEFFER, Can. Ent., 1904, p. 306; Industrialist, vol. 31, p. 5 (sep.), April, 1905.—Kans.

PHILODROMUS.

WALCKENAER, Faune France, Aran., p. 86, 1825.

alaskensis KEYSERLING, Verh. zool.-bot. Ges. Wien, 1883, p. 674.—Northwestern States.
aureolus CLERCK, Svenska Spindlar, p. 133, 1757.—KEYSERLING, Die Spinn. Amer., vol. 1, p. 217, 1880.—U. S.
californicus KEYSERLING, Verh. zool.-bot. Ges. Wien, 1883, p. 676.—Cal., Wash.
exilis BANKS, Proc. Acad. Nat. Sci. Phila., 1892, p. 63.—Northeastern States.
bidentatus EMERTON, Trans. Conn. Acad., vol. 8, p. 375, 1892.
floridensis BANKS, Proc. Acad. Nat. Sci. Phila., 1904, p. 133.—Fla.
gracilis BANKS, Proc. Acad. Nat. Sci. Phila., 1892, p. 60.—N. Y.
imbecillus KEYSERLING, Die Spinn. Amer., vol. 1, p. 224, 1880.—Ga.
inæquipes BANKS, Can. Ent., 1900, p. 99.—D. C.
infuscatus KEYSERLING, Die Spinn. Amer., vol. 1, p. 222, 1880.—Eastern States.
unicolor BANKS, Proc. Acad. Nat. Sci. Phila., 1892, p. 61.

inquisitor THORELL, Bull. U. S. Geol. Surv. Terr., vol. 3, no. 2, p. 502, 1877.—EMERTON, Trans. Conn. Acad., vol. 9, p. 419, 1894.—Western States.

thorellii MARX, Proc. U. S. Nat. Mus., vol. 12, p. 559, 1890.

keyserlingi MARX, Proc. U. S. Nat. Mus., vol. 12, p. 559, 1890.—D. C.

obscurus KEYSERLING, Verh. zool.-bot. Ges. Wien, 1883, p. 675 (not Blackwall).

laticeps KEYSERLING, Die Spinn. Amer., vol. 1, p. 215, 1880.—Southern States.

lentiginosus KEYSERLING, Verh. zool.-bot. Ges. Wien, 1881, p. 312.—Western States.

lineatus EMERTON, Trans. Conn. Acad., vol. 8, p. 374, 1892.—Northeastern States.

maculatus BLACKWALL, Ann. Mag. Nat. Hist., vol. 17, p. 39, 1846.—Northeastern States.

expositus KEYSERLING, Die Spinn. Amer., vol. 1, p. 220, 1880.

signifer BANKS, Proc. Acad. Nat. Sci. Phila., 1892, p. 59.

marginellus BANKS, Proc. U. S. Nat. Mus., vol. 23, p. 586, 1901.—Ariz.

marxi KEYSERLING, Verh. zool.-bot. Ges. Wien, 1883, p. 677.—Tex.

minutus BANKS, Proc. Acad. Nat. Sci., Phila., 1892, p. 62.—Northeastern States.

minusculus BANKS, Proc. Acad. Nat. Sci. Phila., 1892, p. 63.

brevis EMERTON, Trans. Conn. Acad., vol. 8, p. 375, 1892.

mœstus BANKS, Proc. California Acad. Sci., (3), vol. 3, Zool., p. 353, 1904.—Cal.

ornatus BANKS, Proc. Acad. Nat. Sci. Phila., 1892, p. 61.—EMERTON, Trans. Conn. Acad., vol. 8, p. 374, 1892.—Eastern States.

pacificus BANKS, Can. Ent., 1898, p. 187.—Wash.

pernix BLACKWALL, Ann. Mag. Nat. Hist., vol. 17, p. 36, 1846.—U. S.

vulgaris HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 444, 1847; Spid. U. S., p. 76, 1875.—KEYSERLING, Die Spinn. Amer., vol. 1, p. 218, 1880.—EMERTON, Trans. Conn. Acad., vol. 8, p. 372, 1892.

placidus BANKS, Proc. Acad. Nat. Sci. Phila., 1892, p. 62.—Northeastern States.

prælustris KEYSERLING, Die Spinn. Amer., vol. 1, p. 209, 1880.—Colo.

robustus EMERTON, Trans. Conn. Acad., vol. 8, p. 376, 1892.—New England.

rufus WALCKENAER, Faune, France, Aran. p. 91, 1825.—KEYSERLING, Die Spinn. Amer., vol. 1, p. 217, 1880.—U. S.

obscurus BLACKWALL, Ann. Mag. Nat. Hist. (4), vol. 8, p. 429, 1871.

pictus EMERTON, Trans. Conn. Acad., vol. 8, p. 373, 1892 (not Kroneberg 1875).

satullus KEYSERLING, Die Spinn. Amer., vol. 1, p. 211, 1880.—Colo.

spectabilis KEYSERLING, Die Spinn. Amer., vol. 1, p. 210, 1880.—Colo.

virescens THORELL, Bull. U. S. Geol. Surv. Terr., vol. 3, no. 2, p. 500, 1877.—Colo.

clarus KEYSERLING, Die Spinn. Amer., vol. 1, p. 214, 1880.

SPARASSIDÆ.

HETEROPODA.

LATREILLE, Nouv. Dict. Hist. Nat., vol. 24, p. 135, 1804.

Sarotes SUNDEVALL, Conspect. Arachn., p. 28, 1833.

venatoria LINNÆUS, Syst. Nat., 10th ed., p. 1035, 1758.—McCOOK, Proc. Acad. Nat. Sci. Phila., 1878, p. 144.—Fla., Cal.

regia FABRICIUS, Syst. Ent., vol. 2, p. 408, 1775.

leucosius WALCKENAER, Ins. Apt., vol. 1, p. 566, 1837.

antillanus WALCKENAER, Ins. Apt.., vol. 1, p. 568, 1837.

murina KOCH, Die Arachn., vol. 12, p. 36, 1845.

draco KOCH, Die Arachn., vol. 12, p. 44, 1845.

OLIOS.

WALCKENAER, Ins. Apt., vol. 1, p. 563, 1837.

abnormis KEYSERLING, Verh. zool.-bot. Ges. Wien, 1883, p. 679.—N. Mex.
concolor KEYSERLING, Verh. zool.-bot. Ges. Wien, 1883, p. 682.
fasciculatus SIMON, Act. Soc. Linn. Bordeaux., vol. 34, p. 307, 1880.—Southwestern States.
giganteus KEYSERLING, Verh. zool.-bot. Ges. Wien, 1883, p. 681.

SELENOPS.

LATREILLE, Nouv. Dict. Hist. Nat., vol. 30, p. 579, 1819.

aissa WALCKENAER, Ins. Apt., vol. 1, p. 547, 1837.—KEYSERLING, Verh. zool.-bot. Ges. Wien 1883, p. 683.—Fla.

PISAURIDÆ.

DOLOMEDES.

LATREILLE, Nouv. Dict. Hist. Nat., vol. 24, p. 135, 1804.

albineus HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 189, 1845; Spid. U. S., p. 39, 1875.—Southern States.
serrata HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 193, 1845; Spid. U. S., p. 43, 1875.
rufa KOCH, Die Arachn., vol.14, p. 112, 1848.
fontanus EMERTON, Trans. Conn. Acad., vol. 6, p. 502, 1885.—MONTGOMERY, Proc. Acad. Nat. Sci. Phila., 1904, p. 316.—EMERTON, Trans. Conn. Acad., vol. 14, p. 210, 1909.—Northern States.
tenebrosus EMERTON, Trans. Conn. Acad., vol. 6, p. 501, 1885, female (not of Hentz).
sexpunctatus HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 191, 1845; Spid. U. S., p. 41, 1875.—EMERTON, Trans. Conn. Acad., vol. 6, p. 501, 1885.—MONTGOMERY, Proc. Acad. Nat. Sci. Phila., 1903, p. 654; 1904, p. 314.—EMERTON, Trans. Conn. Acad., vol. 14, p. 210, 1909.—Eastern States.
scapularis KOCH, Die Arachn., vol. 14, p. 119, 1848.
convexus GIEBEL, Zeitschr. Ges. Naturw., vol. 33, p. 252, 1869.
tenax HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 4, p. 395, 1844; Spid. U. S., p. 37, 1875.—N. C.
tenebrosus HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 4, p. 396, 1844; Spid. U. S., p. 38, 1875.—Eastern States.
scriptus HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 189, 1845; Spid. U. S., p. 38, 1875.
idoneus MONTGOMERY, Proc. Acad. Nat. Sci. Phila., 1902, p. 588; 1904, p. 319.—EMERTON, Trans. Conn. Acad., vol. 14, p. 211, 1909.
striatus GIEBEL, Zeitschr. Ges. Naturw., vol. 33, p. 252, 1869.
urinator HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 190, 1845; Spid. U. S., p. 40, 1875.—MONTGOMERY, Proc. Acad. Nat. Sci. Phila., 1904, p. 317.—Eastern States.
lanceolatus HENTZ, Bost. Soc. Nat. Hist., vol. 5, p. 191, 1845; Spid. U. S., p. 40, 1875.
tenebrosus EMERTON, Trans. Conn. Acad., vol. 6, p. 501, 1885, male (not of Hentz).
vernalis EMERTON. Trans. Conn. Acad., vol. 14, p. 211, 1909.—Northeastern States.

PISAURINA.

SIMON, Hist. Nat. Araign. (2), vol. 2, p. 295, 1898.

Micrommata HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 192, 1845, (not Latreille).

Dapanus HENTZ, Spid. U. S., p. 44, 1875 (preoc.).

hastulatus HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 4, p. 395, 1844; Spid. U. S., p. 37, 1875. (=*Sosippus* ?).—Ala.

subinflata HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 6, p. 288, 1850; Spid. U. S., p. 161, 1875.—Southern States.

undata HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 192, 1845; Spid. U. S., p. 42, 1875.—EMERTON, Trans. Conn. Acad., vol. 6, p. 499, 1885.—MONTGOMERY, Proc. Acad. Nat. Sci. Phila., 1902, p. 584.—United States.

marmorata HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 193, 1845; Spid. U. S., p. 44, 1875.

carolinensis HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 194, 1845; Spid. U. S., p. 44, 1875.

binotatus KOCH, Die Arachn., vol. 14, p. 121, 1848.

THAUMASIA.

PERTY, Del. Anim. Art. Bras., p. 192, 1833.

Enna CAMBRIDGE, Biol. Centr. Amer., Arachn. Aran., vol. 1, p. 232, 1897.

pinicola HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 6, p. 287, 1850; Spid. U. S., p. 160, 1875.—Ala., Fla.

THANATIDIUS.

SIMON, Hist. Nat. Araign. (2), vol. 2, p. 293, 1898.

dubius HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 448, 1847; Spid. U. S., p. 82, 1875.—Southern States.

tenuis HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 449, 1847; Spid. U. S., p. 82, 1875.

undulata KEYSERLING, Verh. zool.-bot. Ges. Wien, 1887, p. 486.

MAYPACIUS.

SIMON, Hist. Nat. Araign. (2), vol. 2, p. 292, 1898.

floridanus SIMON, Ann. Soc. Ent. Belgique, 1898, p. 14.—Fla.

CTENIDÆ.

CTENUS.

WALCKENAER, Tabl. Aran., p. 18, 1805.

hibernalis HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 4, p. 393, 1844; Spid. U. S., p. 35, 1875.—Southern States.

minimus CAMBRIDGE, Ann. Mag. Nat. Hist., vol. 19, p. 86, 1897.—North America.

punctulatus HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 4, p. 393, 1844; Spid. U. S., p. 35, 1875.—Southern States.

TITIOTUS.

SIMON, Hist. Nat. Araign. (2), vol. 2, p. 113, 1897.

californicus SIMON, Hist. Nat. Araign., (2), vol. 2, p. 113, 1897.—Cal.

CUPIENNIUS.

SIMON, Bull. Soc. Zool. France, vol. 16, p. 109, 1891.

llei KEYSERLING, Verh. zool.-bot. Ges. Wien, vol. 26, p. 685, 1877.—Fla.

LYCOSIDÆ.

LYCOSA.

LATREILLE, Nouv. Dict. Hist. Nat., vol. 24, p. 135, 1804.

Tarentula SUNDEVALL, Conspect. Arachn., p. 24, 1833.

bohastata EMERTON, Trans. Conn. Acad., vol. 9, p. 423, 1894.—CHAMBERLIN, Proc. Acad. Nat. Sci. Phila., 1908, p. 275.—Northern States.

ıgusta TULLGREN, Bih. Vet. Akad. Handl., vol. 27, Afd. IV, no. 1, p. 16, 1901.—Fla.

ıtelucana MONTGOMERY, Proc. Acad. Nat. Sci. Phila., 1904, p. 282.—Tex., N. Mex.

apicata BANKS, Journ. N. Y. Ent. Soc., 1904, p. 114.—CHAMBERLIN, Proc. Acad. Nat. Sci. Phila., 1908, p. 232.

ɣara KEYSERLING, Verh. zool.-bot. Ges. Wien, 1876, p. 661.—MONTGOMERY, Proc. Acad. Nat. Sci. Phila., 1903, p. 650.—CHAMBERLIN, Proc. Acad. Nat. Sci. Phila., 1908, p. 279.—EMERTON, Trans. Conn. Acad., vol. 14, p. 202, 1909.—Eastern States.

rufiventris BANKS, Proc. Acad. Nat. Sci. Phila., 1892, p. 65.

ɣida WALCKENAER, Ins. Apt., vol. 1, p. 322, 1837.—U. S.

erratica HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 4, p. 388, 1844; Spid. U. S., p. 29, 1875.—CHAMBERLIN, Proc. Acad. Nat. Sci. Phila., 1908, p. 251.—U. S.

sagittata HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 4, p. 391, 1844; Spid. U. S., p. 32, 1875.

propinqua BLACKWALL, Ann. Mag. Nat. Hist., vol. 17, p. 31, 1846.

lepida KEYSERLING, Verh. zool.-bot. Ges. Wien, 1876, p. 631.—MONTGOMERY, Proc. Acad. Nat. Sci. Phila., 1902, p. 562; 1904, p. 287.

communis EMERTON, Trans. Conn. Acad., vol. 6, p. 489, 1885.

ltimoriana KEYSERLING, Verh. zool.-bot. Ges. Wien, 1876, p. 632.—MONTGOMERY, Proc. Acad. Nat. Sci. Phila., 1902, p. 561; 1904, p. 297.—CHAMBERLIN, Proc. Acad. Nat. Sci. Phila., 1908, p. 246.—EMERTON, Trans. Conn. Acad., vol. 14, p. 203, 1909.—Atlantic States.

ɔani EMERTON, Trans. Conn. Acad., vol. 9, p. 421, 1894.—CHAMBERLIN, Proc. Acad. Nat. Sci. Phila., 1908, p. 273.—Canada.

unneiventris BANKS, Journ. N. Y. Ent. Soc., 1894, p. 50.—Western States.

rolinensis WALCKENAER, Ins. Apt., vol. 1, p. 285, 1837.—U. S.

milberti WALCKENAER, Ins. Apt., vol. 1, p. 336, 1837.

sayi WALCKENAER, Ins. Apt., vol. 1. p. 337, 1837.

carolinensis HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 4, p. 230, 1842; Spid. U. S., p. 27, 1875.—EMERTON, Trans. Conn. Acad., vol. 4, p. 486, 1885.—MONTGOMERY, Proc. Acad. Nat. Sci. Phila., 1902, p. 556; 1904, p. 299.—CHAMBERLIN, Proc. Acad. Nat. Sci. Phila., 1908, p. 246.

loradensis BANKS, Journ. N. Y. Ent. Soc., 1894, p. 50.—CHAMBERLIN, Proc. Acad. Nat. Sci. Phila., 1908, p. 249.—Western States.

udelis BANKS, Proc. Acad. Nat. Sci. Phila., 1892, p. 66.—N. Y.

epigynata MONTGOMERY, Proc. Acad. Nat. Sci. Phila., 1904, p. 279.—Tex.

tifera HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 4, p. 229, 1842; Spid. U. S., p. 26, 1875.—Eastern States.

aspersa HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 4, p. 389, 1844; Spid. U. S., p. 30, 1875.—CHAMBERLIN, Proc. Acad. Nat. Sci. Phila., 1908, p. 236.

inhonesta KEYSERLING, Verh. zool.-bot. Ges. Wien, 1876, p. 634.—MONTGOMERY, Proc. Acad. Nat. Sci. Phila., 1902, p. 557; 1904, p. 290 (part).
tigrina McCOOK, Trans. Amer. Ent. Soc., vol. 7, p. xi (Proc.), 1878.—STONE, Proc. Acad. Nat. Sci. Phila., 1890, p. 423.
vulpina EMERTON, Trans. Conn. Acad., vol. 6, p. 487, 1885.
oblonga BANKS, Proc. Acad. Nat. Sci. Phila., 1892, p. 68.
exitiosa BANKS, Proc. Acad. Nat. Sci. Phila., 1892, p. 67.
immaculata BANKS, Proc. Acad. Nat. Sci. Phila., 1892, p. 67.
albopunctata TULLGREN, Bih. Vet. Akad. Handl., vol. 27, Afd. iv (no. 1), p. 18, 1901.

febriculosa BECKER, Ann. Soc. Ent. Belgique, 1881, p. 45 (C. R.).—La.

floridana BANKS, Trans. Amer. Ent. Soc., vol. 23, p. 72, 1896.—CHAMBERLIN, Proc. Acad. Nat. Sci. Phila., 1908, p. 231.—Fla.

frondicola EMERTON, Trans. Conn. Acad., vol. 6, p. 484, 1885.—MONTGOMERY, Proc. Acad. Nat. Sci. Phila., 1902, p. 565.—CHAMBERLIN, Proc. Acad. Nat. Sci. Phila., 1908, p. 258.—Eastern States.

fumosa EMERTON, Trans. Conn. Acad., vol. 9, p. 421, 1894.—CHAMBERLIN, Proc. Acad. Nat. Sci. Phila., 1908, p. 272.—Canada.

gosiuta CHAMBERLIN, Proc. Acad. Nat. Sci. Phila., 1908, p. 281.—Utah.

grandis BANKS, Journ. N. Y. Ent. Soc., 1894, p. 49.—CHAMBERLIN, Proc. Acad. Nat. Sci. Phila., 1908, p. 229.—Colo., Utah.

helluo WALCKENAER, Ins. Apt., vol. 1, p. 337, 1837.—CHAMBERLIN, Proc. Acad. Nat. Sci. Phila., 1908, p. 226.—U. S.
vafra KOCH, Die Arachn., vol. 14, p. 71, 1848.
babingtoni BLACKWALL, Ann. Mag. Nat. Hist., vol. 17, p. 30, 1846.
helvipes KEYSERLING, Verh. zool.-bot. Ges. Wien, 1876, p. 659.
nidicola EMERTON, Trans. Conn. Acad., vol. 6, p. 482, 1885.—MONTGOMERY, Proc. Acad. Nat. Sci. Phila., 1902, p. 559.
inhonesta MONTGOMERY, Proc. Acad. Nat. Sci. Phila., 1904, p. 290 (part).
(?)*gulosa* WALCKENAER, Ins. Apt., vol. 1, p. 338, 1837.

hentzi BANKS, Proc. Acad. Nat. Sci. Phila., 1904, p. 135.—Fla., La.

kochi KEYSERLING, Verh. zool.-bot. Ges. Wien, 1876, p. 636.—CHAMBERLIN, Proc. Acad. Nat. Sci. Phila., 1908, p. 263.—Eastern States.
(?)*insopita* MONTGOMERY, Proc. Acad. Nat. Sci. Phila., 1904, p. 280.

lenta HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 4, p. 386, 1844; Spid. U. S., p. 27, 1875.—CHAMBERLIN, Proc. Acad. Nat. Sci. Phila., 1908, p. 243.—Southern States.
texana MONTGOMERY, Proc. Acad. Nat. Sci. Phila., 1904, p. 293.
(?)*ruricola* HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 4, p. 387, 1844; Spid. U. S., p. 28, 1875.

mccooki MONTGOMERY, Proc. Acad. Nat. Sci. Phila., 1904, p. 283.—Pa.

modesta KEYSERLING, Verh. zool.-bot. Ges. Wien, 1876, p. 626.—CHAMBERLIN, Proc. Acad. Nat. Sci. Phila., 1908, p. 268.—Eastern States.

pacifica BANKS, Proc. California Acad. Sci. (3), vol. 3, Zool., p. 354, 1904.—Cal.

permiana SCHEFFER, Industrialist, vol. 31, p. 9 (sep.), April 1905.—Kans.

permunda CHAMBERLIN, Can. Ent., 1904, p. 286; Proc. Acad. Nat. Sci. Phila., 1908, p. 233.—Kans., Okla.

pictilis EMERTON, Trans. Conn. Acad., vol. 6, p. 485, 1885.—MONTGOMERY, Proc. Acad. Nat. Sci. Phila., 1904, p. 287.—CHAMBERLIN, Proc. Acad. Nat. Sci. Phila., 1908, p. 270.—N. H.

pilosa GIRARD, Marcy's Red River, La., p. 252, 1852.—La.

posticata BANKS, Proc. Acad. Nat. Sci. Phila., 1904, p. 134.—Fla.

ratensis EMERTON, Trans. Conn. Acad., vol. 6, p. 483, 1885.—MONTGOMERY, Proc. Acad. Nat. Sci. Phila., 1903, p. 651.—CHAMBERLIN, Proc. Acad. Nat. Sci. Phila., 1908, p. 261.—U. S.

similis BANKS, Proc. Acad. Nat. Sci. Phila., 1892, p. 64.

contestata MONTGOMERY, Proc. Acad. Nat. Sci. Phila., 1903, p. 649.

udens MARX, Proc. U. S. Nat. Mus., vol. 12, p. 564, 1890.—Western States.

modesta THORELL, Bull. U. S. Geol. Surv. Terr., vol. 3, no. 2, p. 520, 1877 (not Keyserling).

ulchra KEYSERLING, Verh. zool.-bot. Ges. Wien, 1876, p. 628.—U. S.

kochi EMERTON, Trans. Conn. Acad., vol. 6, p. 485, 1885 (not Keyserling).

purcelli MONTGOMERY, Proc. Acad. Nat. Sci. Phila., 1902, p. 566; 1904, p. 305.

nigraurata MONTGOMERY, Proc. Acad. Nat. Sci. Phila., 1902, p. 564.

gulosa CHAMBERLIN, Proc. Acad. Nat. Sci. Phila., 1908, p. 265 (not Walckenaer).

unctulata HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 4, p. 390, 1844; Spid. U. S., p. 31, 1875.—EMERTON, Trans. Conn. Acad., vol. 6, p. 490, 1885.—MONTGOMERY, Proc. Acad. Nat. Sci. Phila., 1902, p. 552; 1904, p. 288.—CHAMBERLIN, Proc. Acad. Nat. Sci. Phila., 1908, p. 256.—EMERTON, Trans. Conn. Acad., vol. 14, p. 206, 1909.—Eastern States.

uinaria EMERTON, Trans. Conn. Acad., vol. 9, p. 422, 1894.—CHAMBERLIN, Proc. Acad. Nat. Sci. Phila., 1908, p. 277.—Canada.

abida WALCKENAER, Ins. Apt., vol. 1, p. 320, 1837.—U. S.

scutulata HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 4, p. 390, 1844; Spid. U. S., p. 32, 1875.—EMERTON, Trans. Conn. Acad., vol. 6, p. 491, 1885.—MONTGOMERY, Proc. Acad. Nat. Sci. Phila., 1902, p. 553; 1904, p. 289.—CHAMBERLIN, Proc. Acad. Nat. Sci. Phila., 1908, p. 253.

iparia HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 4, p. 389, 1844; Spid. U. S., p. 31, 1875.—CHAMBERLIN, Proc. Acad. Nat. Sci. Phila., 1908, p. 234.—Southern States.

calaris THORELL, Bull. U. S. Geol. Surv. Terr., vol. 3, no. 2, p. 520, 1877.—Western States.

epulchralis MONTGOMERY, Proc. Acad. Nat. Sci. Phila., 1902, p. 543; 1903, p. 645; 1904, p. 307.—Eastern States.

ransversolineata TULLGREN, Bih. Vet. Akad. Handl., vol. 27, Afd. IV, no. 1, p. 20, 1901.—Fla.

GEOLYCOSA.

MONTGOMERY, Proc. Acad. Nat. Sci. Phila., 1904, p. 292.

Scaptocosa BANKS, Journ. N. Y. Ent. Soc., 1904, p. 113.

nissouriensis BANKS, Ent. News, 1895, p. 206 (*Lycosa*).—Eastern States.

domifex HANCOCK, Ent. News, 1899, p. 168 (*Lycosa*).

latifrons MONTGOMERY, Proc. Acad. Nat. Sci. Phila., 1904, p. 295.

fatifera CHAMBERLIN, Proc. Acad. Nat. Sci. Phila., 1908, p. 241 (not of Hentz).

idifex MARX, Amer. Nat., 1881, p. 396 (*Lycosa*).—EMERTON, Trans. Conn. Acad., vol. 14, p. 205, 1909.—Atlantic States.

ikei MARX, Amer. Nat., 1881, p. 398 (*Lycosa*).—EMERTON, Trans. Conn. Acad., vol. 14, p. 204, 1909.—Atlantic States.

arenicola SCUDDER, Psyche, vol. 2, p. 2, 1877 (not Cambridge, 1875).—MONTGOMERY, Proc. Acad. Nat. Sci. Phila., 1902, p. 550; 1904, p. 299.—CHAMBERLIN, Proc. Acad. Nat. Sci. Phila., 1908, p. 239.

nidifex EMERTON, Trans. Conn. Acad., vol. 6, p. 487, 1885 (not Marx).

SCHIZOGYNA.

CHAMBERLIN, Can. Ent., 1904, p. 147.

Schizocosa CHAMBERLIN, Can. Ent., 1904, p. 177.

bilineata EMERTON, Trans. Conn. Acad., vol. 6, p. 496, 1885 (*Lycosa*).—MONTGOMERY, Proc. Acad. Nat. Sci. Phila., 1904, p. 290.—CHAMBERLIN, Proc. Acad. Nat. Sci. Phila., 1908, p. 218.—EMERTON, Trans. Conn. Acad., vol. 14, p. 207, 1909.—Eastern States.

ocreata pulchra MONTGOMERY, Proc. Acad. Nat. Sci. Phila., 1902, p. 540.

celerior CHAMBERLIN, Ent. News, 1910, p. 2.—Nev.

charonoides MONTGOMERY, Proc. Acad. Nat. Sci. Phila., 1902, p. 544; 1903, p. 646; 1904, p. 286 (*Lycosa*).—Eastern States.

crassipalpis EMERTON, Trans. Conn. Acad., vol. 14, p. 206, 1909 (*Lycosa*).—New England.

gracilis BANKS, Proc. Acad. Nat. Sci. Phila., 1892, p. 70 (*Pardosa*).—Eastern States.

relucens MONTGOMERY, Proc. Acad. Nat. Sci. Phila., 1902, p. 542 (*Lycosa*).—EMERTON, Trans. Conn. Acad., vol. 14, p. 206, 1909.—Eastern States.

verisimilis MONTGOMERY, Proc. Acad. Nat. Sci. Phila., 1902, p. 548; 1904, p. 292 (*Lycosa*).

saltatrix CHAMBERLIN, Proc. Acad. Nat. Sci. Phila., 1908, p. 215 (not Hentz).

humilis BANKS, Proc. Acad. Nat. Sci. Phila., 1892, p. 65 (*Lycosa*).—N. Y.

ocreata HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 4, p. 391, 1844; Spid. U. S., p. 33, 1875 (*Lycosa*).—EMERTON, Trans. Conn. Acad., vol. 6, p. 491, 1885.—CHAMBERLIN, Proc. Acad. Nat. Sci. Phila., 1908, p. 212.—Eastern States.

rufa KEYSERLING, Verh. zool.-bot. Ges. Wien, 1876, p. 613.

stonei MONTGOMERY, Proc. Acad. Nat. Sci. Phila., 1902, p. 546.

solivaga MONTGOMERY, Proc. Acad. Nat. Sci. Phila., 1902, p. 574 (*Pardosa*).

saltatrix HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 4, p. 387, 1844; Spid. U. S., p. 28, 1875 (equal *gracilis* Banks according to Chamberlin, more probably a *Pardosa*).—Ala.

PARDOSA.

KOCH, Die Arachn., vol. 14, p. 100, 1848.

annulata BANKS, Proc. Acad. Nat. Sci. Phila., 1892, p. 68.—Northeastern States.

(?) *scita* MONTGOMERY, Proc. Acad. Nat. Sci. Phila., 1902, p. 573; 1904, p. 272.

atra BANKS, Journ. N. Y. Ent. Soc., 1894, p. 52.—CHAMBERLIN, Proc. Acad. Nat. Sci. Phila., 1908, p. 188.—Colo.

atromedia BANKS, Proc. California Acad. Sci. (3), vol. 3, Zool., p. 355, 1904.—Cal.

banksi CHAMBERLIN, Can. Ent., 1904, p. 175; Proc. Acad. Nat. Sci. Phila., 1908, p. 182.—Atlantic States.

littoralis BANKS, Journ. N. Y. Ent. Soc., 1896, p. 192 (preoccupied).—EMERTON, Trans. Conn. Acad., vol. 14, p. 207, 1909.

californica KEYSERLING, Verh. zool.-bot. Ges. Wien, 1887, p. 483.—CHAMBERLIN, Proc. Acad. Nat. Sci. Phila., 1908, p. 192.—Western States.

canadensis BLACKWALL, Ann. Mag. Nat. Hist., vol. 8, p. 429, 1871 (*Lycosa*).—U. S.

flavipes KEYSERLING, Verh. zool.-bot. Ges. Wien, 1876, p. 616.

nigropalpis EMERTON, Trans. Conn. Acad., vol. 6, p. 497, 1885.—MONTGOMERY, Proc. Acad. Nat. Sci. Phila., 1902, p. 569.

venusta BANKS, Proc. Acad. Nat. Sci. Phila., 1892, p. 69.

milvina CHAMBERLIN, Proc. Acad. Nat. Sci. Phila., 1908, p. 177 (not Hentz).

coloradensis BANKS, Journ. N. Y. Ent. Soc., 1894, p. 51.—Colo.

diffusa EMERTON, Trans. Conn. Acad., vol. 14, p. 208, 1909.—New England.

distincta BLACKWALL, Ann. Mag. Nat. Hist., vol. 17, p. 32, 1846 (*Lycosa*).—Eastern States.

pallida EMERTON, Trans. Conn. Acad., vol. 6, p. 496, 1885.—MONTGOMERY, Proc. Acad. Nat. Sci. Phila., 1903, p. 653 (preoccupied).

emertoni CHAMBERLIN, Can. Ent., 1904, p. 175; Proc. Acad. Nat. Sci. Phila., 1908, p. 190.

dorsalis BANKS, Journ. N. Y. Ent. Soc., 1894, p. 51.—Colo.

floridana BANKS, Proc. Acad. Nat. Sci. Phila., 1904, p. 136.—Fla.

furcifera THORELL, Proc. Bost. Soc. Nat. Hist., vol. 17, p. 499, 1875 (*Lycosa*).—SÖRENSEN, Vid. Medd. Naturh. For., 1898, p. 233.—Labrador.

grœnlandica THORELL, Rem. Syn., p. 300, 1872; Proc. Bost. Soc. Nat. Hist., vol. 17, p. 498, 1875 (*Lycosa*).—EMERTON, Trans. Conn. Acad., vol. 9, p. 423, 1894.—CHAMBERLIN, Proc. Acad. Nat. Sci. Phila., 1908, p. 200.—Northern States.

iracunda THORELL, Bull. U. S. Geol. Surv. Terr., vol. 3, (no. 2) p. 514, 1877.

sinistra THORELL, Bull. U. S. Geol. Surv. Terr., vol. 3, (no. 2) p. 517, 1877.

albomaculata EMERTON, Trans. Conn. Acad., vol. 6, p. 495, 1885.

keyserlingi BANKS, new name.—Can.

tristis KEYSERLING, Verh. zool.-bot. Ges. Wien, 1887, p. 485 (name preoccupied).

labradoriensis THORELL, Proc. Bost. Soc. Nat. Hist., vol. 17, p. 502, 1875.—CHAMBERLIN, Proc. Acad. Nat. Sci. Phila., 1908, p. 205.—Labrador.

lapidicina EMERTON, Trans. Conn. Acad., vol. 6, p. 496, 1885.—MONTGOMERY, Proc. Acad. Nat. Sci. Phila., 1903, p. 652.—CHAMBERLIN, Proc. Acad. Nat. Sci. Phila., 1908, p. 195.—Northern States.

longispinata TULLGREN, Bih. Vet. Akad. Handl., vol. 27, Afd. IV, no. 1, p. 23, 1901.—CHAMBERLIN, Proc. Acad. Nat. Sci. Phila., 1908, p. 209.—Fla.

mackenziana KEYSERLING, Verh. zool.-bot. Ges. Wien, 1876, p. 621.—CHAMBERLIN, Proc. Acad. Nat. Sci. Phila., 1908, p. 207.—Northern States.

uncata THORELL, Bull. U. S. Geol. Surv. Terr., vol. 3 (no. 2), p. 508, 1877.—EMERTON, Trans. Conn. Acad., vol. 9, p. 425, 1894.

mercurialis MONTGOMERY, Proc. Acad. Nat. Sci. Phila., 1904, p. 270.—Tex.

milvina HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 4, p. 392, 1844; Spid. U. S., p. 33, 1875.—BANKS, Journ. N. Y. Ent. Soc., 1904, p. 115.—Southern States.

pauxilla MONTGOMERY, Proc. Acad. Nat. Sci. Phila., 1904, p. 268.—CHAMBERLIN, Proc. Acad. Nat. Sci. Phila., 1908, p. 180.

minima KEYSERLING, Verh. zool.-bot. Ges. Wien, 1876, p. 614.—MONTGOMERY, Proc. Acad. Nat. Sci. Phila., 1902, p. 571.—U. S.

albopatella EMERTON, Trans. Conn. Acad., vol. 6, p. 497, 1885.

saxatilis CHAMBERLIN, Proc. Acad. Nat. Sci. Phila., 1908, p. 174 (not Hentz).

modica BLACKWALL, Ann. Mag. Nat. Hist., vol. 17, p. 33, 1846 (*Lycosa*).—CHAMBERLIN, Proc. Acad. Nat. Sci. Phila., 1908, p. 202.—Northern States.

glacialis THORELL, Öfv. Kongl. Vet. Akad. Förh., 1872, p. 159.—EMERTON, Trans. Conn. Acad., vol. 9, p. 424, 1894.

fuscula THORELL, Proc. Bost. Soc. Nat. Hist., vol. 17, p. 501, 1875.

concinna THORELL, Bull. U. S. Geol. Surv. Terr., vol. 3 (no. 2), p. 506, 1877.

brunnea EMERTON, Trans. Conn. Acad., vol. 6, p. 495, 1885.

josemitensis STRAND, Jahrb. Nassau Ver. Naturk., vol. 61, p. 256, 1908 (*Lycosa*).

albimontis STRAND, Zeitschr. Natur. Halle, 1909, p. 285.

mœsta BANKS, Proc. Acad. Nat. Sci. Phila., 1892, p. 70.—CHAMBERLIN, Proc. Acad. Nat. Sci. Phila., 1908, p. 183.—N. Y.

obsoleta BANKS, Proc. Acad. Nat. Sci. Phila., 1892, p. 71.

parvula BANKS, Journ. N. Y. Ent. Soc., 1904, p. 114.—Fla.

saxatilis HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 4, p. 392, 1844; Spid. U. S., p. 34, 1875.—Ala.

sternalis THORELL, Bull. U. S. Geol. Surv. Terr., vol. 3, no. 2, p. 504, 1877.—CHAMBERLIN, Proc. Acad. Nat. Sci. Phila., 1908, p. 185.—Western States.

luteola EMERTON, Trans. Conn. Acad., vol. 9, p. 427, 1894.

seydi STRAND, Jahrb. Nassau Ver. Naturk., vol. 61, p. 258, 1908 (*Lycosa*).

texana BANKS, Journ. N. Y. Ent. Soc., 1904, p. 115.—Tex.

tristis THORELL, Bull. U. S. Geol. Surv. Terr., vol. 3, no. 2, p. 510, 1877.—Colo.

indagatrix THORELL, Bull. U. S. Geol. Surv. Terr., vol. 3, no. 2, p. 512, 1877 (preoccupied).

dromœa THORELL, Amer. Nat., vol. 12, p. 395, 1878.

venustulata HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 4, p. 392, 1844; Spid. U. S., p. 33, 1875.—Ala.

xerampelina KEYSERLING, Verh. zool.-bot. Ges. Wien, 1876, p. 662.—CHAMBERLIN. Proc. Acad. Nat. Sci. Phila., 1908, p. 198.—Northern States.

impavida THORELL, Bull. U. S. Geol. Surv. Terr., vol. 3 (no. 2), p. 513, 1877 (preoccupied).

tachypoda THORELL, Amer. Nat., vol. 12, p. 395, 1878.—EMERTON, Trans. Conn. Acad., vol. 9, p. 427, 1894.—MONTGOMERY, Proc. Acad. Nat. Sci. Phila., 1904, p. 275.

montana EMERTON, Trans. Conn. Acad., vol. 6, p. 498, 1885.

intrepida MARX, Proc. U. S. Nat. Mus., vol. 12, p. 562, 1890.

procursus MONTGOMERY, Proc. Acad. Nat. Sci. Phila., 1902, p. 583.

SOSIPPUS.

SIMON, Ann. Soc. Ent. France, 1888, p. 205.

californicus SIMON, Ann. Soc. Ent. Belgique, 1898, p. 25.—Cal.

floridanus SIMON, Ann. Soc. Ent. Belgique, 1898, p. 25.—CHAMBERLIN, Proc. Acad. Nat. Sci. Phila., 1908, p. 293.—Fla.

lœnnbergi TULLGREN, Bih. Vet. Akad. Handl., vol. 27, Afd. IV, no 1, p. 19, 1901.

ALLOCOSA.

BANKS, Journ. N. Y. Ent. Soc., 1904, p. 113.

funerea HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 4, p. 393, 1844; Spid. U. S., p. 34, 1875 (*Lycosa*).—CHAMBERLIN, Proc. Acad. Nat. Sci. Phila., 1908, p. 287.—Eastern States.

rugosa KEYSERLING, Verh. zool.-bot. Ges. Wien, 1876, p. 624.

nigra STONE, Proc. Acad. Nat. Sci. Phila., 1890, p. 432.—MONTGOMERY, Proc. Acad. Nat. Sci. Phila., 1902, p. 538; 1904, p. 285.

degesta CHAMBERLIN, Can. Ent., 1904, p. 287; Proc. Acad. Nat. Sci. Phila., 1908, p. 288.

sublata MONTGOMERY, Proc. Acad. Nat. Sci. Phila., 1902, p. 539; 1904, p. 308.—Eastern States.

TROCHOSA.

KOCH, Die Arachn., vol. 14, p. 95, 1848.

cinerea FABRICIUS, Ent. Syst., vol. 2, p. 423, 1793 (*Aranea*).—EMERTON, Trans. Conn. Acad., vol. 6, p. 488, 1885.—MONTGOMERY, Proc. Acad. Nat. Sci. Phila., 1902, p. 555; 1904, p. 305.—CHAMBERLIN, Proc. Acad. Nat. Sci. Phila., 1908, p. 281.—U. S.

litoralis HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 4, p. 388, 1844; Spid. U. S., p. 30, 1875.

maritima HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 4, p. 389, 1844; Spid. U. S., p. 30, 1875.

floridana BANKS, Trans. Amer. Ent. Soc., vol. 23, p. 72, 1896.—CHAMBERLIN, Proc. Acad. Nat. Sci. Phila., 1908, p. 283.—Fla.

parva BANKS, Journ. N. Y. Ent. Soc., 1894, p. 52.—CHAMBERLIN, Proc. Acad. Nat. Sci. Phila., 1908, p. 289.—Western States.

noctuabunda MONTGOMERY, Proc. Acad. Nat. Sci. Phila., 1904, p. 301.

rubicunda KEYSERLING, Verh. zool.-bot. Ges. Wien, 1876, p. 663.—MONTGOMERY, Proc. Acad. Nat. Sci. Phila., 1904, p. 307.—CHAMBERLIN, Proc. Acad. Nat. Sci. Phila., 1908, p. 278.—Eastern States.

polita EMERTON, Trans. Conn. Acad., vol. 6, p. 484, 1885.

PIRATA.

SUNDEVALL, Conspect. Arachn., p. 24, 1833.

Potamia KOCH, Die Arachn., vol. 14, p. 98, 1848.

agilis BANKS, Proc. Acad. Nat. Sci. Phila., 1892, p. 72.—N. Y.

arenicola EMERTON, Trans. Conn. Acad., vol. 14, p. 208, 1909.—Mass.

aspirans CHAMBERLIN, Can. Ent., 1904, p. 286; Proc. Acad. Nat. Sci. Phila., 1908, p. 303.—N. Y.

bilobata TULLGREN, Bih. Vet. Akad. Handl., vol. 27, Afd. IV, (no. 1), p. 22, 1901 (*Pardosa*).—CHAMBERLIN, Proc. Acad. Nat. Sci. Phila., 1908, p. 315.—Fla.

californica BANKS, Proc. California Acad. Sci., (3), vol. 3, Zool., p. 356, 1904.—Cal.

piratimorpha STRAND, Jahrb. Nassau Ver. Naturk., vol. 61, p. 244, 1908 (*Tarentula*).

insularis EMERTON, Trans. Conn. Acad., vol. 6, p. 492, 1885.—CHAMBERLIN, Proc. Acad. Nat. Sci. Phila., 1908, p. 309.—Eastern States.

liber MONTGOMERY, Proc. Acad. Nat. Sci. Phila., 1902, p. 578; 1904, p. 311.

maculata EMERTON, Trans. Conn. Acad., vol. 14, p. 209, 1909.—Me.

minuta EMERTON, Trans. Conn. Acad., vol. 6, p. 493, 1885.—CHAMBERLIN, Proc. Acad. Nat. Sci. Phila., 1908, p. 301.—Eastern States.

exigua BANKS, Proc. Acad. Nat. Sci. Phila., 1892, p. 72.

pumicolus MONTGOMERY, Proc. Acad. Nat. Sci. Phila., 1902, p. 575.

montana EMERTON, Trans. Conn. Acad., vol. 6, p. 493, 1885.—CHAMBERLIN, Proc. Acad. Nat. Sci. Phila., 1908, p. 306.—Eastern States.

elegans STONE, Proc. Acad. Nat. Sci. Phila., 1890, p. 429.—MONTGOMERY, Proc. Acad. Nat. Sci. Phila., 1902, p. 581; 1904, p. 310.

montanoides BANKS, Proc. Acad. Nat. Sci. Phila., 1892, p. 71.—N. Y.

nigromaculatus MONTGOMERY, Proc. Acad. Nat. Sci. Phila., 1902, p. 579; 1904, p. 310.—Pa.

piratica CLERCK, Svenska Spindlar, p. 102, 1757.—EMERTON, Trans. Conn. Acad., vol. 6, p. 492, 1885.—Northeastern States.

marxi STONE, Proc. Acad. Nat. Sci. Phila., 1900, p. 429.—MONTGOMERY, Proc. Acad. Nat. Sci. Phila., 1902, p. 582; 1904, p. 309.—CHAMBERLIN, Proc. Acad. Nat. Sci. Phila., 1908, p. 307.

emertoni DAHL, Abh. Kais. Leop. Carol. Deutsch. Akad. Nat., vol. 88, p. 352, 1908.

prodigiosa KEYSERLING, Verh. zool.-bot. Ges. Wien, 1876, p. 670.—CHAMBERLIN, Proc. Acad. Nat. Sci. Phila., 1908, p. 313.—Western States.

sylvestris EMERTON, Trans. Conn. Acad., vol. 14, p. 209, 1909.—New England.

utahensis CHAMBERLIN, Proc. Acad. Nat. Sci. Phila., 1908, p. 313.—Utah.

vacondana SCHEFFER, Industrialist, vol. 30, no. 24, p. 13, 1904; Ent. News, 1904, p. 259 (*Lycosa*).—Southern States.

sedentarius MONTGOMERY, Proc. Acad. Nat. Sci. Phila., 1904, p. 312.

febriculosa CHAMBERLIN, Proc. Acad. Nat. Sci. Phila., 1908, p. 311 (very doubtfully of Becker).

AULONIA.

KOCH, Die Arachn., vol. 14, p. 97, 1848.

Lycosina SIMON, Hist. Nat. Araign., p. 169, 1864.
Trabæa SIMON, Arachn. France, vol. 3, p. 356, 1876.
aurantiaca EMERTON, Trans. Conn. Acad., vol. 6, p. 499, 1885.—CHAMBERLIN, Proc. Acad. Nat. Sci. Phila., 1908, p. 296.—Northeastern States.

SOSILAUS.

SIMON, Hist. Nat. Araign. (2), vol. 2, p. 350, 1898.

spiniger SIMON, Hist. Nat. Araign. (2 ed.), vol. 2, p. 350, 1898.—CHAMBERLIN, Proc. Acad. Nat. Sci. Phila., 1908, p. 299.—La.

OXYOPIDÆ.

OXYOPES.

LATREILLE, Nouv. Dict. Hist. Nat., vol. 24, p. 135, 1804.

acutus BANKS, Proc. California Acad. Sci., (3), vol. 1, Zool., p. 279, 1898.—Cal.
cinerea BANKS, Journ. N. Y. Ent. Soc., 1893, p. 133.—N. H.
compacta BANKS, Trans. Amer. Ent. Soc., vol. 23, p. 72, 1896.—Colo.
pictipes BANKS, Proc. Acad. Nat. Sci. Phila., 1901, p. 587.—N. Mex.
rufipes BANKS, Journ. N. Y. Ent. Soc., 1893, p. 133.—Wash., Cal.
salticus HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 196, 1845; Spid. U. S., p. 47, 1875.—U. S.
astutus HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 197, 1845; Spid. U. S., p. 48, 1875.
gracilis KEYSERLING, Verh. zool.-bot. Ges. Wien, 1876, p. 698.
scalaris HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 196, 1845; Spid. U. S., p. 47, 1875.—Southern States.

HAMATALIWA.

KEYSERLING, Verh. zool.-bot. Ges. Wien, 1887, p. 457.

grisea KEYSERLING, Verh. zool.-bot. Ges. Wien, 1887, p. 458.—Southern States.

PEUCETIA.

THORELL, Eur. Spid., p. 196, 1869.

Pasithea BLACKWALL, Ann. Mag. Nat. Hist., (3), vol. 1, p. 427, 1858, (preoc.).
viridans HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 195, 1845; Spid. U. S., p. 46, 1875.—Southern States.
aurora MCCOOK, Proc. Acad. Nat. Sci. Phila., 1883, p. 276.

ATTIDÆ.

PHIDIPPUS.

KOCH, Die Arachn., vol. 13, p. 125, 1846.

Paraphidippus, CAMBRIDGE, Biol. Centr.-Amer., Arachn. Aran., vol. 2, p. 273, 1901.
Philæus PECKHAM, Trans. Wis. Acad. Sci., vol. 7, p. 25, 1888 (not Thorell).
albovittatus KOCH, Die Arachn., vol. 13, p. 118, 1846.—Pa.

ardens PECKHAM, Trans. Wis. Acad. Sci., vol. 13, p. 288, 1901; vol. 16, p. 406, 1909 (=*johnsoni* ?).—Western States.

arizonensis PECKHAM, Descr. Attidæ, U. S., p. 13, 1883; Trans. Wis. Acad. Sci., vol. 7, p. 18, 1888; vol. 16, p. 419, 1909.—Western States.

tuberculatus CAMBRIDGE, Biol. Centr.-Amer., Arachn. Aran., vol. 2, p. 283, 1901.

auctus KOCH, Die Arachn., vol. 13, p. 148, 1846.—Eastern States.

paludatus KOCH, Die Arachn., vol. 13, p. 149, 1846.

rimator PECKHAM, Trans. Wis. Acad. Sci., vol. 7, p. 32, 1888.

audax HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 199, 1845; Spid. U. S., p. 50, 1875.—PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 389, 1909.—U. S.

tripunctatus HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 355, 1845; Spid. U. S., p. 58, 1875.—EMERTON, Trans. Conn. Acad., vol. 8, p. 9, 1891.

fasciolatus HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 356, 1845; Spid. U. S., p. 60, 1875.

alchymista, *dubiosus*, *mundulus*, *purpurifer*, *rufimanus*, *smaragdifer*, *elegans*, *concinnatus*, and *personatus* KOCH, Die Arachn., vol. 13, pp. 131–145, 1846.

morsitans PECKHAM, Trans. Wis. Acad. Sci., vol. 7, p. 11, 1888.

basalis BANKS, Journ. N. Y. Ent. Soc., 1904, p. 115.—PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 432, 1909.—Ariz.

bilineatus TULLGREN, Bih. Svensk. Vet. Akad. Handl., vol. 27, (4), p. 26, 1901.—Fla.

borealis BANKS, Can. Ent., 1895, p. 96.—N. H.

brunneus EMERTON, Trans. Conn. Acad., vol. 8, p. 7, 1891; vol. 14, p. 224, 1909.—PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 409, 1909.—Eastern States.

capitatus HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 200, 1845; Spid. U. S., p. 51, 1875.—Southern States.

cardinalis HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 200, 1845; Spid. U. S., p. 51, 1875.—PECKHAM, Trans. Wis. Acad. Sci., vol. 7, p. 15, 1888; vol. 16, p. 393, 1909.—U. S.

carolinensis PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 422, 1909.—Southern States.

obscurus PECKHAM, Trans. Wis. Acad. Sci., vol. 13, p. 294, 1901 (not of 1888).

carolinus KOCH, Die Arachn., vol. 13, p. 136, 1846.—Carolina.

castrensis KOCH, Die Arachn., vol. 13, p. 141, 1846.—Eastern States.

mccookii PECKHAM, Descr. Attidæ, U. S., p. 16, 1883; Trans. Wis. Acad. Sci., vol. 7, p. 17, 1888; vol. 16, p. 396, 1909.

ruber KEYSERLING, Verh. zool.-bot. Ges. Wien, 1884, p. 493.—EMERTON, Trans. Conn. Acad., vol. 8, p. 8, 1891.

chrysis WALCKENAER, Ins. Apt., vol. 1, p. 454, 1837.—PECKHAM, Trans. Wis. Acad. Sci., vol. 7, p. 30, 1888; vol. 16, p. 439, 1909.—Fla.

iris WALCKENAER, Ins. Apt., vol. 1, p. 455, 1837.

aurichalceus KOCH, Die Arachn., vol. 13, p. 113, 1846.

coccineus PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 413, 1909.—Cal.

delectus KOCH, Die Arachn., vol. 13, p. 144, 1846.—Eastern States.

purpuratus KEYSERLING, Verh. zool.-bot. Ges. Wien, 1884, p. 489.—PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 423, 1909.

albomaculatus KEYSERLING, Verh. zool.-bot. Ges. Wien, 1884, p. 491.

galathea PECKHAM, Trans. Wis. Acad. Sci., vol. 7, p. 14, 1888.

mystaceus EMERTON, Trans. Conn. Acad., vol. 8, p. 9, 1891 (not Hentz).

discarneus PECKHAM, Trans. Wis. Acad. Sci., vol. 7, p. 26, 1888; vol. 16, p. 430, 1909.—Tex.

discartilis PECKHAM, Trans Wis. Acad. Sci., vol. 7, p. 27, 1888; vol. 16, p. 440, 1909.—Tex.

marmoratus CAMBRIDGE, Biol. Centr.-Amer., Arachn. Aran., vol. 2, p. 277, 1901.

femoratus PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 115, 1909.—Southwestern States.

formosus PECKHAM, Descr. Attidæ, U. S., p. 23, 1883; Trans. Wis. Acad. Sci., vol. 16, p. 407, 1909.—Western States.

rimator PECKHAM, Trans. Wis. Acad. Sci., vol. 13, p. 287, 1901 (not of 1888).

howardi PECKHAM, Occ. Papers Wis. Nat. Hist. Soc., vol. 3, p. 34, 1896; Trans. Wis. Acad. Sci., vol. 13, p. 285, 1901; vol. 16, p. 391, 1909.—Mo.

insigniarius KOCH, Die Arachn., vol. 13, p. 150, 1846.—EMERTON, Trans. Conn. Acad., vol. 14, p. 225, 1909.—Eastern States.

(?)*nuttalli* HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 352, 1846; Spid. U. S., p. 65, 1875.

insolens HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 200, 1845; Spid. U. S., p. 51, 1875.—PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 400, 1909.—Eastern States.

coloradensis THORELL, Bull. U. S. Geol. Surv. Terr., vol. 3 (2), p. 523, 1877.

ferruginus SCHEFFER, Industrialist, vol. 30, April, 1904, p. 5; Ent. News, 1904, p. 258.

bardus PECKHAM, Trans. Wis. Acad. Sci., vol. 13, p. 290, 1901.

johnsoni PECKHAM, Descr. Attidæ, U. S., p. 22, 1883; Trans. Wis. Acad. Sci., vol. 7, p. 20, 1888; vol. 16, p. 404, 1909.—Western States.

bicolor KEYSERLING, Verh. zool.-bot. Ges. Wien, 1884, p. 496.

californicus PECKHAM, Trans. Wis. Acad. Sci., vol. 13, p. 289, 1901; vol. 16, p. 402, 1909.

mexicanus PECKHAM, Trans. Wis. Acad. Sci., vol. 7, p. 23, 1888.—Ariz.

miniatus PECKHAM, Descr. Attidæ, U. S., p. 15, 1883; Trans. Wis. Acad. Sci., vol. 7, p. 15, 1888; vol. 16, p. 426, 1909.—Fla.

minutus BANKS, Proc. Acad. Nat. Sci. Phila., 1892, p. 74.—Northern States.

monticolus BANKS, Trans. Amer. Ent. Soc., vol. 23, p. 73, 1896.—Colo., N. Mex.

comatus PECKHAM, Trans. Wis. Acad. Sci., vol. 13, p. 291, 1901.

insigniarius PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 412, 1909 (not Koch).

multicolor HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 202, 1845; Spid. U. S., p. 53, 1875.—Central States.

mystaceus HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 355, 1846; Spid. U. S., p. 58, 1875.—PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 435, 1909.—Southern States.

asinarius KOCH, Die Arachn., vol. 13, p. 139, 1846.

incertus PECKHAM, Trans. Wis. Acad. Sci., vol. 13, p. 292, 1901.

octopunctatus PECKHAM, Descr. Attidæ, U. S., p. 6, 1883; Trans Wis. Acad. Sci., vol. 7, p. 21, 1888; vol. 16, p. 421, 1909.—Mo.

opifex MCCOOK, Proc. Acad. Nat. Sci. Phila., 1878, p. 276.—PECKHAM, Trans. Wis. Acad. Sci., vol. 7, p. 20, 1888; vol. 16, p. 392, 1909.—Western States.

griseus PECKHAM, Trans. Wis. Acad. Sci., vol. 13, p. 288, 1901. (male.)

otiosus HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 356, 1846; Spid. U. S., p. 59, 1875.—PECKHAM, Trans. Wis. Acad. Sci., vol. 7, p. 25, 1888; vol. 16, p. 425. 1909.—Southern States.

lunulatus KOCH, Die Arachn., vol. 13, p. 133, 1846.

pius SCHEFFER, Industrialist, vol. 31, p. 6 (sep.), April, 1905.—PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 397, 1909.—Kans.

podagrosus HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 357, 1846; Spid. U. S., p. 61, 1875.—U. S.

testaceus KOCH, Die Arachn., vol. 13, p. 160, 1846.

clarus KEYSERLING, Verh. zool.-bot. Ges. Wien, 1884, p. 497.—PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 398, 1909.

insolens PECKHAM, Trans. Wis. Acad. Sci., vol. 7, p. 23, 1888 (not of Hentz).

multiformis EMERTON, Trans. Conn. Acad., vol. 8, p. 6, 1891.

clarconensis TULLGREN, Bih. Svensk. Vet. Akad. Handl., vol. 27,(4), p. 28, 1901.
coloradensis PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 399, 1909 (not Thorell).

pruinosus PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 433, 1909.—Tex.

pulcherrimus KEYSERLING, Verh. zool.-bot. Ges. Wien, 1884, p. 492.—PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 429, 1909.—Fla.

putnami PECKHAM, Descr. Attidæ, U. S., p. 1, 1883; Trans. Wis. Acad. Sci., vol. 7, p. 35, 1888; vol. 16, p. 417, 1909.—Central States.
gracilis KEYSERLING, Verh. zool.-bot. Ges. Wien, 1884, p. 495.
princeps PECKHAM, Descr. Attidæ, U. S., p. 18, 1883; Trans. Wis. Acad. Sci., vol. 7, p. 31, 1888; vol. 16, p. 433, 1909.

rauterbergi PECKHAM, Trans. Wis. Acad. Sci., vol. 7, p. 22, 1888; vol. 13, p. 295, 1901; vol. 16, p. 429, 1909.—Tex.

rufus HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 356, 1846; Spid. U. S., p. 60, 1875.—PECKHAM, Trans. Wis. Acad. Sci., vol. 7, p. 13, 1888.—U. S.
bivittatus KOCH, Die Arachn., vol. 13, p. 120, 1846.
oaklandensis TULLGREN, Bih. Svensk. Vet. Akad. Handl., vol. 27,(4), p. 27, 1901.
whitmani EMERTON, Trans. Conn. Acad., vol. 14, p. 224, 1909.—PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 394, 1909.

sinister HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 6, p. 288, 1850; Spid. U. S., p. 161, 1875.—Ala.

texanus BANKS, Proc. Ent. Soc. Washington, vol. 7, p. 98, 1906.—PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 437, 1909.—Tex., Kans.
albomaculatus PECKHAM, Trans. Wis. Acad. Sci., vol. 7, p. 19, 1888 (not Keyserling).

togatus KOCH, Die Arachn., vol. 13, p. 129, 1846.—Southern States.
obscurus PECKHAM, Trans. Wis. Acad. Sci., vol. 7, p. 16, 1888; vol. 13, p. 294, 1901; vol. 16, p. 431, 1909.

tyrellii PECKHAM, Trans. Wis. Acad. Sci., vol. 13, p. 296, 1901; vol. 16, p. 410, 1909.—Canada, Idaho.
montivagus PECKHAM, Trans. Wis. Acad. Sci., vol. 13, p. 293, 1901.
albulatus CAMBRIDGE, Biol. Centr.-Amer., Arachn. Aran., vol. 2, p. 285, 1901.

variegatus LUCAS, Ann. Soc. Ent. France, 1833, p. 476.—KOCH, Die Arachn., vol. 13, p. 125, 1846.—PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 390, 1909.—Southern States.

workmanii PECKHAM, Trans. Wis. Acad. Sci., vol. 13, p. 297, 1901; vol. 16, p. 434, 1909.—Ariz.

DENDRYPHANTES.

KOCH, Uebers. Arachn. Syst., vol. 1, p. 31, 1837.

Metaphidippus CAMBRIDGE, Biol. Centr.-Amer., Arachn. Aran., vol. 2, p. 258, 1901.

æneolus CURTIS, Zoe, vol. 3, p. 332, 1892.—PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 468, 1909.—West Coast.
bifida BANKS, Can. Ent., 1895, p. 96.

arizonensis PECKHAM, Trans. Wis. Acad. Sci., vol. 13, p. 326, 1901; vol. 16, p. 463, 1909.—Ariz.

californica PECKHAM, Trans. Wis. Acad. Sci., vol. 7, p. 73, 1888; vol. 16, p. 466, 1909.—Cal.
guttatus BANKS, Proc. California Acad. Sci. (3), vol. 3, Zool., p. 358, 1904.

castaneus HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 353, 1846; Spid. U. S., p. 55, 1875.—PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 472, 1909.—Southern States.

exiguus BANKS, Proc. Acad. Nat. Sci. Phila., 1892, p. 75.—N. Y.

flavipedes PECKHAM, Trans. Wis. Acad. Sci., vol. 7, p. 42, 1888.—EMERTON, Trans. Conn. Acad., vol. 14, p. 226, 1909.—PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 471, 1909.—Northeastern States.

flavus PECKHAM, Trans. Wis. Acad. Sci., vol. 7, p. 39, 1888; vol. 16, p. 473, 1909.—Eastern States.

floridanus BANKS, Proc. Acad. Nat. Sci. Phila., 1904, p. 138.—PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 462, 1909.—Fla.

furcatus CAMBRIDGE, Biol. Centr.-Amer., Arachn. Aran., vol. 2, p. 267, 1901.—PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 473, 1909.—Ariz.

glacialis SCHEFFER, Industrialist, vol. 31, p. 7 (sep.), April, 1905.—PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 463, 1909.—Kans.

harfordi PECKHAM, Trans. Wis. Acad. Sci., vol. 7, p. 51, 1888; vol. 16, p. 464, 1909.—West Coast.

imperialis PECKHAM, Trans. Wis. Acad. Sci., vol. 7, p. 44, 1888 (*Attus*); vol. 16, p. 459, 1909.—Cal., Ariz.

manni PECKHAM, Trans. Wis. Acad. Sci., vol. 13, p. 326, 1901.

jeffersoni EMERTON, Trans. Conn. Acad., vol. 14, p. 225, 1909.—N. H.

limbatus BANKS, Proc. California Acad. Sci., (3), vol. 1, Zool., p. 282, 1898.—PECKHAM, Trans. Wis. Acad. Sci., vol. 13, p. 315, 1901; vol. 16, p. 458, 1909.—Tex.

militaris HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 201, 1845; Spid. U. S., p. 62, 1875.—PECKHAM, Trans. Wis. Acad. Sci., vol. 7, p. 28, 1888; vol. 16, p. 460, 1909.—EMERTON, Trans. Conn. Acad., vol. 8, p. 12, 1891.—U. S.

aurigera KOCH, Die Arachn., vol. 13, p. 189, 1846.

albovittatus KEYSERLING, Verh. zool.-bot. Ges. Wien., 1884, p. 502.

multicolor PECKHAM, Trans. Wis. Acad. Sci., vol. 7, p. 40, 1888 (not Hentz).

mæstus BANKS, Proc. Acad. Nat. Sci. Phila., 1892, p. 77.

montanus EMERTON, Trans. Conn. Acad., vol. 7, p. 11, 1891.—PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 459, 1909.—N. H., N. C.

nubilus HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 358, 1846; Spid. U. S., p. 61, 1875.—Southern States.

octavus HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 365, 1846; Spid. U. S., p. 70, 1875.—U. S.

æstivalis PECKHAM, Descr. Attidæ, U. S., p. 2, 1883.—EMERTON, Trans. Conn. Acad., vol. 8, p, 10, 1891.

crassiventer KEYSERLING, Verh. zool.-bot. Ges. Wien., 1884, p. 503.

capitatus PECKHAM, Trans. Wis. Acad. Sci., vol. 7, p. 36, 1888 (not Hentz); vol. 16, p. 469, 1909.

insignis BANKS, Proc. Acad. Nat. Sci., Phila., 1892, p. 74.

ornatus BANKS, Proc. Acad. Nat. Sci., Phila., 1892, p. 75.

pervagus PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 474, 1909.—Kans.

prosper PECKHAM, Trans. Wis. Acad. Sci., vol. 13, p. 314, 1901; vol. 16, p. 457, 1909.—Tex.

rarus HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 358, 1846.—Spid. U. S., p. 62, 1875.—Southern States.

versicolor PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 475, 1909.—Oreg.

POULTONELLA.

PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 576, 1909.

alboimaculatus PECKHAM, Descr. Attidæ, U. S., p. 24, 1883; Trans. Wis. Acad. Sci., vol. 7, p. 41, 1888; vol. 16, p. 577, 1909.—Iowa, N. Y.

PELLENES.

SIMON, Arachn. France, vol. 3, p. 90, 1876.

Pales KOCH, Uebers. Arachn. Syst., vol. 5, p. 64, 1850 (preoc.).

Habrocestum PECKHAM, Trans. Wis. Acad. Sci., vol. 7, p. 58, 1888 (not of Simon).

Habronattus CAMBRIDGE, Biol. Centr.-Amer., Arachn. Aran., vol. 2, p. 241, 1901.

Stoides SIMON, Hist. Nat. Araign. (2), vol. 2, p. 658, 1901.

Evarcha SIMON, Hist. Nat. Araign. (2), vol. 2, p. 708, 1903.

agilis BANKS, Journ. N. Y. Ent. Soc., 1893, p. 126.—EMERTON, Trans. Conn. Acad., vol. 14, p. 230, 1909.—PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 535, 1909.—Eastern States.

auratum PECKHAM, Trans. Wis. Acad. Sci., vol. 7, p. 63, 1888 (not Hentz).—EMERTON, Common Spiders, p. 44, 1902.

cognatus PECKHAM, Bull. Wis. Nat. Hist. Soc., 1901, p. 224.

americanus KEYSERLING, Verh. zool.-bot. Ges. Wien, 1884, p. 506.—PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 537, 1909 (*Ephippus*).—Utah.

amicus PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 539, 1909.—Cal.

arizonensis BANKS, Journ. N. Y. Ent. Soc., 1904, p. 118.—PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 535, 1909.—Ariz.

auratus HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 362, 1846; Spid. U. S., p. 66, 1875.—PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 527, 1909.—Southern States.

cambridgii PECKHAM, Trans. Wis. Acad. Sci., vol. 7, p. 69, 1888.

cruciferus KEYSERLING, Verh. zool.-bot. Ges. Wien, 1884, p. 513.

borealis BANKS, Can. Ent., 1895, p. 101.—EMERTON, Trans. Conn. Acad., vol. 14, p. 231, 1909.—PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 540, 1909.—Eastern States.

cæcatum PECKHAM, Trans. Wis. Acad. Sci., vol. 7, p. 60, 1888 (not Hentz).

coronatum PECKHAM, Trans. Wis. Acad. Sci., vol. 7, p. 59, 1888 (not Hentz).

cristatum PECKHAM, Trans. Wis. Acad. Sci., vol. 7, p. 62, 1888 (not Hentz).

brunneus PECKHAM, Bull. Wis. Nat. Hist. Soc. (1900), p. 210, 1901, Trans. Wis. Acad. Sci., vol. 16, p. 542, 1909.—Western States.

festus PECKHAM, Bull. Wis. Nat. Hist. Soc. (1900), p. 215, 1901.

klauseri PECKHAM, Bull. Wis. Nat. Hist. Soc. (1900), p. 216, 1901.

dolosus PECKHAM, Bull. Wis. Nat. Hist. Soc. (1900), p. 224, 1901; Trans. Wis. Acad. Sci., vol. 16, p. 551, 1909.

calcaratus BANKS, Journ. N. Y. Ent. Soc., 1904, p. 117.—PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 546, 1909.—Fla., Ga.

californicus BANKS, Journ. N. Y. Ent. Soc., 1904, p. 117.—PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 544, 1909.—Cal.

candidus PECKHAM, Bull. Wis. Nat. Hist. Soc. (1900), p. 221, 1901; Trans. Wis. Acad. Sci., vol. 16, p. 543, 1909.—Utah.

clypeata BANKS, Can. Ent., 1895, p. 102.—PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 548, 1909.—Western States.

cockerelli BANKS, Proc. Acad. Nat. Sci. Phila., 1901, p. 591.—PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 550, 1909.—N. Mex.

cœcatus HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 361, 1846; Spid. U. S., p. 63, 1875.—Southern States.

coronatus HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 362, 1846; Spid. U. S., p. 66, 1875.—PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 545, 1909.

cristatus HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 363, 1846; Spid. U. S., p. 67, 1875.

sabulosus PECKHAM, Bull. Wis. Nat. Hist. Soc. (1900), p. 219, 1901; Trans. Wis. Acad. Sci., vol. 16, p. 567, 1909.

decorus BLACKWALL, Ann. Mag. Nat. Hist., vol. 17, p. 34, 1846.—Northern States.

splendens PECKHAM, Descr. Attidæ, U. S., p. 4, 1883; Trans. Wis. Acad. Sci., vol. 7, p. 65, 1888; vol. 16, p. 569, 1909.—EMERTON, Trans. Conn. Acad., vol. 8, p. 26, 1891.

nigriceps KEYSERLING, Verh. zool.-bot. Ges. Wien, 1884, p. 512.

delectus PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 550, 1909.—Tex.

elegans PECKHAM, Bull. Wis. Nat. Hist. Soc. (1900), p. 212, 1901; Trans. Wis. Acad. Sci., vol. 16, p. 552, 1909.—Western States.

birgei PECKHAM, Bull. Wis. Nat. Hist. Soc. (1900), p. 217, 1901.—BANKS, Journ. N. Y. Ent. Soc., 1904, p. 119.

politus PECKHAM, Bull. Wis. Nat. Hist. Soc. (1900), p. 223, 1901.

falcata CLERCK, Svenska Spindlar, p. 125, 1757.—Northern States.

leucophæa KOCH, Die Arachn., vol. 13, p. 216, 1846.

borealis BLACKWALL, Ann. Mag. Nat. Hist., vol. 17, p. 35, 1846.

hoyi PECKHAM, Descr. Attidæ, U. S., p. 7, 1883; Trans. Wis. Acad. Sci., vol. 7, p. 57, 1888; vol. 16, p. 557, 1909.—EMERTON, Trans. Conn. Acad., vol. 8, p. 25, 1891.

pinus PECKHAM, Descr. Attidæ, U. S., p. 20, 1883.

tæniata KEYSERLING, Verh. zool.-bot. Ges. Wien, 1884, p. 507 (*Ergane*).

latens, BANKS, Proc. Acad. Nat. Sci. Phila., 1892, p. 77.

fallax PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 553, 1909.—Tex.

viridipes PECKHAM, Trans. Wis. Acad. Sci., vol. 7, p. 60, 1888 (not Hentz).

formosus BANKS, Proc. Ent. Soc. Washington, vol. 7, p. 99, 1906.—Ariz.

griseus PECKHAM, Bull. Wis. Nat. Hist. Soc. (1900), p. 221, 1901; Trans. Wis. Acad. Sci., vol. 16, p. 554, 1909.—Cal., Utah.

hirsutum PECKHAM, Trans. Wis. Acad. Sci., vol. 7, p. 64, 1888; Bull. Wis. Nat. Hist. Soc. (1900), p. 211, 1901; Trans. Wis. Acad. Sci., vol. 16, p. 555, 1909.—Western States.

hutchinsonii PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 559, 1909.—Cal., Wash.

jucundus PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 560, 1909.—Cal., British Columbia.

lagganii PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 560, 1909.—Canada.

limatus PECKHAM, Bull. Wis. Nat. Hist. Soc. (1900), p. 217, 1901; Trans. Wis. Acad. Sci., vol. 16, p. 561, 1909.—Cal., Tex.

townsendii PECKHAM, Bull. Wis. Nat. Hist. Soc. (1900), p. 218, 1901.

montanus EMERTON, Trans. Conn. Acad., vol. 9, p. 420, 1894; PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 562, 1909.—Canada, Colo.

multivagus HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 363, 1846; Spid. U. S., p. 67, 1875.—Southern States.

vagabundus MARX, Proc. U. S. Nat. Mus., vol. 12, p. 580, 1890.

carolinensis PECKHAM, Bull. Wis. Nat. Hist. Soc. (1900), p. 219, 1901.

mundus PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 563, 1909.—Oreg.

nemoralis PECKHAM, Bull. Wis. Nat. Hist. Soc. (1900), p. 221, 1901; Trans. Wis. Acad. Sci., vol. 16, p. 564, 1909.—Ariz.

oregonensis PECKHAM, Trans. Wis. Acad. Sci., vol. 7, p. 66, 1888; vol. 16, p. 564, 1909.—Western States.

pacifica BANKS, Proc. California Acad. Sci. (3), vol. 3, Zool., p. 359, 1904.—Cal.

peregrinum PECKHAM, Descr. Attidæ, U. S., p. 17, 1883; Trans. Wis. Acad. Sci., vol. 7, p. 61, 1888.—EMERTON, Trans. Conn. Acad., vol. 8, p. 27, 1891.—PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 565, 1909.—Eastern States.

roseus HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 362, 1846; Spid. U. S., p. 66, 1875.—EMERTON, Trans. Conn. Acad., vol. 14, p. 229, 1909.—PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 567, 1909.—Eastern States.

scotsdalei PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 568, 1909.—Ariz.
signatus BANKS, Can. Ent., 1900, p. 101.—PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 569, 1909.—Cal.
speciosus BANKS, Proc. California Acad. Sci. (3), vol. 3, Zool., p. 359, 1904.—Cal.
superciliosus PECKHAM, Bull. Wis. Nat. Hist. Soc. (1900), p. 222, 1901; Trans. Wis. Acad. Sci., vol. 16, p. 571, 1909.—Ariz.
tarsalis BANKS, Journ. N. Y. Ent. Soc., 1904, p. 118.—PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 571, 1909.—Cal.
tranquillus PECKHAM, Bull. Wis. Nat. Hist. Soc. (1900), p. 213, 1901; Trans. Wis. Acad. Sci., vol. 16, p. 572, 1909.—Ariz.
umatillus PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 573, 1909.—Wash.
viridipes HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 362, 1846; Spid. U. S., p. 66, 1875.—PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 574, 1909.—U. S.
howardi PECKHAM, Bull. Wis. Nat. Hist. Soc. (1900), p. 209, 1901.

HABROCESTUM.

SIMON, Arachn. France, vol. 3, p. 131, 1876.

Saitis PECKHAM, Trans. Wis. Acad. Sci., vol. 7, p. 67, 1888 (not of Simon).
acerbum PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 522, 1909.—Tex., Ga.
minusculus BANKS, Journ. N. Y. Ent. Soc., 1896, p. 193 (*Saitis*).—PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 576, 1909 (sub *Talavera minuta*).—N. Y.
parvulus BANKS, Can. Ent., 1895, p. 101 (*Saitis*).—PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 524, 1909.—N. Y., N. C.
pulex HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 361, 1846; Spid. U. S., p. 65, 1875.—PECKHAM, Trans. Wis. Acad. Sci., vol. 7, p. 67, 1888; vol. 16, p. 525, 1909.—EMERTON, Trans. Conn. Acad., vol. 8, p. 28, 1891.—U. S.
offuscata KOCH, Die Arachn., vol. 13, p. 218, 1846.
x-notata KEYSERLING, Verh. zool.-bot. Ges. Wien, 1884, p. 510 (*Saitis*).

THIODINA.

SIMON, Ann. Soc. Ent. Belgique, 1900, p. 392.

Colonus CAMBRIDGE, Biol. Centr.-Amer., Arachn. Aran., vol. 2, p. 246, 1901.
puerperus HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 360, 1846; Spid. U. S., p. 64, 1875.—PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 449, 1909.—Southern States.
agrestis PECKHAM, Descr. Attidæ, U. S., p. 12, 1883.
sylvanus HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 364, 1846; Spid. U. S., p. 68, 1875.—PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 449, 1909.—Southern States.
retarius HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 6, p. 288, 1850; Spid. U. S., p. 161, 1875.
puerperus PECKHAM, Trans. Wis. Acad. Sci., vol. 7, p. 33, 1888 (not Hentz).

PHLEGRA.

SIMON, Arachn. France, vol. 3, p. 120, 1876.

Parthenia KOCH, Uebers. Arachn. Syst., vol. 5, p. 65, 1850 (preoc.).
leopardus HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 359, 1846; Spid. U. S., p. 63, 1875.—EMERTON, Trans. Conn. Acad., vol. 8, p. 24, 1891.—PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 512, 1909.—Eastern States.
hentzi MARX, Proc. U. S. Nat. Mus., vol. 12, p. 578, 1890.

MARCHENA.

PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 512, 1909.

minuta PECKHAM, Trans. Wis. Acad. Sci., vol. 7, p. 73, 1888 (*Cyrtæa*); vol. 16, p. 514, 1909.—Cal.

sissonii PECKHAM, Trans. Wis., Acad. Sci., vol. 16, p. 513, 1909.—Cal.

SIDUSA.

PECKHAM, Occ. Papers Nat. Hist. Soc. Wis., vol. 2 (pt. 3), p. 175, 1895.

Chapoda PECKHAM, Occ. Papers Nat. Hist. Soc. Wis., vol. 3 (pt. 1), p. 26, 1896.

Escambia PECKHAM, Occ. Papers Nat. Hist. Soc. Wis., vol. 3, (pt. 1) p. 41, 1896 (part).

Dynamius PECKHAM, Occ. Papers Nat Hist. Soc. Wis., vol. 3, (pt. 1,) p. 12, 1896 (not Simon).

arizonensis BANKS, Journ. N. Y. Ent. Soc., 1904, p. 116.—PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 594, 1909.—Ariz.

borealis BANKS, Journ. N. Y. Ent. Soc., 1904, p. 116.—PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 593, 1909.—N. Y., D. C.

morosa PECKHAM, Trans. Wis. Acad. Sci., vol. 7, p. 71, 1888; vol. 16, p. 523, 1909.—Cal.

COTINUSA.

SIMON, Ann. Soc. Ent. Belgique., 1900, p. 389.

Sadala PECKHAM, Trans. Wis. Acad. Sci., vol. 7, p. 52, 1888 (preoc.).

distincta PECKHAM, Trans. Wis. Acad. Sci., vol. 7, p. 53, 1888.—N. Mex.

EUOPHRYS.

KOCH, Uebers. Arachn. Syst., vol. 1, p. 33, 1837.

concolor BANKS, Ent. News, 1895, p. 206.—Mo.

diminutus BANKS, Journ. N. Y. Ent. Soc., 1896, p. 192 (*Icius*).—N. Y.

ATTINELLA.

BANKS, Amer. Nat., vol. 39, p. 322, 1905.

dorsatus BANKS, Can. Ent., 1895, p. 97.—Cal.

ATTUS.

WALCKENAER, Tabl. Aran., p. 22, 1805.

Sittacus SIMON, Hist. Nat. Araign. (2), vol. 2, p. 581, 1901.

claremonti PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 518, 1909 (*Sittacus*).—Cal.

cruciatus EMERTON, Trans. Conn. Acad., vol. 8, p. 23, 1891 (*Euophrys*).—PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 517, 1909.—Northeastern States.

monadnock EMERTON, Trans. Conn. Acad., vol. 8, p. 23, 1891 (*Euophrys*).—PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 515, 1909.—Northern States.

morosus BANKS, Can. Ent., 1895, p. 97.—Wash.

palustris PECKHAM, Descr. Attidæ, U. S., p. 25, 1883; Trans. Wis. Acad. Sci., vol. 7, p. 43, 1888.—EMERTON, Trans. Conn. Acad., vol. 8, p. 29, 1891.—PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 519, 1909.—Northern States.

sylvestris EMERTON, Trans. Conn. Acad., vol. 8, p. 29, 1891.

ranieri PECKHAM, Trans. Wis. Acad. Sci., vol. 16; p. 520, 1909 (*Sittacus*).—Wash.

MÆVIA.

KOCH, Die Arachn., vol. 14, p. 69, 1848.

Astia PECKHAM, Trans. Wis. Acad. Sci., vol. 7, p. 70, 1888 (not of Koch).

niger HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 359, 1846; Spid. U. S., p. 63, 1875.—U. S.

vittata HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 360, 1846; Spid. U. S., p. 64, 1875.—PECKHAM, Trans. Wis. Acad. Sci., vol. 7, p. 70, 1888; vol. 16, p. 452, 1909.—EMERTON, Trans. Conn. Acad., vol. 8, p. 18, 1891.

undatus KOCH, Die Arachn., vol. 13, p. 123, 1846.

pencillata KOCH, Die Arachn., vol. 14, p. 69, 1848.

annulipes KOCH, Die Arachn., vol. 14, p. 80, 1848.

poultoni PECKHAM, Trans. Wis. Acad. Sci., vol. 13, p. 344, 1901; vol. 16, p. 451, 1909.—Tex., Ariz.

TUTELINA.

SIMON, Hist. Nat. Araign. (2), vol. 2, p. 554, 1901.

elegans HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 353, 1846; Spid. U. S., p. 56, 1875.—PECKHAM, Trans. Wis. Acad. Sci., vol. 7, p. 37, 1888; vol. 16, p. 498, 1909.—EMERTON, Trans. Conn. Acad., vol. 8, p. 15, 1891.—U. S.

superciliosus HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 364, 1846; Spid. U. S., p. 68, 1875.

cristata KOCH, Die Arachn., vol. 14, p. 70, 1848.

aurulenta KOCH, Die Arachn., vol. 14, p. 84, 1848.

tibialis PECKHAM, Descr. Attidæ, U. S., p. 11, 1883.

formicaria EMERTON, Trans. Conn. Acad., vol. 8, p. 17, 1891 (*Icius*); vol. 14, p. 227, 1909.—PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 500, 1909.—Eastern States.

similis BANKS, Can. Ent., 1895, p. 100 (*Icius*).—PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 498, 1909.—Northern States.

ICIUS.

SIMON, Arachn. France, vol. 3, p. 54, 1876.

Icelus KOCH, Uebers. Arachn. Syst., vol. 5, p. 55, 1850 (preoc.).

Talavera PECKHAM, Trans. Wis. Acad. Sci. vol. 16, p. 575, 1909.

canadensis BANKS, Can. Ent., 1897, p. 196; PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 467, 1909.—Canada, N. C.

cinctipes BANKS, Can. Ent., 1900, p. 101.—La.

exornatus PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 505, 1909.—Tex.

fuligineus BLACKWALL, Ann. Mag. Nat. Hist., vol. 17, p. 36, 1846.—Northern States.

harti EMERTON, Trans. Conn. Acad., vol. 8, p. 17, 1891.—PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 500, 1909.

minutus BANKS, Can. Ent., 1895, p. 99.—Wash.

montanus BANKS, Can. Ent., 1896, p. 62.—EMERTON, Trans. Conn. Acad., vol. 14, p. 231, 1909 (*Chalcoscirtus*).—PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 587, 1909.—N. H.

monticola BANKS, Can. Ent., 1895, p. 98.—PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 493, 1909.—Colo.

neomexicanus BANKS, Proc. Acad. Nat. Sci. Phila., 1901, p. 589.—PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 468, 1909.—N. Mex.

nigromaculatus KEYSERLING, Verh. zool.-bot. Ges. Wien, 1884, p. 500.—PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 504, 1909.—Utah.

pleuralis BANKS, Trans. Amer. Ent. Soc., vol. 23, p. 73, 1896.—Fla.
sexmaculatus Banks, Can. Ent., 1895, p. 100.—PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 503, 1909.—Southern States.
siticulosus PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 495, 1909.—Cal.
texanus BANKS, Journ. N. Y. Ent. Soc., 1904, p. 116.—Tex.
versicolor PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 503, 1909.—Me.
vitis COCKERELL, The Entomologist, 1894, p. 207.—PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 501, 1909.—Western States.
wickhami PECKHAM, Occ. Papers Nat. Hist. Soc. Wis., vol. 2 (2), p. 109, 1894; Trans. Wis. Acad. Sci., vol. 16, p. 502, 1909.—Fla.
floridanus BANKS, Can. Ent., 1895, p. 99.

WALA.

KEYSERLING, Verh. zool.-bot. Ges. Wien, 1884, p. 516.

Anoka PECKHAM, Proc. Zool. Soc. Lond., 1893, p. 701.
elegans KEYSERLING, Verh. zool.-bot. Ges. Wien, 1884, p. 499.—North America.
grenada PECKHAM, Occ. Papers Nat. Hist. Soc. Wis., vol. 2 (2), p. 126, 1894; Trans. Wis. Acad. Sci., vol. 16, p. 507, 1909.—Fla.
mitrata HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 363, 1846; Spid. U. S., p. 68, 1875.—PECKHAM, Trans. Wis. Acad. Sci., vol. 7, p. 49, 1888; vol. 16, p. 507, 1909.—EMERTON, Trans. Conn. Acad., vol. 8, p. 14, 1891.—U. S.
morigerus HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 365, 1846; Spid. U. S., p. 69, 1875.
sulphurea KOCH, Die Arachn., vol. 14, p. 71, 1848.
pallida KOCH, Die Arachn., vol. 14, p. 79, 1848.
palmarum HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 366, 1846; Spid. U. S., p. 71, 1875.—PECKHAM, Trans. Wis. Acad. Sci., vol. 7, p. 46, 1888; vol. 16, p. 508, 1909.—EMERTON, Trans. Conn. Acad., vol. 8, p. 14, 1891.—U. S.
(?) *hebes* HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 358, 1846; Spid. U. S., p. 62, 1875.
vittatus KEYSERLING, Verh. zool.-bot. Ges. Wien, 1884, p. 504.
albovittatus PECKHAM, Trans. Wis. Acad. Sci., vol. 7, p. 50, 1888.

FUENTES.

PECKHAM, Occ. Papers Nat. Hist. Soc. Wis., vol. 2 (2), p. 113, 1894.

Onondaga PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 491, 1909.
lineata KOCH, Die Arachn., vol. 14, p. 77, 1848.—PECKHAM, Trans. Wis. Acad. Sci., vol. 7, p. 45, 1888; vol. 16, p. 492, 1909.—EMERTON, Trans. Conn. Acad., vol. 8, p. 21, 1891.—U. S.
quadrilineatus PECKHAM, Descr. Attidæ, U. S., p. 19, 1883.
vittata BANKS, Proc. Acad. Nat. Sci. Phila., 1901, p. 590.—N. Mex.

CORYTHALIA.

KOCH, Uebers. Arachn. Syst., vol. 5, p. 67, 1850.

Jotus PECKHAM, Proc. Wis. Nat. Hist. Soc., 1885, p. 71.
Dynamius SIMON, Ann. Soc. Ent. France 1888, p. 204 (part).
conspecta PECKHAM, Occ. Papers Nat. Hist. Soc. Wis., vol. 3, p. 42, 1896; Trans. Wis. Acad. Sci., vol. 16, p. 446, 1909.—Ariz.
opima PECKHAM, Proc. Wis. Nat. Hist. Soc., 1885, p. 71; Trans. Wis. Acad. Sci. vol. 16, p. 444, 1909.—Ariz.
fulvoguttata CAMBRIDGE Biol. Centr.-Amer., Arachn. Aran., vol. 2, p. 214, 1901.

PLEXIPPUS.

Koch, Die Arachn., vol. 13, p. 93, 1846.

Thotmes Cambridge, Biol. Centr.-Amer., Arachn. Aran., vol. 2, p. 240, 1901.

paykulli Audouin, Sav. Descr. Égypte (2), Hist. Nat., Zool., vol. 22, p. 172, 1827.—Peckham, Trans. Wis. Acad. Sci., vol. 7, p. 84, 1888.—Marx, Proc. Acad. Nat. Sci. Phila., 1889, p. 99, fig.—Peckham, Trans. Wis. Acad. Sci., vol. 16, p. 442, 1909.—Southern States.

ligo Koch, Die Arachn., vol. 13, p. 107, 1846.

rufus Koch, Die Arachn., vol. 13, p. 120, 1846.—Pa.

vittatus Banks, Proc. Ent. Soc. Washington, vol. 7, p. 100, 1906.—Ariz.

HYCTIA.

Simon, Arachn. France, vol. 3, p. 18, 1876.

pikei Peckham, Trans. Wis. Acad. Sci., vol. 7, p. 79, 1888; vol. 16, p. 488, 1909.—Emerton, Trans. Conn. Acad., vol. 14, p. 228, 1909.—Southern States.

robusta Banks, Proc. Ent. Soc. Washington, vol. 7, p. 99, 1906.—Peckham, Trans. Wis. Acad. Sci., vol. 16, p. 489, 1909.—Ariz., Cal.

MARPISSA.

Koch, Die Arachn., vol. 13, p. 57, 1846.

Marptusa Thorell, Ragni Malesi, vol. 1, p. 221, 1877.

Tapinattus Thorell, Ann. Mus. Genova, vol. 31, p. 306, 1892.

binus Hentz, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 352, 1846; Spid. U. S., p. 51, 1875.—Emerton, Trans. Conn. Acad., vol. 8, p. 21, 1891.—Peckham, Trans. Wis. Acad. Sci., vol. 16, p. 489, 1909.—Eastern States.

bivittata Dufour, Ann. Sci. Nat., vol. 22, p. 369, 1831.—Southern States.

melanognathus Lucas, Hist. Nat. d'Iles Canar., vol. 2, p. 29, 1839.—Peckham, Trans. Wis. Acad. Sci., vol. 7, p. 82, 1888; vol. 16, p. 483, 1909.—Marx, Proc. Acad. Nat. Sci. Phila., 1889, p. 99.

dissimilis Koch, Die Arachn., vol. 13, p. 70, 1846.

incerta Koch, Die Arachn., vol. 13, p. 73, 1846.

manni Peckham, Descr. Attidæ, U. S., p. 27, 1883.

californica Peckham, Trans. Wis. Acad. Sci., vol. 7, p. 81, 1888; vol. 16, p. 482, 1909.—Cal., Wash.

formosus Banks, Proc. Acad. Nat. Sci. Phila., 1892, p. 76.—N. Y., D. C.

rupicola Hentz, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 357, 1846; Spid. U. S., p. 61, 1875.—Banks, Proc. Acad. Nat. Sci. Phila., 1892, p. 79.—N. Y., Md., Ala.

undata De Geer, Mém. Hist. Ins., vol. 7, p. 320, 1778.—Koch, Die Arachn., vol. 13, p. 60, 1846.—Peckham, Trans. Wis. Acad. Sci., vol. 16, p. 481, 1909.—U. S.

familiaris Hentz, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 354, 1846; Spid. U. S., p. 56, 1875.—Peckham, Trans. Wis. Acad. Sci., vol. 7, p. 80, 1888.—Emerton, Trans. Conn. Acad., vol. 8, p. 19, 1891.

conspersa Koch, Die Arachn., vol. 13, p. 61, 1846.

varia Koch, Die Arachn., vol. 13, p. 69, 1846.

sundevalli Blackwall, Ann. Mag. Nat. Hist., vol. 17, p. 37, 1846.

METACYRBA.

Cambridge, Biol. Centr.-Amer., Arachn. Aran., vol. 2, p. 252, 1901.

Cyrba Peckham, Trans. Wis. Acad. Sci., vol. 7, p. 75, 1888 (not of Simon).

similis Banks, Proc. California Acad. Sci. (3), vol. 3, Zool., p. 360, 1904.—Cal.

tæniola Hentz, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 353, 1846; Spid. U. S., p. 56, 1875.—Peckham, Trans. Wis. Acad. Sci., vol. 7, p. 75, 1888; vol. 16, p. 486, 1909.—U. S.

EREMATTUS.

BANKS, Journ. N. Y. Ent. Soc., 1904, p. 117.

Pseudicius PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 492, 1909 (not Simon).

albopilosus BANKS, Proc. U. S. Nat. Mus., vol. 25, p. 219, 1902.—Ariz.

piraticus PECKHAM, Trans. Wis. Acad. Sci., vol. 7, p. 49, 1888; vol. 16, p. 494, 1909.—Tex.

SALTICUS.

LATREILLE, Nouv. Dict. d'Hist. Nat., vol. 24, p. 135, 1804.

Calliethera KOCH, Uebers. Arachn. Syst., vol. 1, p. 30, 1837.

Cyrtonota SIMON, Hist. Nat. Araign., p. 324, 1864.

Epiblemum HENTZ, Amer. Journ. Sci. Arts, vol. 21, p. 108, 1832.

albocinctus PECKHAM, Occ. Papers Nat. Hist. Soc. Wis., vol. 3, p. 84, 1896; Trans. Wis. Acad. Sci., vol. 16, p. 479, 1909.—Tex.

palpalis BANKS, Proc. California Acad. Sci. (3), vol. 3, Zool., p. 360, 1904.—PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 477, 1909.—Cal.

peckhamæ COCKERELL, Can. Ent. 1897, p. 223.—PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 478, 1909.—N. Mex.

scenicus CLERCK, Svenska Spindlar, p. 117, 1757.—PECKHAM, Trans. Wis. Acad. Sci., vol. 7, p. 76, 1888; vol. 16, p. 477, 1909.—EMERTON, Trans. Conn. Acad., vol. 8, p. 20, 1891.—U. S.

faustum, HENTZ, Amer. Journ. Sci. Arts, vol. 21, p. 108, 1832; Journ. Bost. Soc. Nat. Hist., vol. 5, p. 367, 1846; Spid. U. S., vol. 71, 1875.

ADMESTINA.

PECKHAM, Trans. Wis. Acad. Sci., vol. 7, p. 78, 1888.

tibialis KOCH, Die Arachn., vol. 14, p. 71, 1848.—EMERTON, Trans. Conn. Acad., vol. 14, p. 227, 1909.—PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 510, 1909.—Eastern States.

wheeleri PECKHAM, Trans. Wis. Acad. Sci., vol. 7, p. 78, 1888.—BANKS, Proc. Acad. Nat. Sci. Phila., 1892, p. 78.

ZYGOBALLUS.

PECKHAM, Proc. Nat. Hist. Soc. Wis., 1885, p. 81.

bettini PECKHAM, Trans. Wis. Acad. Sci., vol. 7, p. 89, 1888.—EMERTON, Trans. Conn. Acad., vol. 8, p. 12, 1891.—PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 579, 1909.—Eastern States.

iridescens BANKS, Can. Ent. 1895, p. 102.—N. H.

nervosus PECKHAM, Trans. Wis. Acad. Sci., vol. 7, p. 56, 1888 (*Eris*); vol. 16, p. 580, 1909.—Eastern States.

terrestris EMERTON, Trans. Conn. Acad., vol. 8, p. 13, 1891.

octavus PECKHAM, Trans. Wis. Acad. Sci., vol. 7, p. 54, 1888 (not Hentz).—N. Y.

parvus HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 358, 1846; Spid. U. S., p. 62, 1875.—Southern States.

rufipes PECKHAM, Proc. Nat. Hist. Soc. Wis., 1885, p. 82; Trans. Wis. Acad. Sci., vol. 16, p. 581, 1909.—Tex.

sexpunctatus HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 202, 1845; Spid. U. S., p. 54, 1875.—PECKHAM, Trans. Wis. Acad. Sci., vol. 7, p. 89, 1888; vol. 16, p. 583, 1909.—U. S.

ATTIDOPS.

BANKS, Amer. Nat., vol. 39, p. 321, 1905.

Ballus PECKHAM, Trans. Wis. Acad. Sci., vol. 7, p. 87, 1888 (not of Koch).

youngi PECKHAM, Trans. Wis. Acad. Sci., vol. 7, p. 87, 1888; vol. 16, p. 586, 1909.—Eastern States.

NEON.

SIMON, Arachn. France, vol. 3, p. 208, 1876.

nelli PECKHAM, Trans. Wis. Acad. Sci., vol. 7, p. 88, 1888.—EMERTON, Trans. Conn. Acad., vol. 8, p. 22, 1891.—PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 588, 1909.—Northern States.

obliquus BANKS, Can. Ent., 1895, p. 98.—Wash.

HOMALATTUS.

WHITE, Ann. Mag. Nat. Hist., vol. 8, p. 476, 1841.

Agassa SIMON, Hist. Nat. Araign. (2), vol. 2, p. 643, 1901.

cyaneus HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 365, 1846; Spid. U. S., p. 69, 1875.—PECKHAM, Trans. Wis. Acad. Sci., vol. 7, p. 86, 1888; vol. 16, p. 590, 1909.—U. S.

septentrionalis KEYSERLING, Verh. zool.-bot. Ges. Wien, 1884, p. 515.

georgiana SIMON, Hist. Nat. Araign. (2), vol. 2, p. 643, 1901.

SASSACUS.

PECKHAM, Occ. Papers Nat. Hist. Soc. Wis., vol. 2, (3), p. 176, 1895.

barbipes PECKHAM, Trans. Wis. Acad. Sci., vol. 7, p. 55, 1888; vol. 16, p. 592, 1909.—Cal.

popenhoei PECKHAM, Occ. Papers Nat. Hist. Soc. Wis., vol. 2, No. 3, p. 177, 1895; Trans. Wis. Acad. Sci., vol. 16, p. 592, 1909.—Western States.

AGOBARDUS.

KEYSERLING, Verh. zool.-bot. Ges. Wien, 1884, p. 519.

abnormalis KEYSERLING, Verh. zool.-bot. Ges. Wien, 1884, p. 519.—PECKHAM, Trans. Wis. Acad. Sci., vol. 7, p. 90, 1888; vol. 16, p. 584, 1909.—North America.

PARADAMŒTAS.

PECKHAM, Proc. Nat. Hist. Soc. Wis., 1884, p. 789.

formicina PECKHAM, Proc. Nat. Hist. Soc. Wis., 1885, p. 79; Trans. Wis. Acad. Sci., vol. 16, p. 375, 1909.—Tex.

BELLOTA.

PECKHAM, Occ. Papers Nat. Hist. Soc. Wis., vol. 2, p. 67, 1892.

micans PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 373, 1909.—Tex.

wheelerii PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 374, 1909.—Tex.

MYRMARACHNE.

MACLEAY, Ann. Mag. Nat. Hist., vol. 2, p. 10, 1839.

Pyrophorus KOCH, Uebers. Arachn. Syst., vol. 1, p. 29, 1837, (preoc.).

Janus KOCH, Die Arachn., vol. 13, p. 21, 1846.

Toxeus KOCH, Die Arachn., vol. 13, p. 19, 1846.

Pyroderus SIMON, Monogr. Attid. Eur., p. 248, 1869.

Salticus THORELL, Eur. Spid., p. 209, 1869 (not Latreille).

albocinctus KOCH, Die Arachn., vol. 13, p. 36, 1846.—PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 371, 1909.—Eastern States.

ephippiatus PECKHAM, Trans. Wis. Acad. Sci., vol. 7, p. 96, 1888; Occ. Papers Nat. Hist. Soc. Wis., vol. 2, p. 18, 1892 (not Hentz).—EMERTON, Trans. Conn. Acad., vol. 8, p. 31, 1891.

PECKHAMIA.

SIMON, Hist. Nat. Araign., (2), vol. 2, p. 496, 1901.

Synageles PECKHAM, Trans. Wis. Acad. Sci., vol. 7, p. 94, 1888 (not Simon).

americana PECKHAM, Occ. Papers Nat. Hist. Soc. Wis., vol. 2, p. 65, 1892; Trans. Wis. Acad. Sci., vol. 16, p. 368, 1909.—Southern States.

picata HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 370, 1846; Spid. U. S., p. 75, 1875.—PECKHAM, Trans. Wis. Acad. Sci., vol. 7, p. 94, 1888; Occ. Papers Nat. Hist. Soc. Wis., vol. 2, p. 64, 1892.—EMERTON, Trans. Conn. Acad., vol. 8, p. 32, 1891; vol. 14, p. 232, 1909.—PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 369, 1909.—U. S.

scorpiona HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 369, 1846; Spid. U. S., p. 74, 1875.—PECKHAM, Trans. Wis. Acad. Sci., vol. 7, p. 95, 1888; Occ. Papers Nat. Hist. Soc. Wis., vol. 2, p. 63, 1892.—EMERTON, Trans. Conn. Acad., vol. 14, p. 233, 1909.—PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 370, 1909.—U. S.

noxiosa HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 6, p. 288, 1850; Spid. U. S., p. 161, 1875.

(?) *ephippiatus* HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 369, 1846; Spid. U. S., p. 74, 1875.

SYNEMOSYNA.

HENTZ, Amer. Journ. Sci. Arts, vol. 21, p. 108, 1832.

Myrecarachne WALSH, Proc. Ent. Soc. Phila., vol. 3, 1864, p. 235.

formica HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 368, 1846; Spid. U. S., p. 73, 1875.—PECKHAM, Trans. Wis. Acad. Sci., vol. 7, p. 93, 1888; Occ. Papers Nat. Hist. Soc. Wis., vol. 2, p. 77, 1892.—EMERTON, Trans. Conn. Acad., vol. 8, p. 30, 1891.—PECKHAM, Trans. Wis. Acad. Sci., vol. 16, p. 366, 1909.—U. S.

gibberosus KOCH, Die Arachn., vol. 13, p. 21, 1846.

LYSSOMANES.

HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 198, 1845.

viridis HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 198, 1845, Spid. U. S., p. 49, 1875.—PECKHAM, Trans. Wis. Acad. Sci., vol. 7, p. 97, 1888; vol. 16, p. 595, 1909.—Southern States.

UNPLACED.

amabilis KOCH, Die Arachn., vol. 13, p. 215, 1846 (Young of *Phidippus rufus?*).

auridens GIEBEL, Zeitschr. Ges. Naturw., vol. 33, p. 248, 1869.—Ill.

brendeli GIEBEL, Zeitschr. Ges. Naturw., vol. 33, p. 249, 1869.—Ill.

canonicus HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 365, 1846; Spid. U. S., p. 70, 1875.—Ala.

falcarius HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 352, 1846; Spid. U. S., p. 54, 1875.—Ala.

gracilis HENTZ, Journ. Bost. Soc. Nat. Hist., vol. 5, p. 359, 1846; Spid. U. S., p. 63, 1875.—Ala.

humilis KOCH, Die Arachn., vol. 13, p. 217, 1846 (Young of *Phidippus rufus?*).—Pa.

rusticoleus PECKHAM, Descr. Attidæ, U. S., p. 10, 1883.—Wis.

signatus WALCKENAER, Ins. Apt., vol. 1, p. 434, 1837 (Young of *Phidippus rufus?*).—N. Y.

INDEX.

	Page.
Abbotia	39
Acacesia	40
Acartauchenius	27
Acrosoma	46
Actinoxia	3
Admestina	74
Agassa	75
Agelena	16
Agelenopsis	16
Agobardus	75
Agræca	12
Aliatypus	3
Allocosa	60
Amaurobius	18
Amblyocarenum	2
Ancylorrhanis	24
Anelosimus	20
Anoka	72
Anthrobia	32
Antistea	15
Antrodiætus	4
Anyphæna	13
Aphonopelma	3
Apollophanes	51
Apostenus	12
Apostichus	3
Araneus	41
Argiope	45
Argyrodes	23
Argyroepeira	37
Ariadne	7
Ariamnes	23
Asagena	22
Astia	71
Attidops	74
Attinella	70
Attus	70
Atypoides	3
Atypus	1
Aulonia	62
Avicularia	4
Aysha	13
Azilia	38
Ballus	74
Bathyphantes	34
Bellinda	23
Bellota	75
Bolyphantes	33
Bothriocyrtum	2
Brachybothrium	2
Brachypelma	3
Brachythele	3
Calliethera	74
Callilepis	9
Caracladus	26
Carepalxis	45
Caseola	26
Castianeira	11
Catadysas	12
Ceraticelus	25
Ceratinella	25
Ceratinops	24
Ceratinopsis	29
Cercidia	46
Cesonia	9
Chapoda	70
Chemmis	12
Chiracanthium	13
Chorizomma	17
Chorizops	2
Chrysso	20
Cicurina	15
Cinetomorpha	5
Ciniflo	18
Clitolyna	30
Clubiona	14
Cœlotes	15
Coleosoma	20
Colonus	69
Coras	16
Coriarachne	49
Cornicularia	28
Corythalia	72
Cotinusa	70
Crustulina	21
Cryphœca	15
Ctenium	22
Ctenophora	36
Ctenus	54
Cupiennius	55
Cybæodes	17
Cybæus	16

	Page.
Cyclocosmia	2
Cyclosa	39
Cyllopoda	47
Cyrba	73
Cyrtæa	70
Cyrtarachne	45
Cyrtauchenius	2
Cyrtonota	74
Dapanus	54
Decetia	7
Delorrhipis	27
Dendryphantes	65
Dictyna	17
Dictynina	18
Dictyolathys	18
Diguetia	5
Dinopis	47
Diplocephalus	26
Diplostyla	34
Dipæna	22
Dismodicus	27
Dolichognatha	38
Dolomedes	53
Drapetisca	34
Drassinella	8
Drassodes	10
Drassus	10
Drepanodus	21
Drexelia	38
Dugesiella	3
Dynamius	70, 72
Dysdera	7
Ebo	51
Eilica	8
Elaver	14
Enna	54
Enoplognatha	21
Epeira	41
Epesinus	24
Ephippus	67
Epiblemum	74
Erematthus	74
Ergane	68
Ergatis	17
Erigone	31
Ero	35
Ervig	5
Escambia	70
Eucta	36
Eugnatha	36
Euophrys	70
Euryopis	22
Eurypelma	3
Eutychides	3
Evagrus	3
Evarcha	67
Exechophysis	25
Filistata	4
Filistatodes	4
Frontina	32
Frontinella	32
Fuentes	72
Gamasomorpha	5
Gasteracantha	46
Gaucelmus	21
Gayenna	13
Gea	45
Geolycosa	57
Geotrecha	11
Glenognatha	36
Glyptocranium	45
Gnaphosa	9
Gonatium	28
Gonglydium	29
Grammonota	29
Habrocestum	67, 69
Habronattus	67
Habronestes	14
Hahnia	15
Hamataliwa	62
Hebestatis	2
Helophora	33
Hentzia	38
Herpyllus	8
Heteropoda	52
Hexura	2
Hilke	13
Histagonia	24
Homalattus	75
Homalonychus	15
Hyctia	73
Hypochilus	4
Hypomma	27
Hypselistes	26
Hyptiotes	47
Icelus	71
Icius	71
Idionella	24
Isacantha	46
Janus	75
Jotus	72
Labulla	32
Larinia	38
Laronia	9
Lasæola	22
Lathrodectes	24

	Page.
Lathys	18
Lepthyphantes	34
Leptoneta	6
Lethia	18
Leucauge	37
Linyphia	33
Linyphiella	32
Liocranoides	14
Lithyphantes	21
Lophocarenum	25, 26
Loxosceles	5
Lutica	15
Lycosa	55
Lycosina	62
Lyssomanes	76
Macaria	10
Mævia	71
Mahadeva	41
Mallos	17
Manduculus	36
Mangora	39
Marchena	70
Marpissa	73
Marptusa	73
Marxia	45
Maso	27
Maypacius	54
Megamyrmecion	8
Melanophora	7
Melpomene	16
Menalippe	12
Meriola	11
Meta	38
Metacyrba	73
Metaphidippus	65
Metazygia	40
Metepeira	40
Micaria	10
Micariaulax	11
Micariosoma	12
Micrathena	46
Microdipœna	22
Microepeira	37
Micrommata	54
Microneta	35
Miltia	5
Mimetus	36
Misumena	50
Misumenoides	49
Misumenops	50
Misumessus	50
Mithras	47
Modisimus	7

	Page.
Myrecarachne	76
Myrmarachne	75
Myrmeciophila	3
Mysmena	22
Nematogmus	28
Neon	75
Neophanes	18
Nephila	37
Neriene	32
Nesticus	32
Nidivalvata	2
Notionella	29
Ochyrocera	6
Olios	53
Onondaga	72
Oophora	6
Opas	37
Orchestina	6
Ordgarius	45
Orithyia	47
Oroodes	23
Oxyopes	62
Ozyptila	49
Pachydactylus	22
Pachygnatha	36
Pachylomerus	2
Pales	67
Panamonops	26
Paradamœtas	75
Paraphidippus	62
Pardosa	58
Parthenia	69
Pasithea	62
Peckhamia	76
Pedanostethus	22
Pedo	11
Pellenes	67
Peucetia	62
Phanetta	31
Phidippus	62
Philæus	62
Phillyra	47
Philodromoides	51
Philodromus	51
Phlegra	69
Pholcomma	24
Pholcophora	7
Pholcus	6
Phrurolithus	12
Physocyclus	7
Pirata	61
Pisaurina	54
Plectana	45

	Page.
Plecirurys	5
Plexippus	73
Pœcilochroa	8
Potamia	61
Poultonella	66
Prodalia	18
Prodidomus	5
Prosopotheca	28
Prosthesima	7
Pseudicius	74
Psilochorus	6
Psiloderces	6
Pylarus	7
Pyroderus	75
Pyrophorus	75
Pythonissa	9
Rhechostica	3
Runcinia	49
Sadala	70
Saitis	69
Salticus	74, 75
Sarotes	52
Sassacus	75
Satilatlas	27
Scaptocosa	57
Schizocosa	58
Schizogyna	58
Scoloderus	45
Scotophæus	10
Scytodes	5
Segestria	7
Selenops	53
Sergiolus	9
Sidusa	70
Singa	40
Sittacus	70
Sosilaus	62
Sosippus	60
Spermophora	6
Spintharus	24
Spiropalpus	28
Steatoda	21
Stegosoma	23
Stemonyphantes	33
Stoides	67
Storena	14
Synageles	76
Synema	49
Synemosyna	76
Syspira	14
Talavera	71
Tapinattus	73
Tapinauchenius	4
Tapinopa	34
Tarentula	55
Tegenaria	16
Teminius	9
Tetragnatha	37
Teutana	21
Thalamia	5
Thanatidius	54
Thanatus	51
Thargalia	11
Thaumasia	54
Theonœ	22
Theridiosoma	37
Theridium	19
Theridula	20
Thiodina	69
Thotmes	73
Tibellus	51
Tiso	28
Titanœca	18
Titiotus	54
Tmarus	50
Tmeticus	29, 35
Toxeus	75
Trabea	62
Trachelas	12
Trochosa	60
Tutelina	71
Ulesanis	23
Uloborus	47
Usofila	6
Verrucosa	41
Vixia	41
Wagneria	44
Wagneriana	44
Wala	72
Willibaldia	32
Xysticus	47
Zelotes	7
Zilla	39
Zora	12
Zosis	47
Zygoballus	74

O

BIBLIOTHÈQUE VANIER
UNIVERSITÉ D'OTTAWA

Échéance

Celui qui rapporte un volume après la dernière date timbrée ci-dessous, devra payer une amende de dix cents, plus deux cents pour chaque jour de retard.

VANIER LIBRARY
UNIVERSITY OF OTTAWA

Date due

For failure to return a book on or before the last date stamped below there will be a fine of ten cents, and an extra charge of two cents for each additional day.


a39003 005828768b

S0-AZA-279